

FREE DAYS: - 21

Date:	26-Oct-21
P.O. No:	4521402963
Destination	RYK
Load Port	CHINA
Shipped on board	21-Oct-21
ETA	4-Nov-21

4735	
CNY 1,576,752.26	Category RM - PP
MOMENTUM LOGISTIC	
IBD NO:-	240163009
DATED	28.10.2021

✓	Com. Invoice.
✓	Bill of Lading
	Airway Bill
✓	Packing List
✓	Analysis Certificate
✓	EIF FORM
	PO Upload
	0007
	IBD
	MIGO 103
	SN

LC/BC ATTACHED

PO CONDITIONS UPDATED

DOCUMENTS CHECKED

CBN-EIF-008302-27092021

DISTRIBUTION :

Code	Item Description	Quantity with UoM
65101798	TEXAPON N 701/ EMAL 170N(SLES 70% 1EO)	152.10 MT

LINE 20

YASIR

cc: Logistics (4 sets)

cc: Material Stores - ICF / RBF / RYK

**ZHISHENG (HUIZHOU) PETROCHEMICALS CORP.LTD.**

Add: No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China
Tel: (86) 0752-5118130 Fax: (86) 0752-5118129 Attn: Agnes Lai Email: findagnes@163.com

Packing List

Consignee: Unilever Pakistan Limited
Avari Plaza, Fatima Jinnah Road
Karachi 75530 Pakistan

Notify Party: Unilever Pakistan Limited
Avari Plaza, Fatima Jinnah Road
Karachi 75530 Pakistan

Invoice No.: ZS-2110237

Date: October 12, 2021

PO No.: 4521402963-1

Vendor No.: 50478390

Shipment Term: CFR Pakistan, Karachi

Port of Loading: Shekou, China

Port of Discharge: Pakistan, Karachi

Shipped Per: CELSIUS NAPLES / 2107W

No.	Item Description	Container No./Seal No.	N.W(KGS) (loaded weight)	Measurement (M ³)
1	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2110308	EXFU5587647 / CC167645 / ZS83184 / ZS83185 / ZS83186 1x ISO TANK	21,720.00	22.00
2	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2110309	HCHU2142234 / CC167646 / ZS83194 / ZS83195 / ZS72112 1x ISO TANK	21,780.00	22.00
3	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2110309	HCHU2144197 / CC167643 / ZS83198 / ZS83199 / ZS83200 1x ISO TANK	21,880.00	22.00
4	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2110323	HCHU2011960 / CC167642 / ZS83004 / ZS83005 / ZS83006 1x ISO TANK	21,780.00	22.00
5	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2110322	EXFU5574275 / CC167647 / ZS83044 / ZS83045 / ZS83046 1x ISO TANK	21,540.00	22.00
6	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2110322	HCTU1508368 / CC167644 / ZS83041 / ZS83042 / ZS83043 1x ISO TANK	21,620.00	22.00
7	Sodium Lauryl Ether Sulfate (SLES 1EO) Lot No.: C2110323	HCTU2003112 / CC167648 / ZS83057 / ZS83058 / ZS83059 1x ISO TANK	21,780.00	22.00
Total:		7 x ISO TANKS	152,100.00	154.00

Shipping Marks:

UNILEVER/KARACHI

PROFORMA INVOICE NO. ZS21091601

SLES-1EO (SODIUM LAURYL ETHER SULPHATE)



Supplier: _____



ZHISHENG (HUIZHOU) PETROCHEMICALS CORP.LTD.

Add: No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province,
P.R.China

Tel: (86) 0752-5118130 Fax: (86) 0752-5118129 Attn: Agnes Lai Email: findagnes@163.com

Commercial Invoice

Invoice to: Unilever Pakistan Limited
Avari Plaza, Fatima Jinnah Road
Karachi 75530 Pakistan

Invoice No.: ZS-2110237

Date: October 12, 2021

PO No.: 4521402963-1

Vendor No.: 50478390

Shipment Term: CFR Pakistan, Karachi

Port of Loading: Shekou, China

Port of Discharge: Pakistan, Karachi

Shipped Per: CELSIUS NAPLES / 2107W

Payment Term: L/C at sight

HS CODE: 34021100

LC No.: 5343601235

Original of Goods: China

Consignee: Unilever Pakistan Limited
Avari Plaza, Fatima Jinnah Road
Karachi 75530 Pakistan

No.	Item Description	Quantity		Unit Price (CNY/MT)	Amount
1	Sodium Lauryl Ether Sulfate (SLES 1EO)	152.10	MT	10,366.55	CNY 1,576,752.26
Total:		152.10	MT		CNY 1,576,752.26

Banking Information

Account Name: ZHISHENG (HUIZHOU) PETROCHEMICALS CORP., LTD

Bank Name: BANK OF CHINA, DAYABAY SUB-BRANCH, HUIZHOU GUANGDONG CHINA

Bank Add.: 13, XINAO AVENUE DAYABAY ECONOMIC & TECHNOLOGICAL DEVELOPMENT ZONE
HUIZHOU CITY, GUANGDONG PROVINCE PRC


Bank Code: BKCHCNBJ47A





Bank Account: 705557753495





Currency: CNY





Supplier:



		智盛 (惠州) 石油化工有限公司		产 品 分 析 报 告 单	
Zhisheng (Huizhou) Petrochemicals Corp. Ltd.		Certificate Of Analysis			
化学名称/Chemical Name:		脂肪醇聚氧乙烯醚硫酸钠 70% Sodium Lauryl Ether Sulphate 70%		商品名称/Trade Name: MAFOL MS1070	
生产商/Manufacturer:		智盛 (惠州) 石油化工有限公司 Zhisheng (Huizhou) Petrochemicals Corp. Ltd.		客户标准/Customer Standard:	
产品编码/Product Code:		00113015		批号/Batch No: C2110308	
生产日期/Production Date:		2021/10/5		失效日期/Expiration Date: 2022/10/5	
检测项目 Test Item		标准 Standard		检测结果 Test Result	
结论 Conclusion		检测方法 Analysis Method			
外观 25℃ Appearance 25℃		无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.		浅黄色凝胶状膏体 light yellow viscous fluid.	
合格/Qualified		00504423			
气味 25℃ Odour 25℃		特殊性气味 Characteristic		特殊性气味 Characteristic	
合格/Qualified		00504424			
活性物 (MW=340), % Active Matter		68.5 ~ 71.5		69.4	
合格/Qualified		00504401			
硫酸钠, % Sodium Sulfate		-- ≤ 1.0		0.3	
合格/Qualified		00504404			
未磺化醇, % Unsulphated Alcohol		-- ≤ 2.5		1.5	
合格/Qualified		00504476			
未磺化物, % Unsulphated Matter		-- ~ 3.00		1.82	
合格/Qualified		00504476			
PH值 (25℃) (4%水溶液) PH Value (4% solution)		6.0 ~ 8.5		7.6	
合格/Qualified		00504402			
色泽 (20 %水溶液), APHA Color (20% Solution)		-- ≤ 70		24	
合格/Qualified		00504417			
过氧化氢含量, ppm Hydrogen Peroxide,		-- ≤ 20		5	
合格/Qualified		00504427			
亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution		-- ≤ 10		10	
合格/Qualified		00504426			
1,4-二噁烷含量, ppm (按100%活性物计) 1,4-Dioxane, ppm (On 100% active matter)		-- ≤ 35		13	
合格/Qualified		00504477			
备注 Remark		无 None		最终结论 Final Conclusion 合格 Qualified	
批准 Approver		马丽萍		黄云	
生产商信息 Manufacturer Information		电话/Tel: 0752-5118102		传真/Fax: 0752-5118111	
地址/Address		广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China			

		智盛 (惠州) 石油化工有限公司		产 品 分 析 报 告 单																																																																																																													
		Zhisheng (Huizhou) Petrochemicals Corp. Ltd.		Certificate Of Analysis																																																																																																													
化学名称/Chemical Name:		脂肪醇聚氧乙烯醚硫酸钠 70% Sodium Lauryl Ether Sulphate 70%		商品名称/Trade Name: MAFOL MSI070																																																																																																													
生产商/Manufacturer:		智盛 (惠州) 石油化工有限公司 Zhisheng (Huizhou) Petrochemicals Corp. Ltd.		客户标准/Customer Standard																																																																																																													
产品编码/Product Code:		00113015		批号/Batch No: C2110309																																																																																																													
生产日期/Production Date:		2021/10/6		失效日期/Expiration Date: 2022/10/6																																																																																																													
<table border="1"> <thead> <tr> <th>检测项目 Test Item</th> <th colspan="3">标准 Standard</th> <th>检测结果 Test Result</th> <th>结论 Conclusion</th> <th>检测方法 Analysis Method</th> </tr> </thead> <tbody> <tr> <td>外观 25℃ Appearance 25℃</td> <td colspan="3">无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.</td> <td>浅黄色凝胶状膏体 light yellow viscous fluid.</td> <td>合格/Qualified</td> <td>00504423</td> </tr> <tr> <td>气味 25℃ Odour 25℃]</td> <td colspan="3">特殊性气味 Characteristic</td> <td>特殊性气味 Characteristic</td> <td>合格/Qualified</td> <td>00504424</td> </tr> <tr> <td>活性物(MW=340), % Active Matter</td> <td>68.5</td> <td>~</td> <td>71.5</td> <td>69.5</td> <td>合格/Qualified</td> <td>00504401</td> </tr> <tr> <td>硫酸钠, % Sodium Sulfate</td> <td>--</td> <td>≤</td> <td>1.0</td> <td>0.3</td> <td>合格/Qualified</td> <td>00504404</td> </tr> <tr> <td>未磺化醇, % Unulfated Alcohol</td> <td>--</td> <td>≤</td> <td>2.5</td> <td>1.5</td> <td>合格/Qualified</td> <td>00504476</td> </tr> <tr> <td>未磺化物, % Unulfated Matter</td> <td>--</td> <td>~</td> <td>3.00</td> <td>1.79</td> <td>合格/Qualified</td> <td>00504476</td> </tr> <tr> <td>PH值(25℃)(4%水溶液) PH Value(4% solution)</td> <td>6.0</td> <td>~</td> <td>8.5</td> <td>7.6</td> <td>合格/Qualified</td> <td>00504402</td> </tr> <tr> <td>色泽 (20 %水溶液), APHA Color (20% Solution)</td> <td>--</td> <td>≤</td> <td>70</td> <td>25</td> <td>合格/Qualified</td> <td>00504417</td> </tr> <tr> <td>过氧化氢含量, ppm Hydrogen Peroxide,</td> <td>--</td> <td>≤</td> <td>20</td> <td>5</td> <td>合格/Qualified</td> <td>00504427</td> </tr> <tr> <td>亚硫酸根 (按SO₂计), ppm-20% 水溶液 Sulphite, ppm (as SO₂) 20% Solution</td> <td>--</td> <td>≤</td> <td>10</td> <td>10</td> <td>合格/Qualified</td> <td>00504426</td> </tr> <tr> <td>1,4-二噁烷含量, ppm(按100%活性物计) 1-4-Dioxane, ppm (On 100% active matter)</td> <td>--</td> <td>≤</td> <td>35</td> <td>13</td> <td>合格/Qualified</td> <td>00504477</td> </tr> <tr> <td>备注 Remark</td> <td colspan="5">无 None</td> <td rowspan="2">  </td> </tr> <tr> <td>批准 Approver</td> <td>马丽萍</td> <td>编审 Editor</td> <td colspan="2">荣林</td> <td>分析日期 Analysis Date</td> </tr> <tr> <td rowspan="2">生产商信息 Manufacturer Information</td> <td>电话/Tel</td> <td colspan="2">0752-5118102</td> <td>传真/Fax:</td> <td>0752-5118111</td> </tr> <tr> <td>地址/Address</td> <td colspan="4">广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China</td> </tr> </tbody> </table>						检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method	外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow viscous fluid.	合格/Qualified	00504423	气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424	活性物(MW=340), % Active Matter	68.5	~	71.5	69.5	合格/Qualified	00504401	硫酸钠, % Sodium Sulfate	--	≤	1.0	0.3	合格/Qualified	00504404	未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.5	合格/Qualified	00504476	未磺化物, % Unulfated Matter	--	~	3.00	1.79	合格/Qualified	00504476	PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.6	合格/Qualified	00504402	色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	25	合格/Qualified	00504417	过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	5	合格/Qualified	00504427	亚硫酸根 (按SO ₂ 计), ppm-20% 水溶液 Sulphite, ppm (as SO ₂) 20% Solution	--	≤	10	10	合格/Qualified	00504426	1,4-二噁烷含量, ppm(按100%活性物计) 1-4-Dioxane, ppm (On 100% active matter)	--	≤	35	13	合格/Qualified	00504477	备注 Remark	无 None						批准 Approver	马丽萍	编审 Editor	荣林		分析日期 Analysis Date	生产商信息 Manufacturer Information	电话/Tel	0752-5118102		传真/Fax:	0752-5118111	地址/Address	广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China			
检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method																																																																																																											
外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow viscous fluid.	合格/Qualified	00504423																																																																																																											
气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424																																																																																																											
活性物(MW=340), % Active Matter	68.5	~	71.5	69.5	合格/Qualified	00504401																																																																																																											
硫酸钠, % Sodium Sulfate	--	≤	1.0	0.3	合格/Qualified	00504404																																																																																																											
未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.5	合格/Qualified	00504476																																																																																																											
未磺化物, % Unulfated Matter	--	~	3.00	1.79	合格/Qualified	00504476																																																																																																											
PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.6	合格/Qualified	00504402																																																																																																											
色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	25	合格/Qualified	00504417																																																																																																											
过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	5	合格/Qualified	00504427																																																																																																											
亚硫酸根 (按SO ₂ 计), ppm-20% 水溶液 Sulphite, ppm (as SO ₂) 20% Solution	--	≤	10	10	合格/Qualified	00504426																																																																																																											
1,4-二噁烷含量, ppm(按100%活性物计) 1-4-Dioxane, ppm (On 100% active matter)	--	≤	35	13	合格/Qualified	00504477																																																																																																											
备注 Remark	无 None																																																																																																																
批准 Approver	马丽萍	编审 Editor	荣林		分析日期 Analysis Date																																																																																																												
生产商信息 Manufacturer Information	电话/Tel	0752-5118102		传真/Fax:	0752-5118111																																																																																																												
	地址/Address	广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China																																																																																																															

		智盛 (惠州) 石油化工有限公司		产 品 分 析 报 告 单																																																																																																															
Zhisheng (Huizhou) Petrochemicals Corp. Ltd.		Certificate Of Analysis																																																																																																																	
化学名称/Chemical Name:		脂肪醇聚氧乙烯醚硫酸钠 70% Sodium Lauryl Ether Sulphate 70%		商品名称/Trade Name: MAFOL MS1070																																																																																																															
生产商/Manufacturer:		智盛 (惠州) 石油化工有限公司 Zhisheng (Huizhou) Petrochemicals Corp. Ltd.		客户标准/Customer Standard:																																																																																																															
产品编码/Product Code:		00113015		批号/Batch No: C2110322																																																																																																															
生产日期/Production Date:		2021/10/12		失效日期/Expiration Date: 2022/10/12																																																																																																															
<table border="1"> <thead> <tr> <th>检测项目 Test Item</th> <th colspan="3">标准 Standard</th> <th>检测结果 Test Result</th> <th>结论 Conclusion</th> <th>检测方法 Analysis Method</th> </tr> </thead> <tbody> <tr> <td>外观 25℃ Appearance 25℃</td> <td colspan="3">无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.</td> <td>浅黄色凝胶状膏体 light yellow viscous fluid.</td> <td>合格/Qualified</td> <td>00504423</td> </tr> <tr> <td>气味 25℃ Odour 25℃]</td> <td colspan="3">特殊性气味 Characteristic</td> <td>特殊性气味 Characteristic</td> <td>合格/Qualified</td> <td>00504424</td> </tr> <tr> <td>活性物(WW=340), % Active Matter</td> <td>68.5</td> <td>~</td> <td>71.5</td> <td>69.3</td> <td>合格/Qualified</td> <td>00504401</td> </tr> <tr> <td>硫酸钠, % Sodium Sulfate</td> <td>--</td> <td>≤</td> <td>1.0</td> <td>0.3</td> <td>合格/Qualified</td> <td>00504404</td> </tr> <tr> <td>未磺化醇, % Unulfated Alcohol</td> <td>--</td> <td>≤</td> <td>2.5</td> <td>1.8</td> <td>合格/Qualified</td> <td>00504476</td> </tr> <tr> <td>未磺化物, % Unulfated Matter</td> <td>--</td> <td>~</td> <td>3.00</td> <td>2.11</td> <td>合格/Qualified</td> <td>00504476</td> </tr> <tr> <td>PH值(25℃)(4%水溶液) PH Value(4% solution)</td> <td>6.0</td> <td>~</td> <td>8.5</td> <td>7.6</td> <td>合格/Qualified</td> <td>00504402</td> </tr> <tr> <td>色泽 (20 %水溶液), APHA Color (20% Solution)</td> <td>--</td> <td>≤</td> <td>70</td> <td>25</td> <td>合格/Qualified</td> <td>00504417</td> </tr> <tr> <td>过氧化氢含量, ppm Hydrogen Peroxide,</td> <td>--</td> <td>≤</td> <td>20</td> <td>5</td> <td>合格/Qualified</td> <td>00504427</td> </tr> <tr> <td>亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution</td> <td>--</td> <td>≤</td> <td>10</td> <td>10</td> <td>合格/Qualified</td> <td>00504426</td> </tr> <tr> <td>1,4-噁烷含量, ppm(按 100%活性物计) 1-4-Dioxane, ppm (On 100% active matter)</td> <td>--</td> <td>≤</td> <td>35</td> <td>15</td> <td>合格/Qualified</td> <td>00504477</td> </tr> <tr> <td>备注 Remark</td> <td colspan="5">无 None</td> <td>  最终结论 Final Conclusion 合格 Qualified </td> </tr> <tr> <td>批准 Approver</td> <td>马丽萍</td> <td>编审 Editor</td> <td colspan="2">吴星星</td> <td>分析日期 Analysis Date</td> <td>2021/10/12</td> </tr> <tr> <td colspan="2" rowspan="2">生产商信息 Manufacturer Information</td> <td>电话/Tel</td> <td colspan="2">0752-5118102</td> <td>传真/Fax</td> <td>0752-5118113</td> </tr> <tr> <td>地址/Address</td> <td colspan="4">广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China</td> </tr> </tbody> </table>						检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method	外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow viscous fluid.	合格/Qualified	00504423	气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424	活性物(WW=340), % Active Matter	68.5	~	71.5	69.3	合格/Qualified	00504401	硫酸钠, % Sodium Sulfate	--	≤	1.0	0.3	合格/Qualified	00504404	未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.8	合格/Qualified	00504476	未磺化物, % Unulfated Matter	--	~	3.00	2.11	合格/Qualified	00504476	PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.6	合格/Qualified	00504402	色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	25	合格/Qualified	00504417	过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	5	合格/Qualified	00504427	亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	10	合格/Qualified	00504426	1,4-噁烷含量, ppm(按 100%活性物计) 1-4-Dioxane, ppm (On 100% active matter)	--	≤	35	15	合格/Qualified	00504477	备注 Remark	无 None					 最终结论 Final Conclusion 合格 Qualified	批准 Approver	马丽萍	编审 Editor	吴星星		分析日期 Analysis Date	2021/10/12	生产商信息 Manufacturer Information		电话/Tel	0752-5118102		传真/Fax	0752-5118113	地址/Address	广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China			
检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method																																																																																																													
外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow viscous fluid.	合格/Qualified	00504423																																																																																																													
气味 25℃ Odour 25℃]	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424																																																																																																													
活性物(WW=340), % Active Matter	68.5	~	71.5	69.3	合格/Qualified	00504401																																																																																																													
硫酸钠, % Sodium Sulfate	--	≤	1.0	0.3	合格/Qualified	00504404																																																																																																													
未磺化醇, % Unulfated Alcohol	--	≤	2.5	1.8	合格/Qualified	00504476																																																																																																													
未磺化物, % Unulfated Matter	--	~	3.00	2.11	合格/Qualified	00504476																																																																																																													
PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.6	合格/Qualified	00504402																																																																																																													
色泽 (20 %水溶液), APHA Color (20% Solution)	--	≤	70	25	合格/Qualified	00504417																																																																																																													
过氧化氢含量, ppm Hydrogen Peroxide,	--	≤	20	5	合格/Qualified	00504427																																																																																																													
亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	--	≤	10	10	合格/Qualified	00504426																																																																																																													
1,4-噁烷含量, ppm(按 100%活性物计) 1-4-Dioxane, ppm (On 100% active matter)	--	≤	35	15	合格/Qualified	00504477																																																																																																													
备注 Remark	无 None					 最终结论 Final Conclusion 合格 Qualified																																																																																																													
批准 Approver	马丽萍	编审 Editor	吴星星		分析日期 Analysis Date	2021/10/12																																																																																																													
生产商信息 Manufacturer Information		电话/Tel	0752-5118102		传真/Fax	0752-5118113																																																																																																													
		地址/Address	广东惠州市大亚湾区霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China																																																																																																																

		智盛 (惠州) 石油化工有限公司		产 品 分 析 报 告 单																																																																																																													
Zhisheng (Huizhou) Petrochemicals Corp. Ltd.		Certificate Of Analysis																																																																																																															
化学名称/Chemical Name:		脂肪醇聚氧乙烯醚硫酸钠 70% Sodium Lauryl Ether Sulphate 70%		商品名称/Trade Name: MAFOL MS1070																																																																																																													
生产商/Manufacturer:		智盛 (惠州) 石油化工有限公司 Zhisheng (Huizhou) Petrochemicals Corp. Ltd.		客户标准/Customer Standard:																																																																																																													
产品编码/Product Code:		00113015		批号/Batch No: C2110323																																																																																																													
生产日期/Production Date:		2021/10/12		失效日期/Expiration Date: 2022/10/12																																																																																																													
<table border="1"> <thead> <tr> <th>检测项目 Test Item</th> <th colspan="3">标准 Standard</th> <th>检测结果 Test Result</th> <th>结论 Conclusion</th> <th>检测方法 Analysis Method</th> </tr> </thead> <tbody> <tr> <td>外观 25℃ Appearance 25℃</td> <td colspan="3">无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.</td> <td>浅黄色凝胶状膏体 light yellow viscous fluid.</td> <td>合格/Qualified</td> <td>00504423</td> </tr> <tr> <td>气味 25℃ Odour 25℃</td> <td colspan="3">特殊性气味 Characteristic</td> <td>特殊性气味 Characteristic</td> <td>合格/Qualified</td> <td>00504424</td> </tr> <tr> <td>活性物(MW=340), % Active Matter</td> <td>68.5</td> <td>~</td> <td>71.5</td> <td>69.7</td> <td>合格/Qualified</td> <td>00504401</td> </tr> <tr> <td>硫酸钠, % Sodium Sulfate</td> <td>—</td> <td>≤</td> <td>1.0</td> <td>0.3</td> <td>合格/Qualified</td> <td>00504404</td> </tr> <tr> <td>未磺化醇, % Unulfated Alcohol</td> <td>—</td> <td>≤</td> <td>2.5</td> <td>1.4</td> <td>合格/Qualified</td> <td>00504476</td> </tr> <tr> <td>未磺化物, % Unulfated Matter</td> <td>—</td> <td>~</td> <td>3.00</td> <td>1.70</td> <td>合格/Qualified</td> <td>00504476</td> </tr> <tr> <td>PH值(25℃)(4%水溶液) PH Value(4% solution)</td> <td>6.0</td> <td>~</td> <td>8.5</td> <td>7.5</td> <td>合格/Qualified</td> <td>00504402</td> </tr> <tr> <td>色泽 (20 %水溶液), APHA Color (20% Solution)</td> <td>—</td> <td>≤</td> <td>70</td> <td>24</td> <td>合格/Qualified</td> <td>00504417</td> </tr> <tr> <td>过氧化氢含量, ppm Hydrogen Peroxide,</td> <td>—</td> <td>≤</td> <td>20</td> <td>5</td> <td>合格/Qualified</td> <td>00504427</td> </tr> <tr> <td>亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution</td> <td>—</td> <td>≤</td> <td>10</td> <td>10</td> <td>合格/Qualified</td> <td>00504426</td> </tr> <tr> <td>1,4-二噁烷含量, ppm(按 100%活性物计) 1-4-Dioxane, ppm (On 100% active matter)</td> <td>—</td> <td>≤</td> <td>35</td> <td>15</td> <td>合格/Qualified</td> <td>00504477</td> </tr> <tr> <td>备注 Remark</td> <td colspan="5">无 None</td> <td>  </td> </tr> <tr> <td>批准 Approver</td> <td>马丽萍</td> <td>编审 Editor</td> <td colspan="2">利绍娟</td> <td> 最终结论 Final Conclusion 合格 Qualified 检验专用章 分析日期 Analytical Date: 2021/10/12 </td> </tr> <tr> <td rowspan="2">生产商信息 Manufacturer Information</td> <td>电话/Tel</td> <td colspan="2">0752-5118102</td> <td>传真/Fax:</td> <td>0752-5118111</td> </tr> <tr> <td>地址/Address</td> <td colspan="4"> 广东惠州市大亚湾霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China </td> </tr> </tbody> </table>						检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method	外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow viscous fluid.	合格/Qualified	00504423	气味 25℃ Odour 25℃	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424	活性物(MW=340), % Active Matter	68.5	~	71.5	69.7	合格/Qualified	00504401	硫酸钠, % Sodium Sulfate	—	≤	1.0	0.3	合格/Qualified	00504404	未磺化醇, % Unulfated Alcohol	—	≤	2.5	1.4	合格/Qualified	00504476	未磺化物, % Unulfated Matter	—	~	3.00	1.70	合格/Qualified	00504476	PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.5	合格/Qualified	00504402	色泽 (20 %水溶液), APHA Color (20% Solution)	—	≤	70	24	合格/Qualified	00504417	过氧化氢含量, ppm Hydrogen Peroxide,	—	≤	20	5	合格/Qualified	00504427	亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	—	≤	10	10	合格/Qualified	00504426	1,4-二噁烷含量, ppm(按 100%活性物计) 1-4-Dioxane, ppm (On 100% active matter)	—	≤	35	15	合格/Qualified	00504477	备注 Remark	无 None						批准 Approver	马丽萍	编审 Editor	利绍娟		最终结论 Final Conclusion 合格 Qualified 检验专用章 分析日期 Analytical Date: 2021/10/12	生产商信息 Manufacturer Information	电话/Tel	0752-5118102		传真/Fax:	0752-5118111	地址/Address	广东惠州市大亚湾霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China			
检测项目 Test Item	标准 Standard			检测结果 Test Result	结论 Conclusion	检测方法 Analysis Method																																																																																																											
外观 25℃ Appearance 25℃	无色或浅黄色凝胶状膏体 Colorless or light yellow viscous fluid.			浅黄色凝胶状膏体 light yellow viscous fluid.	合格/Qualified	00504423																																																																																																											
气味 25℃ Odour 25℃	特殊性气味 Characteristic			特殊性气味 Characteristic	合格/Qualified	00504424																																																																																																											
活性物(MW=340), % Active Matter	68.5	~	71.5	69.7	合格/Qualified	00504401																																																																																																											
硫酸钠, % Sodium Sulfate	—	≤	1.0	0.3	合格/Qualified	00504404																																																																																																											
未磺化醇, % Unulfated Alcohol	—	≤	2.5	1.4	合格/Qualified	00504476																																																																																																											
未磺化物, % Unulfated Matter	—	~	3.00	1.70	合格/Qualified	00504476																																																																																																											
PH值(25℃)(4%水溶液) PH Value(4% solution)	6.0	~	8.5	7.5	合格/Qualified	00504402																																																																																																											
色泽 (20 %水溶液), APHA Color (20% Solution)	—	≤	70	24	合格/Qualified	00504417																																																																																																											
过氧化氢含量, ppm Hydrogen Peroxide,	—	≤	20	5	合格/Qualified	00504427																																																																																																											
亚硫酸根 (按SO2计), ppm-20% 水溶液 Sulphite, ppm (as SO2) 20% Solution	—	≤	10	10	合格/Qualified	00504426																																																																																																											
1,4-二噁烷含量, ppm(按 100%活性物计) 1-4-Dioxane, ppm (On 100% active matter)	—	≤	35	15	合格/Qualified	00504477																																																																																																											
备注 Remark	无 None																																																																																																																
批准 Approver	马丽萍	编审 Editor	利绍娟		最终结论 Final Conclusion 合格 Qualified 检验专用章 分析日期 Analytical Date: 2021/10/12																																																																																																												
生产商信息 Manufacturer Information	电话/Tel	0752-5118102		传真/Fax:	0752-5118111																																																																																																												
	地址/Address	广东惠州市大亚湾霞涌镇石化大道滨海十路1号 No.1st Coastal Road 10th Dayawan Petrochemical Industrial Park, Huizhou, Guangdong Province, P.R.China																																																																																																															



SHANGHAI YUANGU INT'L LOGISTICS CO.,LTD.
上海元古国际物流有限公司

BILL OF LADING

Shipper ZHISHENG (HUIZHOU) PETROCHEMICALS CORP. LTD. ADD: NO.1ST COASTAL ROAD 10TH DAYAWAN PETROCHEMICAL INDUSTRIAL PARK, HUIZHOU ATTN: AGNES LAI TEL: (86) 0752-5118130 FAX: (86) 0752-5118129	Carrier Ref.:	B/L No.: YGSKKKH1211015
	Service Contract No.:	S/O: CN04480117
Consignee TO THE ORDER OF CITIBANK N.A, PAKISTAN AWT PLAZA, I.I. CHUNDRIGAR ROAD, KARACHI 74200	Commodity No.:	Ref No.:
	Pre-carrier Vessel:	Voyage No.:
	Ocean Vessel:	Voyage No.:
	CELSIUS NAPLES	2107W
Notify party carrier not to be responsible for failure to notify UNILEVER PAKISTAN LIMITED AVARI PLAZA, FATIMA JINNAH ROAD, KARACHI, PAKISTAN NTN # 0912725-9		Agent: CARGO PLAN INTERNATIONAL (PVT) LTD SUITE 405 - 4TH FLOOR, CLIFTON CENTRE CLIFTON BLOCK 5, 75600, KARACHI - PAKISTAN PABX: 0092-21-35293269-74 TAX ID: 3792947-0 IMP@CARGOPLANPAKISTAN.COM DOCS@CARGOPLANPAKISTAN.COM

Place of Receipt SHEKOU, CHINA	Port of Loading SHEKOU, CHINA	
Port of Discharge KARACHI, PAKISTAN	Place of Delivery KARACHI, PAKISTAN	Final Destination (for the Merchant Reference)

Container No.	Seal No. Marks and Numbers	Number of Containers or Packages	Kind of Packages; Description of Goods	Gross Weight Kgs./Lbs.	Measurement M ³ /Cft.
UNILEVER/KARACHI PROFORMA INVOICE NO. ZS21091601 SLES-1EO (SODIUM LAURYL ETHER SULFATE)		7X20TK	"SHIPPER'S LOAD, COUNT, SEALED & S.T.C." SODIUM LAURYL ETHER SULFATE (SLES 1EO) LC NO.: 5343601235 HS CODE: 34021100 NET WEIGHT: 152100KGS	WEIGHT 152100KGS	154CBM
EXFU5587647/CC167645/ZS83184/ZS83185/ZS83186/21720KGS/22CBM HCHU2142234/CC167646/ZS83194/ZS83195/ZS72112/21780KGS/22CBM HCHU2144197/CC167643/ZS83198/ZS83199/ZS83200/21880KGS/22CBM HCHU2011960/CC167642/ZS83004/ZS83005/ZS83006/21780KGS/22CBM EXFU5574275/CC167647/ZS83046/ZS83045/ZS83044/21540KGS/22CBM HCTU1508368/CC167644/ZS83043/ZS83042/ZS83041/21620KGS/22CBM HCTU2003112/CC167648/ZS83059/ZS83058/ZS83057/21780KGS/22CBM					

ORIGINAL

Freight FREIGHT PREPAID	Weight Measurement	Rate Per 21DAYS FREE DETENTION AT DESTINATION THEREAFTER USD40/TANK/DAY =FREIGHT PREPAID, CY-CY=	Prepaid	Collect
----------------------------	--------------------	---	---------	---------

TOTAL SEVEN ISO TANKS ONLY

Freight prepaid at SHANGHAI, CHINA	Freight payable at SHANGHAI, CHINA	Place and date of issue SHANGHAI, CHINA 21.OCT. 2021
Ex. Rate	No. of original B(s)/L THREE (3)	For and on behalf of SHANGHAI YUANGU INT'L LOGISTICS CO.,LTD.
Date 21.OCT. 2021	Laden on board the vessel Signature	By As carrier

RECEIVED by the Carrier from the Shipper in apparent good order and condition unless otherwise indicated hereon, the Goods, in the container(s) or package(s) used to contain the cargo herein mentioned to be carried subject to the terms and conditions provided for on the face and back of this Bill of Lading by the vessel named herein or any substitute at the carrier's option and/or other means of transport from the place of receipt or the port of loading to the port of discharge or the place of delivery unless hereon and there to be delivered under order or assign.

If required by the Carrier, this Bill of Lading duly endorsed must be surrendered in exchange for the Goods or delivery order.

In accepting this Bill of Lading, the Merchant (as defined by Article on the back hereof) agrees to be bound by all the stipulations, exceptions, terms and conditions on the face and back hereof, whether written, typed, stamped or printed as fully as signed by the Merchant, and local custom or privilege to the

contrary notwithstanding, and agrees that all agreements or engagements for and between the Merchant and the Carrier for the cargo are governed by this Bill of Lading.

In witness whereof, the undersigned, on behalf of Shanghai Yuangu International Logistics Co., Ltd. The Master and the owner of the Vessel, has signed the number of Bill(s) of Lading stated above, all of the terms and date, one of which being accomplished, the others to stand void.

(Terms of Bill of Lading continued on the back hereof)

"On Board" means the goods are loaded on board the ocean vessel named in this Bill of Lading, or loaded on board rail cars, trucks, trailers, feeder vessels, barges, or other means of transportation and are in the custody of an inland or ocean Carrier for Through Transportation in accordance with the terms of this Bill of Lading.

1. Exporter's Name and Address, Country
ZHISHENG (HUIZHOU) PETROCHEMICALS CORP. LTD.
NO 1ST COASTAL ROAD 10TH DAYAWAN PETROCHEMICAL
INDUSTRIAL PARK, HUIZHOU, GUANGDONG
PROVINCE, P. R. CHINA

2. Consignee's Name and Address, Country
UNILEVER PAKISTAN LIMITED
AVARI PLAZA, FATIMA JINNAH ROAD,
KARACHI, PAKISTAN

3. Producer's Name and Address, Country
ZHISHENG (HUIZHOU) PETROCHEMICALS CORP. LTD.
NO 1ST COASTAL ROAD 10TH DAYAWAN PETROCHEMICAL
INDUSTRIAL PARK, HUIZHOU, GUANGDONG
PROVINCE, P. R. CHINA

CERTIFICATE NO. P217946726760047

CERTIFICATE OF ORIGIN
CHINA-PAKISTAN FTA
(Combined Declaration and Certificate)

Issued in THE PEOPLE'S REPUBLIC OF CHINA
(Country)

See Instructions Overleaf

4. Means of transport and route (as far as known)

Departure Date **OCT. 21, 2021**

Vessel /Flight/Train/Vehicle No. **CELSIUS NAPLES / 2107W**

Port of loading **SHEKOU CHINA**

Port of discharge **KARACHI PAKISTAN**

5. For Official Use Only

☐ Preferential Treatment Given Under China-Pakistan FTA
Free Trade Area Preferential Tariff

☐ Preferential Treatment Not Given (Please state reason/s)

Verification: origin.customs.gov.cn

Signature of Authorized Signatory of the Importing Country

6. Item number	7. Marks and numbers on packages; Number and kind of packages; description of goods; HS code of the importing country	8. Origin Criterion	9. Gross Weight, Quantity and FOB value	10. Number and date of invoices	11. Remarks
1	SODIUM LAURYL ETHER SULFATE(SLES 1EO) H. S. CODE: 340211 QUANTITY (N. W): 152100KGS TOTAL: SEVEN (7) ISO TANKS ONLY PO#4521402963-1 *** ** Marks and numbers on packages: UNILEVER/KARACHI PPI NO. ZS21091601 SLES-1EO (SODIUM LAURYL ETHER SULPHATE)	99%	152100KGS G. W. USD: 175330.23	ZS-2110237 OCT. 12, 2021	*****

12. Declaration by the exporter

The undersigned hereby declares that the above details and statement are correct, that all the goods were produced in


CHINA
(Country)

and that they comply with the origin requirements specified for these goods in the China-Pakistan Free Trade Area Preferential Trade Rules for goods exported to

PAKISTAN

(Importing country)

Shenzhen, China, OCT. 25, 2021

13. Certification

It is hereby certified, on the basis of control carried out, that the declaration by the exporter is correct.



Shenzhen, China, OCT. 25, 2021