International Journal of Science and Research (IJSR)

ISSN (Online): 2319-7064

Index Copernicus Value (2015): 78.96 | Impact Factor (2015): 6.391

Employee Attrition Prediction

Rahul Yedida¹, Rahul Reddy², Rakshit Vahi³, Rahul J⁴, Abhilash⁵, Deepti Kulkarni⁶

^{12,3,4,5,} 6PES Institute of Technology, Bangalore South Campus, Hosur Road, Electronic City, Bangalore 560100, India

Abstract: This project aims to predict whether an employee of a company will leave or not, using the k-Nearest Neighbors algorithm. We use evaluation of employee performance, average monthly hours at work and number of years spent in the company, among others, as our features. Other approaches to this problem include the use of ANNs, decision trees and logistic regression. The dataset was split, using 70% for training the algorithm, and 30% for testing it, achieving an accuracy of 94.32%.

Keywords: Predictive analysis, employee attrition, k-Nearest Neighbors, scikit-learn

1. Introduction

Employee turnover is the replacement of an old employee with a new one. A high rate of turnover is harmful for an organization if skilled employees leave. The turnover in a company is usually reduced by offering various benefits to employees, such as paid leaves and bonuses. Organizations are interested in knowing which of their employees are at the risk of leaving.

This paper discusses the application of the k-Nearest Neighbours (KNN) algorithm as a method of predicting employee attrition. This is done by using data from Kaggle and treating the problem as a classification task. The conclusion is reached by comparing the performance of the KNN classifier against other techniques.

This paper is structured as follows. Section II discusses the attrition problem, and lists the work done by others using machine learning algorithms to solve the problem. Section III explores 4 different machine learning algorithms, including KNN, that this paper compares. Section IV outlines the experimental method employed in terms of the features used, pre-processing, and the metrics used to compare the algorithms. Section V presents the results of the comparison and a discussion of the same, and possible future work. Section VI concludes the paper by recommending the KNN classifier as an approach to solving the employee attrition prediction problem.

2. Literature Survey

Employee attrition refers to the gradual loss of employees over time. Most literature on employee attrition categorizes it as either voluntary or involuntary. Involuntary attrition is thought of as the mistake of the employee, and refers to the organization firing the employee for various reasons. Voluntary attrition is when the employee leaves the organization by his own will.

This paper focuses on voluntary attrition. A meta-analytic review of voluntary attrition [1] found that the strongest predictors of voluntary attrition included age, pay, and job satisfaction. Other studies showed that several other features, such as working conditions, job satisfaction, and growth potential also contributed to voluntary attrition [2], [3].

Organizations try to prevent employee attrition by using machine learning algorithms to predict the risk of an employee leaving, and then take proactive steps for preventing such an incident.

3. Methods

This paper discusses supervised learning methods of classification, since we know of the existence of two classes—working and left. This section outlines the theory behind each machine learning algorithm.

3.1 Naive Bayes

Naive Bayes is a classification technique that has gained popularity due to its simplicity [4]. The Naive Bayes algorithm makes use of the assumption that all the variables are independent of each other, and then calculates probabilities, that are used for classification.

The algorithm works as follows: to get an output function Y given a set of input variables X, the algorithm estimates the values of P(X|Y) and P(Y), and then uses Bayes' rule to compute P(Y|X), which is the required output, for each of the new samples.

In this paper, we use the Gaussian Naive Bayes algorithm, which assumes that P(X|Y) is distributed according to a normal (Gaussian) distribution.

3.2 Logistic Regression

Logistic regression is a regression model that fits the values to the logistic function. It is useful when the dependent variable is categorical[5]. The general form of the model is

$$P(Y|X,W) = \frac{1}{1 + e^{-(w_0 + \sum w_i x_i)}}$$
 (1)

Logistic regression is often used with regularization techniques to prevent overfitting. An L2 regularized model is used in this paper.

3.3 Multi-layer Perceptron (MLP) Classifier

MLP is an artificial neural network (ANN) model that consists of multiple layers of nodes, each fully connected to the next. The algorithm uses backpropagation for training the model [6]. The hidden layers of the neural network transform the input space nonlinearly to an output space with different dimensions [7]. Multiple such hidden layers can be used. This paper uses an MLP with one hidden layer having 100

3rd National Conference on "Recent Innovations in Science and Engineering", May 6, 2017 PES Institute of Technology - Bangalore South Campus, Electronic City, Hosur Road, Bangalore - 560 100

www.ijsr.net

Paper ID: IJSR16 63

ISSN (Online): 2319-7064

Index Copernicus Value (2015): 78.96 | Impact Factor (2015): 6.391

neurons. The network uses the Adam gradient descent algorithm to optimize the log-loss function.

3.4 K-Nearest Neighbors (KNN)

The KNN algorithm classifies new data based on the class of the k nearest neighbors. This paper uses the value of k as 6. The distance from neighbors can be calculated using various distance metrics, such as Euclidean distance, Manhattan distance (used in this paper), Minkowski distance, etc. The class of the new data may be decided by majority vote or by an inverse proportion to the distance computed. KNN is a non-generalizing method, since the algorithm keeps all of its training data in memory, possibly transformed into a fast indexing structure such as a ball tree or a KD tree.

The Manhattan distance is computed using the formula $D = \sum |x_i - y_i|$ (2)

4. Experimental Setup

The data was pulled from a sample dataset on Kaggle. There are two class labels—left and not left, labeled 1 and 0 respectively. The dataset had 14,999 data points, each labeled left or not left.

The dataset included various important features including average number of monthly hours, number of projects, years spent in the company and whether the employee received a promotion in the last five years. There were a total of nine features, out of which two were categorical and seven were numeric.

4.1 Data pre-processing

All the categorical values in each column were converted to numerical values by assigning integers to each category. For example, salary values, which were either 'low', 'medium', or 'high', were converted to 0, 1 and 2 respectively.

4.2 Model Validation

The dataset was split 70-30 into training and test sets. The models were trained using their optimal configurations on the training dataset. The trained model was then used to predict on the 30% test set.

The choice of model validation technique in this paper is the area under the receiver operating characteristic curve (ROC-AUC). The AUC of a classifier is equal to the probability that the classifier will rank a randomly chosen positive example higher than a randomly chosen negative value [8].

Additionally, accuracy and F1 scores of the classifiers are also used to compare the results of the models. These two are important because they clearly show how suitable the model is for use in an application.

4.3 System Environment Specification

All classifiers are used from the scikit-learn package in Python 3.4.

The code was run on a Debian GNU/Linux 8 system with 8 GB RAM.

5. Results

Table 1: Model Results

Algorithm	AUC	Accuracy	F1 Score
KNN	0.9697	0.9432	0.8826
Naive Bayes (Gaussian)	0.8512	0.8029	0.6361
Logstic Regression	0.8078	0.7715	0.3482
MLP Classifier (ANN)	0.9176	0.8883	0.7834

5.1 ROC Curves

The ROC curve shows the general 'predictiveness' of the classifier. It measures the probability that the classifier ranks a randomly chosen positive instance higher than a randomly chosen negative instance [8]. Closer the curve to the top left corner, better the classifier. The ROC curves for each classifier is shown in Figure 1.




Figure 1: ROC Curves for the Classifiers

5.2 Discussion and Future Work

The dataset is a good representative of the general workforce in today's organizations. The good results from multiple classifiers justify that the features chosen are causes that contribute to voluntary attrition.

Intuitively, data points that are close to each other are likely to have the same outcome of attrition. This is the basis for choosing the KNN algorithm in this paper. This intuition is validated by the observations of Figure 1, which are shown in Table 1. The KNN classifier has good ROC-AUC and accuracy values. Instead of constructing a general model, it simply stores instances of the data and classifies by a majority vote of the classes of the nearest neighbors.

Future work might include modifying the algorithm to weight neighbors so that nearer neighbors contribute more to the fit, rather than using uniform weights for all neighbors, and comparing results to the basic KNN model.

6. Conclusion

This paper presented the effect of voluntary attrition on organizations, and why predicting it is important. It further outlined various classification algorithms based on supervised learning to solve the prediction problem.

3rd National Conference on "Recent Innovations in Science and Engineering", May 6, 2017
PES Institute of Technology - Bangalore South Campus, Electronic City, Hosur Road, Bangalore - 560 100
www.ijsr.net

Paper ID: IJSR16 64

International Journal of Science and Research (IJSR)

ISSN (Online): 2319-7064

Index Copernicus Value (2015): 78.96 | Impact Factor (2015): 6.391

The results of this research showed the superiority of the KNN classifier in terms of accuracy and predictive effectiveness, by means of the ROC curve. When used with its optimal configuration, it is a robust method that delivers accurate results in spite of the noise in the dataset, which is a major challenge for machine learning algorithms. The authors thus recommend the use of the KNN classifier for accurately predicting employee attrition in an organization, which enables HR to take necessary action for the retention of employees predicted to be at risk of leaving.

discovery of small business domain knowledge using web crawling and data mining.



Deepti D Kulkarni received her B.E degree in Information Science and Engineering from Basaveshwara Engineering College, Bagalkot. She is currently pursuing M.Tech in Computer Science from

PESIT South Campus, Bangalore, and is working on machine learning projects.

References

- [1] Cotton, J.L. and Tuttle, J.M., 1986. "Employee turnover: A meta-analysis and review with implications for research" Academy of management review, pp.55-70.
- [2] Liu, D., Mitchell, T.R., Lee, T.W., Holtom, B.C. and Hinkin, T.R., 2012. "When employees are out of step with coworkers: How job satisfaction trajectory and dispersion influence individual-and unit-level voluntary turnover". Academy of Management Journal, pp.1360-1380.
- [3] Heckert, T.M. and Farabee, A.M., 2006. "Turnover intentions of the faculty at a teaching-focused university". Psychological reports, pp.39-45.
- [4] Rish, Irina, "An empirical study of the naive bayes classifier", IJCAI Workshop on Empirical Methods in AI.
- [5] David A. Freedman, Statistical Models: Theory and Practice, Cambridge University Press p. 128.
- [6] Rosenblatt, Frank, Principles of Neurodynamics: Perceptrons and the Theory of Brain Mechanisms.
- [7] Alpaydin, E., 2014. Introduction to machine learning. MIT press. p. 280.
- [8] Fawcett, T., 2006. Anintroduction to ROC analysis. Pattern recognition letters, pp.861-874.

Author Profiles



Rahul Yedida is currently pursuing his B.E in Computer Science and Engineering at PESIT South Campus, Bangalore. His interests lie in the fields of web technologies and machine learning.



Rahul Reddy Nandyala is currently pursuing his B.E degree in Computer Science and Engineering in PESIT South Campus Bangalore. His higher education was completed in 2015 under the CBSE board while

studying in Delhi Public School Bangalore South.Rahul is currently working on Web Application Testing, Cloud Computing and Data Mining and has worked on projects pertaining to Android and Machine Learning using Python.



RakshitVahiis currently pursuing his B.E degree in Computer Science and Engineering at PESIT Bangalore South Campus. His current focus is on Web Development.



Rahul J is pursuing B.E at PES Institute of Technology Bangalore South Campus.



Abhilash has a B.E in Information Science and Engineering from Acharya Institute of Technology, Bengaluru in 2014. He is currently pursuing his M.Tech in Computer Science and Engineering in

PESIT South Campus, Bangalore and is working on automated

3rd National Conference on "Recent Innovations in Science and Engineering", May 6, 2017
PES Institute of Technology - Bangalore South Campus, Electronic City, Hosur Road, Bangalore - 560 100
www.ijsr.net

Paper ID: IJSR16 65