

Cucumber Report

Mar 29, 2024, 1:37:46 PM

Start : Mar 29, 1:37:40.004 PM

End : Mar 29, 1:37:45.139 PM

Duration : 5.135 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 0
FAILED - 6
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 18




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>User Login to LMS API</u>	4.254 s	3	0	3	0	9	0	0	9
<u>User Logout LMS API</u>	0.856 s	3	0	3	0	9	0	0	9

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@UserLogin_Generate_Token	1	0	1	0	1	0	1	0
@UserLogin_Invalid_Endpoint	1	0	1	0	1	0	1	0
@UserLogin_Invalid_Credentials	1	0	1	0	1	0	1	0
@UserLogout_Successful	1	0	1	0	1	0	1	0
@UserLogout_Invalid_EndPoint	1	0	1	0	1	0	1	0
@UserLogout_With_NoAuthorizationSet	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	User Login to LMS API	3	0	3	0	4.254 s
2	User Logout LMS API	3	0	3	0	0.856 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>User Login to LMS API</u>	<u>Check if Admin able to generate token with valid credential</u>	3	0	0	3	3.554 s
2	<u>User Login to LMS API</u>	<u>Check if Admin able to generate token with invalid endpoint</u>	3	0	0	3	0.285 s
3	<u>User Login to LMS API</u>	<u>Check if Admin able to generate token with invalid credentials</u>	3	0	0	3	0.285 s
4	<u>User Logout LMS API</u>	<u>Check if Admin able to logout</u>	3	0	0	3	0.304 s
5	<u>User Logout LMS API</u>	<u>Check if Admin able to logout with invalid endpoint</u>	3	0	0	3	0.263 s
6	<u>User Logout LMS API</u>	<u>Check if Admin able to logout</u>	3	0	0	3	0.258 s

User Login to LMS API



FAILED	DURATION - 4.254 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0		Steps Total - 9 Pass - 0 Fail - 0 Skip - 9	
/ 1:37:40.004 PM // 1:37:44.258 PM /					

Check if Admin able to generate token with valid credential

FAILED	DURATION - 3.554 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	
/ 1:37:40.007 PM // 1:37:43.561 PM /				
User Login to LMS API				
@UserLogin_Generate_Token				



#	Step / Hook Details	Status	Duration
	BEFORE - api.BackgroundHooks.BackgroundHooks.set(io.cucumber.java.Scenario)	FAILED	3.412 s
	java.lang.NullPointerException at api.Request.UserLoginRequest.postLogin(UserLoginRequest.java:47) at api.BackgroundHooks.BackgroundHooks.set(BackgroundHooks.java:63)		
1	Given Admin creates request with valid credentials	SKIPPED	0.006 s
2	When Admin calls Post Https method with valid endpoint	SKIPPED	0.002 s
3	Then Admin receives 200 created with auto generated token	SKIPPED	0.005 s

Check if Admin able to generate token with invalid endpoint

<div>FAILED</div> <div>DURATION - 0.285 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	<div></div>
<div>/ 1:37:43.674 PM // 1:37:43.959 PM /</div>				
<div>User Login to LMS API</div>				
<div>@UserLogin_Invalid_Endpoint</div>				



#	Step / Hook Details	Status	Duration
	BEFORE - api.BackgroundHooks.BackgroundHooks.set(io.cucumber.java.Scenario)	FAILED	0.274 s
	java.lang.NullPointerException at api.Request.UserLoginRequest.postLogin(UserLoginRequest.java:47) at api.BackgroundHooks.BackgroundHooks.set(BackgroundHooks.java:63)		
1	Given Admin creates request with valid credentials	SKIPPED	0.001 s
2	When Admin calls Post Https method with invalid endpoint	SKIPPED	0.001 s
3	Then Admin receives 401 unauthorized	SKIPPED	0.000 s

Check if Admin able to generate token with invalid credentials



<div>FAILED</div> <div>DURATION - 0.285 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 1:37:43.973 PM // 1:37:44.258 PM /				
User Login to LMS API				
@UserLogin_Invalid_Credentials				

#	Step / Hook Details	Status	Duration
	BEFORE - api.BackgroundHooks.BackgroundHooks.set(io.cucumber.java.Scenario)	FAILED	0.268 s
	java.lang.NullPointerException at api.Request.UserLoginRequest.postLogin(UserLoginRequest.java:47) at api.BackgroundHooks.BackgroundHooks.set(BackgroundHooks.java:63)		
1	Given Admin creates request with invalid credentials	SKIPPED	0.001 s
2	When Admin calls Post Https method with valid endpoint	SKIPPED	0.002 s
3	Then Admin receives 400 Bad request	SKIPPED	0.002 s

User Logout LMS API



FAILED	DURATION - 0.856 s	Scenarios		Steps	
/ 1:37:44.283 PM // 1:37:45.139 PM /		Total - 3		Total - 9	
		Pass - 0		Pass - 0	
		Fail - 3		Fail - 0	
		Skip - 0		Skip - 9	

Check if Admin able to logout

<div>FAILED</div> <div>DURATION - 0.304 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 1:37:44.283 PM // 1:37:44.587 PM /				
User Logout LMS API				
@UserLogout_Successful				



#	Step / Hook Details	Status	Duration
	BEFORE - api.BackgroundHooks.BackgroundHooks.set(io.cucumber.java.Scenario)	FAILED	0.293 s
	java.lang.NullPointerException at api.Request.UserLoginRequest.postLogin(UserLoginRequest.java:47) at api.BackgroundHooks.BackgroundHooks.set(BackgroundHooks.java:63)		
1	Given Admin creates request	SKIPPED	0.001 s
2	When Admin calls Get Https method with valid endpoint	SKIPPED	0.001 s
3	Then Admin receives 200 ok and response with "Logout successful"	SKIPPED	0.001 s

Check if Admin able to logout with invalid endpoint

<div>FAILED</div>	<div>DURATION - 0.263 s</div>		<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
<div>/ 1:37:44.600 PM // 1:37:44.863 PM /</div>				
<div>User Logout LMS API</div>				
<div>@UserLogout_Invalid_EndPoint</div>				

#	Step / Hook Details	Status	Duration
	BEFORE - api.BackgroundHooks.BackgroundHooks.set(io.cucumber.java.Scenario)	FAILED	0.249 s
	java.lang.NullPointerException at api.Request.UserLoginRequest.postLogin(UserLoginRequest.java:47) at api.BackgroundHooks.BackgroundHooks.set(BackgroundHooks.java:63)		
1	Given Admin creates request	SKIPPED	0.001 s
2	When Admin calls Get Https method with invalid endpoint	SKIPPED	0.002 s
3	Then Admin receives 404 Not found	SKIPPED	0.001 s

Check if Admin able to logout

<div>FAILED</div> <div>DURATION - 0.258 s</div>			<div>Steps</div> <div>Total - 3</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 3</div>	
/ 1:37:44.881 PM // 1:37:45.139 PM /				
User Logout LMS API				
@UserLogout_With_NoAuthorizationSet				

#	Step / Hook Details	Status	Duration
	BEFORE - api.BackgroundHooks.BackgroundHooks.set(io.cucumber.java.Scenario)	FAILED	0.251 s
	java.lang.NullPointerException at api.Request.UserLoginRequest.postLogin(UserLoginRequest.java:47) at api.BackgroundHooks.BackgroundHooks.set(BackgroundHooks.java:63)		
1	Given Admin creates request with no authorization	SKIPPED	0.001 s
2	When Admin calls Get Https method with valid endpoint	SKIPPED	0.001 s
3	Then Admin receives 401 unauthorized	SKIPPED	0.000 s