


Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
User Login to LMS API	4.042 s	3	1	2	0	9	3	0	6
User Logout LMS API	0.105 s	3	0	3	0	9	0	0	9

Tag	Scenario Fe			Fea	eature			
Name	T	P	F	S	T	P	F	S
@UserLogin_Generate_Token	1	1	0	0	1	0	1	0
@UserLogin_Invalid_Endpoint	1	0	1	0	1	0	1	0
@UserLogin_Invalid_Credentails	1	0	1	0	1	0	1	0
@UserLogout_Successful	1	0	1	0	1	0	1	0
@UserLogout_Invalid_EndPoint	1	0	1	0	1	0	1	0
@UserLogout_With_NoAuthorizationSet	1	0	1	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	User Login to LMS API	3	1	2	0	4.042 s
2	User Logout LMS API	3	0	3	0	0.105 s

SCENARIOS SUMMARY -- 5 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User Login to LMS API	Check if Admin able to generate token with valid credential	3	3	0	0	3.862 s
2	User Login to LMS API	Check if Admin able to generate token with invalid endpoint	3	0	0	3	0.028 s
3	User Login to LMS API	Check if Admin able to generate token with invalid credentials	3	0	0	3	0.019 s
4	User Logout LMS API	Check if Admin able to logout	3	0	0	3	0.020 s
5	User Logout LMS API	Check if Admin able to logout with invalid endpoint	3	0	0	3	0.021 s
6	User Logout LMS API	Check if Admin able to logout	3	0	0	3	0.022 s

DETAILED SECTION -- 6 --

User Login to LMS API


FAILED	DURATION - 4.042 s	Scenarios		Steps	
		Total - 3		Total - 9	
/ 1:48:24.877 P	PM // 1:48:28.919 PM /	Pass - 1	3	Pass - 3	9
		Fail - 2	N J	Fail - 0	
		Skip - 0		Skip - 6	

Check if Admin able to generate token with valid credential




#	Step / Hook Details	Status	Duration
1	Given Admin creates request with valid credentials	PASSED	0.005 s
2	When Admin calls Post Https method with valid endpoint	PASSED	0.260 s
3	Then Admin receives 200 created with auto generated token	PASSED	0.004 s

Check if Admin able to generate token with invalid endpoint




#	Step / Hook Details	Status	Duration
	BEFORE - api.BackgroundHooks.BackgroundHooks.set(io.cucumber.java.Scenario)	FAILED	0.007 s
	java.lang.NullPointerException at api.BackgroundHooks.BackgroundHooks.set(BackgroundHooks.java:71)		
1	Given Admin creates request with valid credentials	SKIPPED	0.006 s
2	When Admin calls Post Https method with invalid endpoint	SKIPPED	0.005 s
3	Then Admin receives 401 unauthorized	SKIPPED	0.002 s

Check if Admin able to generate token with invalid credentials




#	Step / Hook Details	Status	Duration
	BEFORE - api.BackgroundHooks.BackgroundHooks.set(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException at api.BackgroundHooks.BackgroundHooks.set(BackgroundHooks.java:71)		
1	Given Admin creates request with invalid credentials	SKIPPED	0.001 s
2	When Admin calls Post Https method with valid endpoint	SKIPPED	0.002 s
3	Then Admin receives 400 Bad request	SKIPPED	0.001 s

User Logout LMS API



DETAILED SECTION -- 8 --



#	Step / Hook Details	Status	Duration
	BEFORE - api.BackgroundHooks.BackgroundHooks.set(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException at api.BackgroundHooks.BackgroundHooks.set(BackgroundHooks.java:71)		
1	Given Admin creates request	SKIPPED	0.002 s
2	When Admin calls Get Https method with valid endpoint	SKIPPED	0.003 s
3	Then Admin receives 200 ok and response with "Logout successful"	SKIPPED	0.002 s

Check if Admin able to logout with invalid endpoint

FAILED DURATION - 0.021 s	0.15	Steps
/ 1:48:28.978 PM // 1:48:28.999 PM /	0.1	Total - 3 Pass - 0
User Logout LMS API	.05 -	Fail - 0
@UserLogout_Invalid_EndPoint	0 - 1 2	Skip - 3

#	Step / Hook Details	Status	Duration
	BEFORE - api.BackgroundHooks.BackgroundHooks.set(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException at api.BackgroundHooks.BackgroundHooks.set(BackgroundHooks.java:71)		
1	Given Admin creates request	SKIPPED	0.003 s
2	When Admin calls Get Https method withinvalid endpoint	SKIPPED	0.006 s
3	Then Admin receives 404 Not found	SKIPPED	0.001 s

DETAILED SECTION -- 9 --

Check if Admin able to logout

FAILED DURATION - 0.022 s	0.15 Steps	
/ 1:48:29.023 PM // 1:48:29.045 PM /	0.1 - Total - 3	
/ 1.40.29.023 FW // 1.40.29.043 FW /	Pass - 0	
User Logout LMS API	.05	3
	Skip - 3	
@UserLogout_With_NoAuthorizationSet	1 2 3	

#	Step / Hook Details	Status	Duration
	BEFORE - api.BackgroundHooks.BackgroundHooks.set(io.cucumber.java.Scenario)	FAILED	0.005 s
	java.lang.NullPointerException at api.BackgroundHooks.BackgroundHooks.set(BackgroundHooks.java:71)		
1	Given Admin creates request with no authorization	SKIPPED	0.002 s
2	When Admin calls Get Https method with valid endpoint	SKIPPED	0.002 s
3	Then Admin receives 401 unauthorized	SKIPPED	0.001 s