


| Feature | | | Scenario | | | | Step | | | |
|-----------------------|----------|----------|----------|---|---|---|------|---|---|--|
| Name | Duration | T | P | F | S | T | P | F | S | |
| User Login to LMS API | 3.899 s | 3 | 1 | 2 | 0 | 9 | 6 | 2 | 1 | |
| User Logout LMS API | 0.612 s | 3 | 1 | 2 | 0 | 9 | 7 | 2 | 0 | |

| Tag | Scenario | | | | | Feature | | | |
|-------------------------------------|----------|---|---|---|---|---------|---|---|--|
| Name | T | P | F | S | T | P | F | S | |
| @UserLogin_Generate_Token | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @UserLogin_Invalid_Endpoint | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | |
| @UserLogin_Invalid_Credentails | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @UserLogout_Successful | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @UserLogout_Invalid_EndPoint | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 | |
| @UserLogout_With_NoAuthorizationSet | 1 | 1 | 0 | 0 | 1 | 0 | 1 | 0 | |



| # | Feature Name | T | P | F | S | Duration |
|---|-----------------------|---|---|---|---|----------|
| 1 | User Login to LMS API | 3 | 1 | 2 | 0 | 3.899 s |
| 2 | User Logout LMS API | 3 | 1 | 2 | 0 | 0.612 s |

SCENARIOS SUMMARY -- 5 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-----------------------|--|---|---|---|---|----------|
| 1 | User Login to LMS API | Check if Admin able to generate token with valid credential | 3 | 1 | 1 | 1 | 3.317 s |
| 2 | User Login to LMS API | Check if Admin able to generate token with invalid endpoint | 3 | 3 | 0 | 0 | 0.182 s |
| 3 | User Login to LMS API | Check if Admin able to generate token with invalid credentials | 3 | 2 | 1 | 0 | 0.260 s |
| 4 | User Logout LMS API | Check if Admin able to logout | 3 | 2 | 1 | 0 | 0.211 s |
| 5 | User Logout LMS API | Check if Admin able to logout with invalid endpoint | 3 | 2 | 1 | 0 | 0.198 s |
| 6 | User Logout LMS API | Check if Admin able to logout | 3 | 3 | 0 | 0 | 0.167 s |

DETAILED SECTION -- 6 --

User Login to LMS API

| Scenarios | | Steps | |
|-----------|-----------------------------|-----------------------------|--|
| Total - 3 | | Total - 9 | |
| Pass - 1 | 3 | Pass - 6 | 9 |
| Fail - 2 | T J | Fail - 2 | 📜 ĭ 📕 |
| Skip - 0 | | Skip - 1 | |
| | Total - 3 Pass - 1 Fall - 2 | Total - 3 Pass - 1 Fail - 2 | Total - 3 Pass - 1 Fail - 2 Total - 9 Pass - 6 Fail - 2 |


Check if Admin able to generate token with valid credential



| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.601 s |
| 2 | When Admin calls Post Https method with valid endpoint | FAILED | 2.561 s |
| | java.lang.NullPointerException at api.Request.UserLoginRequest.postLogin(UserLoginRequest.java:47) at api.StepDefinition.UserLoginStepDef.admin_calls_Post_Https_method_with_valid_endpoint(UserLoginStepDef.java:44) at ?.Admin calls Post Https method with valid endpoint(file:///C:/Users/arvin/eclipse-workspace/ Team7_APICoders_RestAssured_Phase2_March2024/src/test/resources/Features/01UserLogin.feature:7) * Not displayable characters are replaced by '?'. | | |
| 3 | Then Admin receives 200 created with auto generated token | SKIPPED | 0.002 s |


Check if Admin able to generate token with invalid endpoint

DETAILED SECTION -- 7 -



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with valid credentials | PASSED | 0.004 s |
| 2 | When Admin calls Post Https method with invalid endpoint | PASSED | 0.164 s |
| 3 | Then Admin receives 401 unauthorized | PASSED | 0.003 s |

Check if Admin able to generate token with invalid credentials




| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given Admin creates request with invalid credentials | PASSED | 0.001 s |
| 2 | When Admin calls Post Https method with valid endpoint | PASSED | 0.248 s |
| 3 | Then Admin receives 400 Bad request | FAILED | 0.003 s |
| | java.lang.AssertionError: expected:<400> but was:<401> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at api.StepDefinition.UserLoginStepDef.admin_receives_Bad_request(UserLoginStepDef.java:79) at ?.Admin receives 400 Bad request(file:///C:/Users/arvin/eclipse-workspace/Team7_APICoders_RestAssured_Phase2_March2024/src/test/resources/Features/01UserLogin.feature:20) * Not displayable characters are replaced by '?'. | | |

DETAILED SECTION -- 8 --

User Logout LMS API

| FAILED | DURATION - 0.612 s | Scenarios | | Steps | |
|----------------------|---------------------|-----------|-----|-----------|---|
| | | Total - 3 | | Total - 9 | |
| / 11:03:31.231 AM // | / 11:03:31.843 AM / | Pass - 1 | 3 | Pass - 7 | 9 |
| | | Fail - 2 | N J | Fail - 2 | |
| | | Skip - 0 | | Skip - 0 | |
| | | | | | |


Check if Admin able to logout



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request | PASSED | 0.004 s |
| 2 | When Admin calls Get Https method with valid endpoint | PASSED | 0.195 s |
| 3 | Then Admin receives 200 ok and response with "Logout successful" | FAILED | 0.002 s |
| | java.lang.AssertionError: expected:<200> but was:<401> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at api.StepDefinition.UserLogoutStepDef.admin_receives_ok_and_response_with(UserLogoutStepDef.java:50) at ?.Admin receives 200 ok and response with "Logout successful"(file:///C:/Users/arvin/eclipse-workspace/ Team7_APICoders_RestAssured_Phase2_March2024/src/test/resources/Features/07UserLogout.feature:8) * Not displayable characters are replaced by '?'. | | |


Check if Admin able to logout with invalid endpoint

DETAILED SECTION -- 9 --



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request | PASSED | 0.005 s |
| 2 | When Admin calls Get Https method withinvalid endpoint | PASSED | 0.184 s |
| 3 | Then Admin receives 404 Not found | FAILED | 0.002 s |
| | java.lang.AssertionError: expected:<404> but was:<401> at org.junit.Assert.fail(Assert.java:89) at org.junit.Assert.failNotEquals(Assert.java:835) at org.junit.Assert.assertEquals(Assert.java:647) at org.junit.Assert.assertEquals(Assert.java:633) at api.StepDefinition.UserLogoutStepDef.admin_receives_Not_found(UserLogoutStepDef.java:65) at ?.Admin receives 404 Not found(file:///C:/Users/arvin/eclipse-workspace/Team7_APICoders_RestAssured_Phase2_March2024/src/test/resources/Features/07UserLogout.feature:14) * Not displayable characters are replaced by '?'. | | |

Check if Admin able to logout



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Admin creates request with no authorization | PASSED | 0.003 s |
| 2 | When Admin calls Get Https method with valid endpoint | PASSED | 0.153 s |
| 3 | Then Admin receives 401 unauthorized | PASSED | 0.000 s |