Cucumber Report

| Start : Mar 29, 2:11:17.803 PM	End : Mar 29, 2:11:18.892 PM	Duration : 1.089 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 0 FAILED - 6 SKIPPED - 0	PASSED - 0 FAILED - 0 SKIPPED - 18

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
User Login to LMS API	0.955 s	3	0	3	0	9	0	0	9
User Logout LMS API	0.091 s	3	0	3	0	9	0	0	9

Tag	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@UserLogin_Generate_Token	1	0	1	0	1	0	1	0
@UserLogin_Invalid_Endpoint	1	0	1	0	1	0	1	0
@UserLogin_Invalid_Credentails	1	0	1	0	1	0	1	0
@UserLogout_Successful	1	0	1	0	1	0	1	0
@UserLogout_Invalid_EndPoint	1	0	1	0	1	0	1	0
@UserLogout_With_NoAuthorizationSet	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	*User Login to LMS API*	3	0	3	0	0.955 s
2	*User Logout LMS API*	3	0	3	0	0.091 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	User Login to LMS API	Check if Admin able to generate token with valid credential	3	0	0	3	0.755 s
2	User Login to LMS API	Check if Admin able to generate token with invalid endpoint	3	0	0	3	0.023 s
3	User Login to LMS API	Check if Admin able to generate token with invalid credentials	3	0	0	3	0.021 s
4	User Logout LMS API	Check if Admin able to logout	3	0	0	3	0.019 s
5	User Logout LMS API	Check if Admin able to logout with invalid endpoint	3	0	0	3	0.016 s
6	User Logout LMS API	Check if Admin able to logout	3	0	0	3	0.020 s

User Login to LMS API

FAILED	DURATION - 0.955 s	Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0	3	Steps Total - 9 Pass - 0 Fail - 0 Skip - 9	9
/ 2:11:17.803 PM // 2:11:18.758 PM /					

Check if Admin able to generate token with valid credential

FAILED	DURATION - 0.755 s		Steps Total - 3 Pass - 0 Fail - 0 Skip - 3	3
/ 2:11:17.807 PM // 2:11:18.562 PM /				
User Login to LMS API				
@UserLogin_Generate_Token				

#	Step / Hook Details	Status	Duration
	BEFORE - api.BackgroundHooks.BackgroundHooks.set(io.cucumber.java.Scenario)	FAILED	0.602 s
	java.lang.Error: Unresolved compilation problem: Type mismatch: cannot convert from String to Response at api.BackgroundHooks.BackgroundHooks.set(BackgroundHooks.java:68)		
1	Given Admin creates request with valid credentials	SKIPPED	0.006 s
2	When Admin calls Post Https method with valid endpoint	SKIPPED	0.001 s
3	Then Admin receives 200 created with auto generated token	SKIPPED	0.002 s

Check if Admin able to generate token with invalid endpoint

FAILED	DURATION - 0.023 s
/ 2:11:18.698 PM // 2:11:18.721 PM /	
User Login to LMS API	
@UserLogin_Invalid_Endpoint	

Steps
Total - 3
Pass - 0
Fail - 0
Skip - 3

3

#	Step / Hook Details	Status	Duration
	BEFORE - api.BackgroundHooks.BackgroundHooks.set(io.cucumber.java.Scenario) java.lang.Error: Unresolved compilation problem: Type mismatch: cannot convert from String to Response at api.BackgroundHooks.BackgroundHooks.set(BackgroundHooks.java:68)	FAILED	0.003 s
1	Given Admin creates request with valid credentials	SKIPPED	0.003 s
2	When Admin calls Post Https method with invalid endpoint	SKIPPED	0.001 s
3	Then Admin receives 401 unauthorized	SKIPPED	0.002 s

### Check if Admin able to generate token with invalid credentials

FAILED	DURATION - 0.021 s
/ 2:11:18.737 PM // 2:11:18.758 PM /	
User Login to LMS API	
@UserLogin_Invalid_Credentails	

Steps
Total - 3
Pass - 0
Fail - 0
Skip - 3

3

| #	Step / Hook Details	Status	Duration
	BEFORE - api.BackgroundHooks.BackgroundHooks.set(io.cucumber.java.Scenario) java.lang.Error: Unresolved compilation problem: Type mismatch: cannot convert from String to Response at api.BackgroundHooks.BackgroundHooks.set(BackgroundHooks.java:68)	FAILED	0.003 s
1	Given Admin creates request with invalid credentials	SKIPPED	0.002 s
2	When Admin calls Post Https method with valid endpoint	SKIPPED	0.003 s
3	Then Admin receives 400 Bad request	SKIPPED	0.004 s

User Logout LMS API

FAILED	DURATION - 0.091 s		Scenarios	Steps
			Total - 3	Total - 9
/ 2:11:18.801 PM // 2:11:18.892 PM /			Pass - 0	Pass - 0
			Fail - 3	Fail - 0
			Skip - 0	Skip - 9

Check if Admin able to logout

FAILED	DURATION - 0.019 s		Steps
			Total - 3
/ 2:11:18.801 PM // 2:11:18.820 PM /			Pass - 0
			Fail - 0
User Logout LMS API			Skip - 3
@UserLogout_Successful			

#	Step / Hook Details	Status	Duration
	BEFORE - api.BackgroundHooks.BackgroundHooks.set(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.Error: Unresolved compilation problem: Type mismatch: cannot convert from String to Response at api.BackgroundHooks.BackgroundHooks.set(BackgroundHooks.java:68)		
1	Given Admin creates request	SKIPPED	0.003 s
2	When Admin calls Get Https method with valid endpoint	SKIPPED	0.001 s
3	Then Admin receives 200 ok and response with "Logout successful"	SKIPPED	0.001 s

Check if Admin able to logout with invalid endpoint

FAILED	DURATION - 0.016 s

/ 2:11:18.839 PM // 2:11:18.855 PM /

User Logout LMS API

@UserLogout_Invalid_EndPoint

Steps
Total - 3
Pass - 0
Fail - 0
Skip - 3

3

#	Step / Hook Details	Status	Duration
	BEFORE - api.BackgroundHooks.BackgroundHooks.set(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.Error: Unresolved compilation problem: Type mismatch: cannot convert from String to Response at api.BackgroundHooks.BackgroundHooks.set(BackgroundHooks.java:68)		
1	Given Admin creates request	SKIPPED	0.003 s
2	When Admin calls Get Https method withinvalid endpoint	SKIPPED	0.001 s
3	Then Admin receives 404 Not found	SKIPPED	0.001 s

Check if Admin able to logout

FAILED	DURATION - 0.020 s

/ 2:11:18.872 PM // 2:11:18.892 PM /

User Logout LMS API

@UserLogout_With_NoAuthorizationSet

Steps
Total - 3
Pass - 0
Fail - 0
Skip - 3

3

#	Step / Hook Details	Status	Duration
	BEFORE - api.BackgroundHooks.BackgroundHooks.set(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.Error: Unresolved compilation problem: Type mismatch: cannot convert from String to Response at api.BackgroundHooks.BackgroundHooks.set(BackgroundHooks.java:68)		
1	Given Admin creates request with no authorization	SKIPPED	0.003 s
2	When Admin calls Get Https method with valid endpoint	SKIPPED	0.001 s
3	Then Admin receives 401 unauthorized	SKIPPED	0.002 s