Assignment 8(CREDIT ASSIGNMENT)

MyAspect.aj

```
public aspect myAspect {
        private int Counter=0;
        pointcut Object_Creation():
                execution(Notepad.new(..)) || execution(Notepad.*.new(..));

        before(): Object_Creation() {
                System.out.println("Creating Object ==>"+thisJoinPoint.getSignature());
                InsertBlankLine();
        }

        pointcut Method_Execution():
                (execution(* *(..))&& !cflow(within(myAspect)) &&!execution(public
static void main(..)) && within(Notepad));

        before(): Method_Execution() {
                System.out.println("Executing ==>"+thisJoinPoint.getSignature());
                InsertBlankLine();
        }

        public void InsertBlankLine() {
                Counter++;
                if(Counter==10) {
                        Counter=0;
                        System.out.println();
                }
        }
}
```

OUTPUT

```
Creating Object ==>Notepad()
Creating Object ==>Notepad.UndoHandler(Notepad)
Creating Object ==>Notepad.UndoAction(Notepad)
Creating Object ==>Notepad.RedoAction(Notepad)
Creating Object ==>Notepad.NewAction(Notepad)
Creating Object ==>Notepad.NewAction(Notepad, String)
Creating Object ==>Notepad.OpenAction(Notepad)
Creating Object ==>Notepad.SaveAction(Notepad)
Creating Object ==>Notepad.ExitAction(Notepad)
Creating Object ==>Notepad.ShowElementTreeAction(Notepad)

Executing ==>JTextComponent Notepad.createEditor()
Executing ==>Action[] Notepad.getActions()
Executing ==>Component Notepad.createToolbar()
Executing ==>String Notepad.getResourceString(String)
Executing ==>String[] Notepad.tokenize(String)
Executing ==>Component Notepad.createTool(String)
Executing ==>JButton Notepad.createToolbarButton(String)
Executing ==>URL Notepad.getResource(String)
```

```
Executing ==>String Notepad.getResourceString(String)
Creating Object ==>Notepad.1(Notepad, Icon)

Executing ==>String Notepad.getResourceString(String)
Executing ==>Action Notepad.getAction(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>Component Notepad.createTool(String)
Executing ==>JButton Notepad.createToolbarButton(String)
Executing ==>URL Notepad.getResource(String)
Executing ==>String Notepad.getResourceString(String)
Creating Object ==>Notepad.1(Notepad, Icon)
Executing ==>String Notepad.getResourceString(String)
Executing ==>Action Notepad.getAction(String)

Executing ==>String Notepad.getResourceString(String)
Executing ==>Component Notepad.createTool(String)
Executing ==>JButton Notepad.createToolbarButton(String)
Executing ==>URL Notepad.getResource(String)
Executing ==>String Notepad.getResourceString(String)
Creating Object ==>Notepad.1(Notepad, Icon)
Executing ==>String Notepad.getResourceString(String)
Executing ==>Action Notepad.getAction(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>Component Notepad.createTool(String)

Executing ==>JButton Notepad.createToolbarButton(String)
Executing ==>URL Notepad.getResource(String)
Executing ==>String Notepad.getResourceString(String)
Creating Object ==>Notepad.1(Notepad, Icon)
Executing ==>String Notepad.getResourceString(String)
Executing ==>Action Notepad.getAction(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>Component Notepad.createTool(String)
Executing ==>JButton Notepad.createToolbarButton(String)
Executing ==>URL Notepad.getResource(String)

Executing ==>String Notepad.getResourceString(String)
Creating Object ==>Notepad.1(Notepad, Icon)
Executing ==>String Notepad.getResourceString(String)
Executing ==>Action Notepad.getAction(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>Component Notepad.createTool(String)
Executing ==>JButton Notepad.createToolbarButton(String)
Executing ==>URL Notepad.getResource(String)
Executing ==>String Notepad.getResourceString(String)
Creating Object ==>Notepad.1(Notepad, Icon)

Executing ==>String Notepad.getResourceString(String)
Executing ==>Action Notepad.getAction(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>Component Notepad.createStatusbar()
Creating Object ==>Notepad.StatusBar(Notepad)
Executing ==>JMenuBar Notepad.createMenubar()
Executing ==>String Notepad.getResourceString(String)
Executing ==>String[] Notepad.tokenize(String)
```

```
Executing ==>JMenu Notepad.createMenu(String)
Executing ==>String Notepad.getResourceString(String)

Executing ==>String[] Notepad.tokenize(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>JMenuItem Notepad.createMenuItem(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>URL Notepad.getResource(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>Action Notepad.getAction(String)
Executing ==>PropertyChangeListener Notepad.createActionChangeListener(JMenuItem)
Creating Object ==>Notepad.ActionChangedListener(Notepad, JMenuItem)

Executing ==>JMenuItem Notepad.createMenuItem(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>URL Notepad.getResource(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>Action Notepad.getAction(String)
Executing ==>PropertyChangeListener Notepad.createActionChangeListener(JMenuItem)
Creating Object ==>Notepad.ActionChangedListener(Notepad, JMenuItem)
Executing ==>JMenuItem Notepad.createMenuItem(String)
Executing ==>String Notepad.getResourceString(String)

Executing ==>URL Notepad.getResource(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>Action Notepad.getAction(String)
Executing ==>PropertyChangeListener Notepad.createActionChangeListener(JMenuItem)
Creating Object ==>Notepad.ActionChangedListener(Notepad, JMenuItem)
Executing ==>JMenuItem Notepad.createMenuItem(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>URL Notepad.getResource(String)
Executing ==>String Notepad.getResourceString(String)

Executing ==>String Notepad.getResourceString(String)
Executing ==>Action Notepad.getAction(String)
Executing ==>PropertyChangeListener Notepad.createActionChangeListener(JMenuItem)
Creating Object ==>Notepad.ActionChangedListener(Notepad, JMenuItem)
Executing ==>JMenu Notepad.createMenu(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>String[] Notepad.tokenize(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>JMenuItem Notepad.createMenuItem(String)
Executing ==>String Notepad.getResourceString(String)

Executing ==>URL Notepad.getResource(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>Action Notepad.getAction(String)
Executing ==>PropertyChangeListener Notepad.createActionChangeListener(JMenuItem)
Creating Object ==>Notepad.ActionChangedListener(Notepad, JMenuItem)
Executing ==>JMenuItem Notepad.createMenuItem(String)
Executing ==>String Notepad.getResourceString(String)
```

```
Executing ==>URL Notepad.getResource(String)
Executing ==>String Notepad.getResourceString(String)

Executing ==>String Notepad.getResourceString(String)
Executing ==>Action Notepad.getAction(String)
Executing ==>PropertyChangeListener Notepad.createActionChangeListener(JMenuItem)
Creating Object ==>Notepad.ActionChangedListener(Notepad, JMenuItem)
Executing ==>JMenuItem Notepad.createMenuItem(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>URL Notepad.getResource(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>Action Notepad.getAction(String)

Executing ==>PropertyChangeListener Notepad.createActionChangeListener(JMenuItem)
Creating Object ==>Notepad.ActionChangedListener(Notepad, JMenuItem)
Executing ==>JMenuItem Notepad.createMenuItem(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>URL Notepad.getResource(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>Action Notepad.getAction(String)
Executing ==>PropertyChangeListener Notepad.createActionChangeListener(JMenuItem)
Creating Object ==>Notepad.ActionChangedListener(Notepad, JMenuItem)

Executing ==>JMenuItem Notepad.createMenuItem(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>URL Notepad.getResource(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>Action Notepad.getAction(String)
Executing ==>PropertyChangeListener Notepad.createActionChangeListener(JMenuItem)
Creating Object ==>Notepad.ActionChangedListener(Notepad, JMenuItem)
Executing ==>JMenu Notepad.createMenu(String)
Executing ==>String Notepad.getResourceString(String)

Executing ==>String[] Notepad.tokenize(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>JMenuItem Notepad.createMenuItem(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>URL Notepad.getResource(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>Action Notepad.getAction(String)
Executing ==>PropertyChangeListener Notepad.createActionChangeListener(JMenuItem)
Creating Object ==>Notepad.ActionChangedListener(Notepad, JMenuItem)

Executing ==>JMenuItem Notepad.createMenuItem(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>URL Notepad.getResource(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>String Notepad.getResourceString(String)
Executing ==>Action Notepad.getAction(String)
Executing ==>PropertyChangeListener Notepad.createActionChangeListener(JMenuItem)
Creating Object ==>Notepad.ActionChangedListener(Notepad, JMenuItem)
```

```
Creating Object ==>Notepad.AppCloser()
Executing ==>float Notepad.1.getAlignmentY()

Executing ==>float Notepad.1.getAlignmentY()
Executing ==>float Notepad.1.getAlignmentY()
Executing ==>float Notepad.1.getAlignmentY()
Executing ==>float Notepad.1.getAlignmentY()
Executing ==>float Notepad.1.getAlignmentY()
Executing ==>float Notepad.1.getAlignmentY()
Executing ==>float Notepad.1.getAlignmentY()
Executing ==>float Notepad.1.getAlignmentY()
Executing ==>float Notepad.1.getAlignmentY()
Executing ==>float Notepad.1.getAlignmentY()

Executing ==>float Notepad.1.getAlignmentY()
Executing ==>float Notepad.1.getAlignmentY()
Executing ==>float Notepad.1.getAlignmentY()
Executing ==>float Notepad.1.getAlignmentY()
Executing ==>float Notepad.1.getAlignmentY()
Executing ==>float Notepad.1.getAlignmentY()
Executing ==>float Notepad.1.getAlignmentY()
Executing ==>float Notepad.1.getAlignmentY()
Executing ==>float Notepad.1.getAlignmentY()
Executing ==>float Notepad.1.getAlignmentY()

Executing ==>float Notepad.1.getAlignmentY()
Executing ==>float Notepad.1.getAlignmentY()
Executing ==>float Notepad.1.getAlignmentY()
Executing ==>void Notepad.paintChildren(Graphics)
Executing ==>void Notepad.AppCloser.windowClosing(WindowEvent)
```