
savor

Home About Menu Gallery



PizzaHut Sales Analysis

A showcase of modern culinary offerings.

Learn more →

Next >

Retrieve the total number of orders placed.



```
select count(order_id) as Total_Orders
from pizzahut.orders;
```

Total_Orders
21350

Calculate the total revenue generated from pizza sales.



```
select round(sum(p.price * od.quantity),2) as
Total_Revenue
from pizzahut.pizzas p
join pizzahut.order_details od
on p.pizza_id = od.pizza_id;
```

Total_Revenue
817860.05

Identify the highest-priced pizza.



```
select pt.name, p.price
from pizzahut.pizzas p
join pizzahut.pizza_types pt
on p.pizza_type_id = pt.pizza_type_id
order by p.price desc
limit 1;
```

name	price
The Greek Pizza	35.95

Identify the most common pizza size ordered.



```
select p.size, count(od.order_details_id) as
Total_Orders
from pizzahut.pizzas p
join pizzahut.order_details od
on p.pizza_id = od.pizza_id
group by p.size
order by Total_Orders desc;
```

size	Total_Orders
L	18526
M	15385
S	14137
XL	544
XXL	28

List the top 5 most ordered pizza types along with their quantities.



```
select pt.name, sum(od.quantity) as
Total_Quantities
from pizzahut.pizza_types pt
join pizzahut.pizzas p
on pt.pizza_type_id = p.pizza_type_id
join pizzahut.order_details od
on p.pizza_id = od.pizza_id
group by pt.name
order by Total_Quantities desc
limit 5;
```

name	Total_Quantities
The Classic Deluxe Pizza	2453
The Barbecue Chicken Pizza	2432
The Hawaiian Pizza	2422
The Pepperoni Pizza	2418
The Thai Chicken Pizza	2371

Join the necessary tables to find the total quantity of each pizza category ordered.



```
select pt.category, sum(od.quantity) as
Total_Quantity
from pizzahut.pizza_types pt
join pizzahut.pizzas p
on pt.pizza_type_id = p.pizza_type_id
join pizzahut.order_details od
on od.pizza_id = p.pizza_id
group by pt.category
order by Total_Quantity desc;
```

category	Total_Quantity
Classic	14888
Supreme	11987
Veggie	11649
Chicken	11050

Determine the distribution of orders by hour of the day.



```
select hour(order_time) as hours, count(order_id)
as Total_Orders
from pizzahut.orders
group by hours;
```

hours	Total_Orders
11	1231
12	2520
13	2455
14	1472
15	1468
16	1920
17	2336
18	2399
19	2009
20	1642
21	1198
22	663
23	28

Join relevant tables to find the category-wise distribution of pizzas.



```
select pt.category, count(pt.name) as Pizza_count
from pizzahut.pizza_types pt
group by  pt.category;
```

category	Pizza_count
Chicken	6
Classic	8
Supreme	9
Veggie	9

Group the orders by date and calculate the average number of pizzas ordered per day.



```
select round(avg(Total_Quantity),0) as
avg_Total_Quantity
from(
select o.order_date, sum(od.quantity) as
Total_Quantity
from pizzahut.orders o
join pizzahut.order_details od
on o.order_id = od.order_id
group by o.order_date) as Order_Quantity;
```

avg_Total_Quantity
138

Determine the top 3 most ordered pizza types based on revenue.



```
select pt.name, round(sum(p.price *
od.quantity),2) as Total_Revenue
from pizzahut.pizza_types pt
join pizzahut.pizzas p
on pt.pizza_type_id = p.pizza_type_id
join pizzahut.order_details od
on p.pizza_id = od.pizza_id
group by pt.name
order by Total_Revenue desc
limit 3;
```

name	Total_Revenue
The Thai Chicken Pizza	43434.25
The Barbecue Chicken Pizza	42768
The California Chicken Pizza	41409.5

Calculate the percentage contribution of each pizza type to total revenue.



```
select pt.category, round(sum(od.quantity * p.price) /
(select round(sum(od.quantity * p.price),2) as
Total_Sales
from pizzahut.order_details od
join pizzahut.pizzas p
on od.pizza_id = p.pizza_id) * 100,2) as revenue
from pizzahut.pizza_types pt
join pizzahut.pizzas p
on pt.pizza_type_id = p.pizza_type_id
join pizzahut.order_details od
on p.pizza_id = od.pizza_id
group by pt.category
order by revenue desc;
```

category	revenue
Classic	26.91
Supreme	25.46
Chicken	23.96
Veggie	23.68

Analyze the cumulative revenue generated over time.



```
select order_date,
sum(revenue) over(order by order_date) as cumm_Revenue
from
(select o.order_date,round(sum(p.price * od.quantity),2) as Revenue
from pizzahut.orders o
join pizzahut.order_details od
on o.order_id = od.order_id
join pizzahut.pizzas p
on od.pizza_id = p.pizza_id
group by o.order_date
order by Revenue) as Sales;
```

order_date	cumm_Revenue
2015-01-01	2713.85
2015-01-02	5445.75
2015-01-03	8108.15
2015-01-04	9863.6
2015-01-05	11929.55
2015-01-06	14358.5
2015-01-07	16560.7
2015-01-08	19399.05
2015-01-09	21526.399999999998
2015-01-10	23990.35
2015-01-11	25862.649999999998
2015-01-12	27781.699999999997
2015-01-13	29831.299999999996

Determine the top 3 most ordered pizza types based on revenue for each pizza category.



```
select name, Revenue from
(select category, name, Revenue,
rank() over(partition by category order by Revenue desc) as rn
from
(select pt.category, pt.name, round(sum(p.price * od.quantity),2) as Revenue
from pizzahut.pizza_types pt
join pizzahut.pizzas p
on pt.pizza_type_id = p.pizza_type_id
join pizzahut.order_details od
on p.pizza_id = od.pizza_id
group by pt.category, pt.name) as a) as b
where rn <= 3;
```

name	Revenue
The Thai Chicken Pizza	43434.25
The Barbecue Chicken Pizza	42768
The California Chicken Pizza	41409.5
The Classic Deluxe Pizza	38180.5
The Hawaiian Pizza	32273.25
The Pepperoni Pizza	30161.75
The Spicy Italian Pizza	34831.25
The Italian Supreme Pizza	33476.75
The Sicilian Pizza	30940.5
The Four Cheese Pizza	32265.7
The Mexicana Pizza	26780.75
The Five Cheese Pizza	26066.5

Thank You

for exploring our food menu presentation, delivering quality dining through service and innovation.

