



## Solution Document – Cart Page

### E-commerce Website Design

An e-commerce website, by definition, is a website that allows you to buy and sell tangible goods, digital products or services online.

Here we need to design a website with basic pages/features which are necessary for an e-commerce website.

### Technology

We will be using Bootstrap, HTML, CSS, jQuery & JavaScript for designing the project.

### Pages

Home	Products	Product View	Category	Cart
Checkout	Order Confirmation	About Us	Contact Us	Search

### Important Links Used in Project

Bootstrap:

<https://getbootstrap.com/docs/4.5/getting-started/introduction/>

Font- awesome Icons:

<https://fontawesome.com/icons>

Font- awesome Icons CDN:



<https://cdnjs.com/libraries/font-awesome/5.10.0>

In the previous document, we have created “Category Page”, Now we will be designing “Cart Page”.

## Cart Page


So, what is a cart page?

A cart page is an essential part of an e-commerce website. It is the page where users can pile up what they want to buy from the website.

## Our Cart Page-

### Cart

Cart (2 items)



Blue denim shirt

SHIRT - BLUE

COLOR: BLUE

SIZE: M

REMOVE ITEM


-

1

+

(Note, 1 piece)

₹17.99



Red hoodie

SHIRT - RED

COLOR: RED

SIZE: M

REMOVE ITEM

-

1

+

₹35.99

Order summary

Product name 1	x2	₹25.98
Product name 2	x2	₹25.98
Total amount (including VAT)		₹53.98

Go to Checkout



## Our Cart Page code-

```
<!-- =====cart starts here===== -->
<section class="cart py-5 my-5" id="cart">
  <div class="container ">
    <div class="section_title text-center mb-5">
      <h1 class="text-capitalize">Cart</h1>
    </div>
    <div class="row bg_cart_1 rounded">
      <!--Grid column-->
      <div class="col-md-8 border-right">
        <!-- Card -->
        <div class="mb-3">
          <div class="pt-4">
            <h5 class="mb-4">Cart (<span>2</span> items)</h5>
            <div class="row mb-4">
              <div class="col-md-5 col-lg-3 col-xl-3">
                <div class="rounded mb-3 mb-md-0">
                  
                </div>
              </div>
              <div class="col-md-7 col-lg-9 col-xl-9">
                <div>
                  <div class="d-flex justify-content-between">
                    <div>
                      <h5>Blue denim shirt</h5>
                      <p class="mb-3 text-muted text-uppercase small">Shirt -
blue</p>
                      <p class="mb-2 text-muted text-uppercase small">Color:
blue</p>
                      <p class="mb-3 text-muted text-uppercase small">Size:
M</p>
                    </div>
                  </div>
                </div>
              </div>
            </div>
          </div>
        </div>
      </div>
    </div>
  </div>
</section>
```



```
        </div>
        <div>
            <div class="mb-0 w-100">
                <button
                    onclick="this.parentNode.querySelector('input[type=number]').stepDown()"
                    class="btn btn-sm btn-outline-primary">
                    <i class="fas fa-minus"></i>
                </button>
                <input class="quantity text-center" min="0" max="10"
                    name="quantity"
                    value="1" type="number">
                <button
                    onclick="this.parentNode.querySelector('input[type=number]').stepUp()"
                    class="btn btn-sm btn-outline-primary">
                    <i class="fas fa-plus"></i>
                </button>
            </div>
            <small class="form-text text-muted text-center">
                (Note, 1 piece)
            </small>
        </div>
    </div>
    <div class="d-flex justify-content-between align-items-center">
        <div>
            <a href="javascript:;" type="button"
                class="small text-uppercase mr-3"><i
                    class="fas fa-trash-alt mr-1"></i> Remove item </a>
        </div>
        <p class="mb-0"><span><strong
            id="summary">₹17.99</strong></span></p>
        class="mb-0">
```



```
        </div>
      </div>
    </div>
  </div>
  <hr class="mb-4">
  <div class="row mb-4">
    <div class="col-md-5 col-lg-3 col-xl-3">
      <div class="rounded mb-3 mb-md-0">
        
      </div>
    </div>
    <div class="col-md-7 col-lg-9 col-xl-9">
      <div>
        <div class="d-flex justify-content-between">
          <div>
            <h5>Red hoodie</h5>
            <p class="mb-3 text-muted text-uppercase small">Shirt -
red</p>
            <p class="mb-2 text-muted text-uppercase small">Color:
red</p>
            <p class="mb-3 text-muted text-uppercase small">Size:
M</p>
          </div>
          <div>
            <div class="mb-0 w-100">
              <button
onclick="this.parentNode.querySelector('input[type=number]').stepDown()"
              class="btn btn-sm btn-outline-primary">
                <i class="fas fa-minus"></i>
            </button>
```



```
name="quantity"
    <input class="quantity text-center" min="0" max="10"
        value="1" type="number">
    <button
onclick="this.parentNode.querySelector('input[type=number]').stepUp()"
        class="btn btn-sm btn-outline-primary">
        <i class="fas fa-plus"></i>
    </button>
    </div>
</div>
</div>
<div class="d-flex justify-content-between align-items-center">
    <div>
        <a href="javascript:;" type="button"
            class="card-link-secondary small text-uppercase mr-3">
            <i class="fas fa-trash-alt mr-1"></i> Remove item
        </a>
    </div>
    <p class="mb-0"><span><strong>₹35.99</strong></span></p>
class="mb-0">
    </div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<!--Grid column-->

<!--Grid column-->
<div class="col-md-4 rounded">
    <!-- Card -->
```



```
<div class="mb-3">
  <div class="pt-4">
    <h5 class="mb-3">Order summary</h5>
    <ul class="list-group list-group-flush">
      <li
        class="list-group-item d-flex justify-content-between
align-items-center border-0 px-0 pb-2">
        <span>Product name 1</span>
        <span>x2</span>
        <span>₹25.98</span>
      </li>
      <li
        class="list-group-item d-flex justify-content-between
align-items-center border-0 px-0 pb-2">
        <span>Product name 2</span>
        <span>x2</span>
        <span>₹25.98</span>
      </li>
      <li
        class="list-group-item d-flex justify-content-between
align-items-center border-top px-0 mb-3">
        <div>
          <strong>Total amount</strong>
          <strong>
            <p class="mb-0">(including VAT)</p>
          </strong>
        </div>
        <span><strong>₹53.98</strong></span>
      </li>
    </ul>
    <a href="checkout.html" class="btn btn-primary btn-block">Go to
Checkout</a>
  </div>
```



```
        </div>
        <!-- Card -->
    </div>
    <!--Grid column-->
</div>
</div>
</section>

<!-- =====cart ends here===== -->
```

**Note:**

To decrease quantity

```
onclick="this.parentNode.querySelector('input[type=number]'). stepDown()"
```

To increase quantity

```
onclick="this.parentNode.querySelector('input[type=number]'). stepUp()"
```

When we click on '-' or '+' buttons, it selects the parent div & searches for input type number then "stepDown ()" function decreases number value & "stepUp()" increases number value.

To learn more about these functions follow below links-

stepUp() -

<https://developer.mozilla.org/en-US/docs/Web/API/HTMLInputElement/stepUp>

stepDown()





INTERNSHIPSTUDIO

<https://developer.mozilla.org/en-US/docs/Web/API/HTMLInputElement/stepDown>

querySelector()

<https://developer.mozilla.org/en-US/docs/Web/API/Document/querySelector>

onclick()

<https://developer.mozilla.org/en-US/docs/Web/API/GlobalEventHandlers/onclick>