

Q1.

```
package Test_27_01_26;
```

```
public class Q1 {
```

```
    public static void main(String[] args) {
```

```
        String[] words = {"Car", "Truck"};
```

```
        String str = "I have 2 Car one is Baleno Car and other is Farari Car but Truck is  
used for transportation";
```

```
        str = str.toLowerCase();
```

```
        int count, index;
```

```
        for(String word: words)  
{
```

```
            word = word.toLowerCase();
```

```
            count = 0;
```

```
            index = 0;
```

```
            while(index < str.length())  
{
```

```
                if(index == str.indexOf(word, index) && str.indexOf(word, index) !=
```

-1)

```
                {
```

```
                    count++;
```

```
                    index = index + word.length();
```

```
                }
```

```
                else
```

```
                {
```

```
                    index++;
```

```
                }
```

```
            }
```

```
            System.out.println(word + " occurred " + count + " times");
```

```
        }
```

```
    }
```

```
}
```

Q2.

```
package Test_27_01_26;

import java.util.Scanner;

public class Q2 {

    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        System.out.println("Enter a sentence : ");
        String str = sc.nextLine().toLowerCase();

        System.out.println("Enter a word : ");
        String word = sc.next().toLowerCase();

        int count = 0, index = 0;

        while (index < str.length())
        {
            if (index == str.indexOf(word, index) && str.indexOf(word, index) != -1)
            {
                count++;
                index = index + word.length();
            }
            else
            {
                index++;
            }
        }

        System.out.println(word + " occurred " + count + " times");

    }

}
```

Q3.

```
package Test_27_01_26;

import java.util.Scanner;

public class Q3 {

    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        System.out.println("Enter a name : ");
        String name = sc.nextLine().toLowerCase();

        int l = name.length();

        for(int i=0; i<l/2; i++)
        {
            if(name.charAt(i) != name.charAt(l-i-1))
            {
                System.out.println(name + " is not a palindrome");
                return;
            }
        }

        System.out.println(name + " is a Palindrome");
    }
}
```

Q4.

```
package Test_27_01_26;

import java.util.Scanner;

public class Q4 {

    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        System.out.println("Enter a sentence : ");
        String str = sc.nextLine();

        int count = 0, i = 0;

        while(i < str.length())
        {
            if(str.charAt(i) == ' ')
            {
                count++;
            }

            i++;
        }

        count++;

        System.out.println("Total words : " + count);
    }
}
```