

SET 1

Q1.

```
package Test_23_01_26;

import java.util.Scanner;

public class Q1 {

    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        System.out.println("Enter no. of elements : ");
        int n = sc.nextInt();

        int a[] = new int[n];

        System.out.println("Enter " + n + " elements in sorted order :");
        for(int i=0; i<n; i++)
        {
            a[i] = sc.nextInt();
        }

        int i = 0, j = 1;

        while(j < n)
        {
            if(a[i] == a[j])
            {
                j++;
            }
            else
            {
                System.out.print(a[i] + " ");
                i = j;
                j++;
            }
        }

        System.out.println(a[i]);
    }
}
```

Q2.

```
package Test_23_01_26;

import java.util.Scanner;

public class Q2 {

    public static void main(String[] args) {
        Scanner sc = new Scanner(System.in);

        System.out.println("Enter no. of elements : ");
        int n = sc.nextInt();

        int a[] = new int[n];

        System.out.println("Enter " + n + " elements :");
        for(int i=0; i<n; i++)
        {
            a[i] = sc.nextInt();
        }

        System.out.println("Enter value of k : ");
        int k = sc.nextInt();

        int sum = 0;
        int maxSum = Integer.MIN_VALUE;

        for(int i=0; i<k; i++)
        {
            sum += a[i];
        }

        maxSum = sum;

        int l = 0, r = k;

        while(r < n)
        {
            sum += a[r];
            sum -= a[l];
            l++;
            r++;
        }
    }
}
```

```
        maxSum = Math.max(maxSum, sum);
    }

    System.out.println("Maximum Sum : " + maxSum);
}

}
```