

Background of the problem statement:

FlyAway is a ticket-booking portal that lets people book flights on their website.


GitHub Link :- <https://github.com/Aishwarya222/FlyAway>

Concepts used :


Hibernate and Java MVC model

Project Screenshots:


Passenger's UI :




These are the FlightDetails already added in the Database :-



Showing the flights available for required fields:



On Clicking Proceed to Pay **Payment page** is displayed :



Payment - Ticket Booking

localhost:8080/MyProjectServlet/Payment.jsp

One step away from flying away !!

Make Payment for flight from Pune to Delhi on 2022-07-07

Total ticket price Rs 10000

Email id

Name on Card

Card Number


CVV

Card Expiry Date

dd-mm-yyyy

MAKE PAYMENT

After clicking on Make payment :



Payment - Ticket Booking

localhost:8080/MyProjectServlet/Payment.jsp

One step away from flying away !!

Make Payment for flight from Pune to Delhi on 2022-07-07

Total ticket price Rs 10000

ash Surya888@gmail.com

Ashwarya

1111111111111111



444

Card Expiry Date


29-07-2022

MAKE PAYMENT

These are the Passenger Details :




Passenger can print ticket :






Admin's UI :

Database 1: To Store Username and Password




Initially , username= "admin" password="admin"






After Login :


The details of booking done above are created in a table and shown to admin,




Change password :



I am changing password from “admin” to “qwerty”





Password change reflected in database for next admin login !!