ITSM HELPDESK KNOWLEDGE BASE

AI-Powered IT Support • Troubleshooting Guides • Request Procedures

Prepared for: SORIM Technologies Hackathon Prototype

Purpose: Sample internal IT knowledge articles for document ingestion, chunking, embeddings, vector search, and grounded RAG answers.

Prototype data notice
This is sample documentation created for demonstration. Replace it with your organization's approved IT policies before real use. It does not represent SORIM Technologies' official policies.

1. VPN Troubleshooting

Article ID: KB-NET-001 | Category: Network | Owner: Network Support (sample)

Symptoms

VPN authentication fails, the VPN client cannot connect, or the connection repeatedly disconnects.

Troubleshooting steps

- Confirm the device has internet access before connecting to the VPN.
- Check that the username is correct and the account is not locked.
- Verify the device date and time are correct.
- Disconnect and reconnect using the organization-approved VPN client.
- If multi-factor authentication is required, use the registered approval method. Never share MFA codes.
- If the problem persists, record the exact error, approximate start time, and network used; create a Network Support incident.

Escalation and security

Escalate persistent failures, widespread issues, or security warnings. Never send passwords, recovery codes, or MFA codes through chat or email.

2. Password Reset and Account Lockout

Article ID: KB-IAM-002 | Category: Identity & Access | Owner: IT Support (sample)

Approved reset process

- Open the official password reset portal provided by your IT team.
- Complete identity verification through the approved method.
- Create a unique password that meets the displayed password policy.
- Sign in again and follow any on-screen prompts.
- If verification fails or the account remains locked, raise an IT Support ticket with the error message.

Security requirements

Support staff should never ask an employee to send their current password. Escalate suspected account compromise using the organization's security incident process.

3. Outlook and Email Troubleshooting

Article ID: KB-MSG-003 | Category: Messaging | Owner: Messaging Support (sample)

Common symptoms

Outlook will not open, messages remain in the Outbox, or email synchronization is delayed.

Troubleshooting steps

- Confirm internet access and check whether approved webmail access works.
- Close and reopen Outlook.
- Check whether the mailbox is full and whether credentials are current.
- For messages stuck in the Outbox, check connectivity and attachment size.
- Record the exact error and affected time period if the issue continues.

Escalation

Contact Messaging Support if multiple users are affected, mail delivery is business-critical, or the issue persists after basic checks.

4. Corporate Wi-Fi Troubleshooting

Article ID: KB-NET-004 | Category: Network | Owner: Network Support (sample)

Troubleshooting steps

- Confirm Wi-Fi is enabled and airplane mode is off.
- Select the approved corporate wireless network.
- Toggle Wi-Fi off and on, then reconnect using the approved authentication method.
- Check whether other authorized devices can connect in the same location.
- Record the location, device name, and error message when reporting the problem.

Security reminder

Do not bypass corporate network security controls or connect to unknown networks to work around an access problem.

5. Laptop Performance

Article ID: KB-END-005 | Category: Endpoint | Owner: Desktop Support (sample)

Symptoms

The laptop is slow, applications freeze, or the device becomes unresponsive.

Troubleshooting steps

- Save work and close applications that are not needed.
- Restart the laptop if appropriate and permitted by company policy.
- Check available disk space and confirm approved system updates are installed.
- Use only the organization's approved endpoint security scan.
- If performance remains poor, record affected applications and start time, then create a ticket.

Security reminder

Do not disable endpoint protection or install unapproved cleanup tools.

6. Software Installation and Access Requests

Article ID: KB-REQ-006 | Category: Service Request | Owner: IT Service Desk (sample)

Request process

- Submit a request identifying the software or application and explaining the business need.
- The authorized manager or software owner reviews the request.
- IT checks license availability, security approval, and device compatibility.
- After required approvals, authorized IT staff or an approved deployment tool provisions the software.
- The requester receives the final status and next steps.

Prototype limitation

The hackathon prototype records request and approval states only. It does not install software or grant access automatically.

7. Application Access

Article ID: KB-IAM-007 | Category: Identity & Access | Owner: Application Support (sample)

Request process

- Provide the application name, business purpose, and access level needed.
- Obtain required manager and application-owner approvals.
- IT checks least-privilege requirements and any mandatory training.
- Access is provisioned only after required approvals.
- If access is missing after approval, raise a ticket and include the request ID.

Security reminder

Never share accounts or request another employee's credentials.

8. Ticket Priority and Escalation Guide

Example triage guidance for the prototype. Align priorities with the real organization's incident policy before production use.

Priority	Example impact	Suggested response
P1 — Critical	Major service outage or widespread critical impact.	Escalate immediately through the on-call process.
P2 — High	Important service unavailable or employee blocked from critical work.	Prioritize promptly and notify the support group.
P3 — Medium	Limited issue with a workaround available.	Assign to the relevant support queue.
P4 — Low	Minor inconvenience or routine request.	Handle through the standard queue.

Minimum ticket details

Capture the issue, affected service/device, approximate start time, business impact, exact error text, troubleshooting attempted, and safe contact details. Never include passwords, tokens, or authentication codes.

9. Safe Automation and Audit Logging

Use this section to ground the prototype's self-heal agent and explain safety boundaries.

Allowed demonstration actions

- VPN status check — simulate a check; label the result as mock.
- Cache clearing — simulate the workflow; do not modify a real machine.
- Application restart — simulate the workflow; do not restart a real service.
- Account unlock or password reset — simulate only; do not change credentials.

Audit log fields

Record action name, related ticket/request ID, execution time, requester where available, result, mode (mock/live), and success/failure. Never log passwords, tokens, or secrets.

Approval and safety

Real changes require authentication, authorization, least privilege, input validation, approvals where appropriate, and a verified escalation path.

10. RAG Knowledge-Base Usage Notes

Recommended for the prototype's document ingestion and demonstration.

Suggested pipeline

Load approved documents → extract text → split into overlapping chunks → create embeddings → store vectors and source metadata in ChromaDB → retrieve relevant chunks → generate an answer grounded in retrieved text.

Answer quality rules

- Show the source article filenames used for the answer.
- If documents do not contain the answer, say the knowledge base does not provide enough information.
- Do not invent company policies or claim an action was executed unless the application confirms it.
- Review and update sample articles before using them with real employees.

Document control

Version: 1.0 • Status: Hackathon sample • Review owner: IT Service Desk • Review before production use.

This is generic sample content prepared for software demonstration. It is not official SORIM Technologies policy or a substitute for approved IT procedures.