

Machine View

Applications Places Terminal

Mon 11:24

onworks@localhost:~

File Edit View Search Terminal Help

```
[onworks@localhost ~]$ pwd
/home/onworks
[onworks@localhost ~]$ mkdir aishwarya
mkdir: cannot create directory 'aishwarya': File exists
[onworks@localhost ~]$ mkdir aish
[onworks@localhost ~]$ la -a
bash: la: command not found...
[onworks@localhost ~]$ ls -a
.          .bash_history  .cache  Documents  .local  Public
..         .bash_logout  .config Downloads  .mozilla Templates
aish       .bash_profile .dbus   .esd_auth  Music   Videos
aishwarya .bashrc       Desktop .ICEauthority Pictures
[onworks@localhost ~]$ ls -l
total 0
drwxrwxr-x. 2 onworks onworks 6 Sep 13 11:21 aish
drwxrwxr-x. 2 onworks onworks 6 Sep 13 11:16 aishwarya
drwxr-xr-x. 2 onworks onworks 6 Apr 23 2019 Desktop
drwxr-xr-x. 2 onworks onworks 6 Apr 23 2019 Documents
drwxr-xr-x. 2 onworks onworks 6 Apr 23 2019 Downloads
drwxr-xr-x. 2 onworks onworks 6 Apr 23 2019 Music
drwxr-xr-x. 2 onworks onworks 6 Apr 23 2019 Pictures
drwxr-xr-x. 2 onworks onworks 6 Apr 23 2019 Public
drwxr-xr-x. 2 onworks onworks 6 Apr 23 2019 Templates
drwxr-xr-x. 2 onworks onworks 6 Apr 23 2019 Videos
```

onworks@localhost:~

1/4

search

22°C

with Microsoft Edge, finish setting up your browser.

Complete setup

Maybe later

Machine View

Applications Places Terminal

Mon 11:25



onworks@localhost:-

File Edit View Search Terminal Help

BASH_BUILTINS(1)

General Commands Manual

BASH_BUILTINS(1)

NAME

bash, :, ., [, alias, bg, bind, break, builtin, caller, cd, command, compgen, complete, compopt, continue, declare, dirs, disown, echo, enable, eval, exec, exit, export, false, fc, fg, getopts, hash, help, history, jobs, kill, let, local, logout, mapfile, popd, printf, pushd, pwd, read, readonly, return, set, shift, shopt, source, suspend, test, times, trap, true, type, typeset, ulimit, umask, unalias, unset, wait - bash built-in commands, see **bash(1)**

BASH BUILTIN COMMANDS

Unless otherwise noted, each builtin command documented in this section as accepting options preceded by - accepts -- to signify the end of the options. The :, true, false, and test builtins do not accept options and do not treat -- specially. The exit, logout, break, continue, let, and shift builtins accept and process arguments beginning with - without requiring --. Other builtins that accept arguments but are not specified as accepting options interpret arguments beginning with - as invalid options and require -- to prevent this interpretation.

: [arguments]

No effect; the command does nothing beyond expanding arguments and performing any specified redirections. A zero exit code is

Manual page cd(1) line 1 (press h for help or q to quit)

1/4


onworks@localhost:-

o search



22°C AQI 20





https://www.onworks.net/osessionx35/#/client/REVGQVVMVABjAGRIZmF1bHQ=?username=guest02&passw...

ctive with Microsoft Edge, finish setting up your browser.

Complete setup

Maybe later

Machine View

Applications Places Terminal

Mon 11:27

onworks@localhost:~

File Edit View Search Terminal Help

Hom drwxr-xr-x. 2 onworks onworks 6 Apr 23 2019 Videos

[onworks@localhost ~]\$ man cd

[onworks@localhost ~]\$ man cd

[onworks@localhost ~]\$ df

Filesystem	1K-blocks	Used	Available	Use%	Mounted on
devtmpfs	1344680	0	1344680	0%	/dev
tmpfs	1363256	0	1363256	0%	/dev/shm
tmpfs	1363256	17816	1345440	2%	/run
tmpfs	1363256	0	1363256	0%	/sys/fs/cgroup
/dev/mapper/ol-root	27245572	4321688	22923884	16%	/
/dev/sda1	1038336	230440	807896	23%	/boot
tmpfs	272652	4	272648	1%	/run/user/42
tmpfs	272652	28	272624	1%	/run/user/1000

[onworks@localhost ~]\$ df -h

Filesystem	Size	Used	Avail	Use%	Mounted on
devtmpfs	1.3G	0	1.3G	0%	/dev
tmpfs	1.4G	0	1.4G	0%	/dev/shm
tmpfs	1.4G	18M	1.3G	2%	/run
tmpfs	1.4G	0	1.4G	0%	/sys/fs/cgroup
/dev/mapper/ol-root	26G	4.2G	22G	16%	/
/dev/sda1	1014M	226M	789M	23%	/boot
tmpfs	267M	4.0K	267M	1%	/run/user/42
tmpfs	267M	28K	267M	1%	/run/user/1000

[onworks@localhost ~]\$



Save Session

productive with Microsoft Edge, finish setting up your browser.

Complete setup

Maybe later

Machine View

Applications Places Terminal

Mon 11:28



```
onworks@localhost:~$ man ls
NAME
  ls - list directory contents

SYNOPSIS
  ls [OPTION]... [FILE]...

DESCRIPTION
  List information about the FILES (the current directory by default).
  Sort entries alphabetically if none of -cftuvSUX nor --sort is speci-
  fied.

  Mandatory arguments to long options are mandatory for short options
  too.

  -a, --all
      do not ignore entries starting with .

  -A, --almost-all
      do not list implied . and ..

  --author
      print the author of each file's text or executable file

Manual page ls(1) line 1 (press h for help or q to quit)
```

1/4

onworks@localhost:~\$

22°C AQI 20

here to search

```
onworks@localhost:~  
File Edit View Search Terminal Help  
tmpfs 1.4G 0 1.4G 0% /sys/fs/cgroup  
/dev/mapper/ol-root 26G 4.2G 22G 16% /  
/dev/sda1 1014M 226M 789M 23% /boot  
tmpfs 267M 4.0K 267M 1% /run/user/42  
tmpfs 267M 28K 267M 1% /run/user/1000
```

```
[onworks@localhost ~]$ man ls
```

```
[onworks@localhost ~]$ ps
```

```
  PID TTY          TIME CMD  
 5965 pts/0    00:00:00 bash  
 6454 pts/0    00:00:00 ps
```

```
[onworks@localhost ~]$ ps -a
```

```
  PID TTY          TIME CMD  
 6471 pts/0    00:00:00 ps
```

```
[onworks@localhost ~]$ gedit example.txt
```

```
** (gedit:6502): WARNING **: 11:30:35.372: Set document metadata failed: Unable  
to set metadata key
```

```
** (gedit:6502): WARNING **: 11:30:35.374: Set document metadata failed: Unable  
to set metadata key
```

```
** (gedit:6502): WARNING **: 11:30:48.327: Set document metadata failed: Unable  
to set metadata key
```

```
[onworks@localhost ~]$
```


onworks@localhost:~

File Edit View Search Terminal Help

```
Hom /dev/sda1      1014M  226M  789M  23% /boot
tmpfs                267M   4.0K  267M   1% /run/user/42
tmpfs                267M   28K   267M   1% /run/user/1000
```

```
[onworks@localhost ~]$ man ls
```

```
[onworks@localhost ~]$ ps
```

```
PID TTY      TIME CMD
5965 pts/0    00:00:00 bash
6454 pts/0    00:00:00 ps
```

```
[onworks@localhost ~]$ ps -a
```

```
PID TTY      TIME CMD
6471 pts/0    00:00:00 ps
```

```
[onworks@localhost ~]$ gedit example.txt
```

```
** (gedit:6502): WARNING **: 11:30:35.372: Set document metadata failed: Unable to set metadata key
```

```
** (gedit:6502): WARNING **: 11:30:35.374: Set document metadata failed: Unable to set metadata key
```

```
** (gedit:6502): WARNING **: 11:30:48.327: Set document metadata failed: Unable to set metadata key
```

```
[onworks@localhost ~]$ gedit eeeeexample.txt &
```

```
[1] 6642
```

```
[onworks@localhost ~]$
```