Change request log

1. Team

Specify the team members working on this change request.

2. Change Request Provide the id and description of the change request.

3. Concept Location

Step #	Description	Rationale
1	We made a search for "scroll" in the github repository	To find the files that relate to scrollbar display
2	We found many java and non-java related files	
3	We inspected the TextArea class in the org/git/sp/jedit/textarea package	The text area seemed to refer to the area where the text is displayed in jEdit, so we figured the scroll bars would also be contained here
4	We also found non-java files actions.xml and jedit_gui.props and thought that these may also need to be changed	The actions xml file contains actions for the user to take to change the layout, and props contains the actual layout elements being changed, so we thought they may relate to the scrollbars

Time spent (in minutes): 60

4. Impact Analysis

Step #	Description	Rationale
1	We inspected all classes that have relations to the classes we found previously	To track the classes that could be impacted by the change.
2	We concluded that changes to these classes would not have an effect on any other classes	

Time spent (in minutes): 20

5. Actualization

Step #	Description	Rationale
1	We created methods toggleVerticalScrolbar and toggleHorizontalScrollbar in TextArea.java and gave them actions	
2	We created actions "toggle-horizontal" and "toggle-vertical" in actions.xml to display the prompt to toggle the scrollbars	Adds the action of toggling the scrollbars
3	We also added horizontal and vertical scrollbar menus to jedit_gui.props, along with their labels	Displays the prompts to toggle the scrollbars in jEdit

Time spent (in minutes): 150

6. Validation

Step #	Description	Rationale
1	We opened the jEdit context menu and added the option to toggle horizontal and vertical scrollbars, after enabling both they were able to successfully turn off the scrollbars	This is the regular expected behavior. The test passed.
2	We also checked the Edit section to make sure the option to toggle scrollbars was present there	


Time spent (in minutes): 10

7. Timing

Phase Name	Time (in minutes)
Concept location	60
Impact Analysis	20
Actualization	150
Verification	10
Total	240

8. Reverse engineering «interface» «Java Class» DynamicMenuProvider **EnhancedMenu** + providerCode: string + updateEveryTime(): boolean + context: ActionContext + update(JMenu): void + initialComponentCount: int + ebStub: EdditBusStub + EnhancedMenu(String) + EnhancedMenu(String, String) _ + EnhancedMenu(String, String, ActionContext «Java Class» + menuSelected(MenuEvent): void RecentFilesProvider + menuDeselected(MenuEvent): void + menuCanceled(MenuEvent): void + RecentFilesProvider() + init(): void + updateEveryTime(): boolean + update(JMenu): void jedit gui.props «Java Class» actions.xml **EditBus** recent-files.code=new RecentFilesProvider() toggle-vertical toggle-scrollbars toggle-horizontal + addToBus(EBComponent comp) + removeFromBus(EBComponent comp) + send(EBMessage message) «Java Class» EditPane + jeditTextArea + getTextArea -_ «Java Class» «Java Class» **JPanel** TextArea JeditBuffer + JPanel(LayoutManager, boolean «Java Class» vertical + JPanel(LayoutManager) **JScrollBar** + toggleVerticalScrollbar(): void + JPanel(boolean) -horizontal + JPanel() + isVerticalScrollbarVisible(): boolean + toggleHorizontalScrollbar(): void + updateUI(): void + getUI(): PaneIUI + isHorizontalScrollbar(): boolean + setUl(PanelUl): void + getUlClassID(): String

+ getAccessibleContext(): AccessibleContext



9. Conclusions

For this change, concept location was particularly difficult because there were many different types of classes that we couldn't recognize immediately, so we didn't know exactly which we should change. After taking a closer look at the classes and their functions, it became a lot easier to understand which file types were used for what, so we could figure out what we needed to use. The actualization was particularly difficult because we weren't entirely familiar with implementation of GUI buttons and actions. We also weren't entirely sure what actually needed to be added to the classes until a bit further into the process.

Classes and methods changed:

- org/gjt/sp/jedit/textarea/TextArea.java
 - void toggleVerticalScrollbar()
 - void toggleHorizontalScrollbar()
 - boolean isVerticalScrollbarVisible()
 - boolean isHorizontalScrollbarVisible()
- org/gjt/sp/jedit/actions.xml
- org/gjt/sp/jedit/jedit_gui.props