Print Statement

In [2]:
```python
num=10
print(num)
```

10

In [3]:
```python
num1=10
print(num1)
num2=102
print(num2)
```

10
102

In [4]:
```python
print("hai how.... ")
```

hai how....

- whatever we write in quotes and which willbe vsible in red will be printed as it is

In [5]:
```python
print(10,20,30)
```

10 20 30

In [7]:
```python
n1 = 10
n2 = 20
print(n1,n2)
print(10,20)
print(n1,'and',n2)
print('10 and 20')
print(10,'and',20)
print('n1 and n2')# this is what we dont want
```

10 20
10 20
10 and 20
10 and 20
10 and 20
n1 and n2

```
In [10]: a= 10
         b=20
         c=a+b
         #addition of 10 and 20 is 30
         print("the addition of", a,'and',b,'is',c)
```

```
the addition of 10 and 20 is 30
```

```
In [11]: name = 'aishwarya'
         city = 'Austin'
         age = 25
         print('My name is',name,'Im from',city,'and I am',age,'years old')
```

```
My name is aishwarya Im from Austin and I am 25 years old
```

$Method-2$ ** format

```
In [13]: num1=10
         num2=102
         num3 = num1 + num2
         print('the addition of {} and {} is {}'.format(num1,num2,num3))
```

```
the addition of 10 and 102 is 112
```

```
In [14]: name = 'aishwarya'
         city = 'Austin'
         age = 25
         print('My name is',name,'Im from',city,'and I am',age,'years old')
         print('My name is {}, I am from {}, I am {} years old'.format(name,city,age))
```

```
My name is aishwarya Im from Austin and I am 25 years old
My name is aishwarya, I am from Austin, I am 25 years old
```

$Method-3$

f-string method

```
In [15]: print(f'My name is {name}, I am from {city}, I am {age} years old')
```

```
My name is aishwarya, I am from Austin, I am 25 years old
```

```
In [ ]: $End Operator$
```

In [16]:
```python
print('hai')
print('hello')
#hai hello
print('hai',end='---->')
print('hello')
```

```
hai
hello
hai---->hello
```

In [18]:
```python
print('1',end=' ')
print('2',end=' ')
print('3')
#1 2 3
print('hai',end='---->')
print('hello')
#whatever is in red color inside the double quotes will be printed
print('1',end=' aishu ')
print('2',end=' aishu ')
print('3')
```

```
1 2 3
hai---->hello
1 aishu 2 aishu 3
```

In [19]:
```python
print('Aishwarya',end=' is ')
print('Learning',end=' python ')
print('Henge!!!')
```

```
Aishwarya is Learning python Henge!!!
```

Seperator ------> sep

In [21]:
```python
print('aish',"and","apple")
```

```
aish and apple
```

In [23]:
```python
print('aish','apple',sep=' and ')
```

```
aish and apple
```

In [24]:
```python
print('1','2','3','4','5','6',sep='---> ')
```

```
1---> 2---> 3---> 4---> 5---> 6
```

In [ ]:
```
- format
- fstring
- end operator
- seperator
```