
WIFI ROUTER ACCESS REPORT

AISWARYA.D

1.INTERNET SERVICE PROVIDER (ISP)

- ISP NAME:WAYANAD VISION COMMUNICATORS PRIVATE LIMITED
- ISP NUMBER:13.177.252.19
- ASN:138754



2.WIFI ROUTER MODEL

• PRODUCT NAME: GPON/EPON ONT

MODEL NO.: HG323RGW
IP ADDRESS: 192.168.1.1
WiFi PASSWORD: 23456789

• MAC ADDRESS: 8C7C3030EECD

IMAGE OF THE ROUTER





3. WAN CONNECTION

• CONNECTION TYPE:ONT VIA OPTICAL FIBER

4.WIFI PASSWORD

- IS THE PASSWORD STILL DEFAULT:NO
- DEFAULT PASSWORD:sfdkONU101
- NEW PASSWORD:Alaka@123

5.SECURING THE WIFI PASSWORD

CHANGED WIFI PASSWORD:YES
RESISTANCE FROM USERS:RESISTANCE

6.DEFAULT IP RANGE AND DNS INFORMATION

DEFAULT IP RANGE

DEFAULT GATEWAY IP:192.168.1.1

WHOIS DETAILS

NetRange: 192.168.0.0 - 192.168.255.255

CIDR: 192.168.0.0/16

NetName: PRIVATE-ADDRESS-CBLK-RFC1918-IANA-RESERVED

NetHandle: NET-192-168-0-0-1

Parent: NET192 (NET-192-0-0-0)

NetType: IANA Special Use

OriginAS:

Organization: Internet Assigned Numbers Authority (IANA)

RegDate: 1994-03-15 Updated: 2024-05-24

Comment: These addresses are in use by many millions of independently operated networks, wl

Comment:

Comment: These addresses can be used by anyone without any need to coordinate with IANA or

Comment:

Comment: These addresses were assigned by the IETF, the organization that develops Interne

Comment: http://datatracker.ietf.org/doc/rfc1918

Ref: https://rdap.arin.net/registry/ip/192.168.0.0

OrgName: Internet Assigned Numbers Authority

OrgId: IANA

Address: 12025 Waterfront Drive

Address: Suite 300
City: Los Angeles

StateProv: CA
PostalCode: 90292
Country: US

RegDate:

Updated: 2024-05-24

Ref: https://rdap.arin.net/registry/entity/IANA

OrgAbuseHandle: IANA-IP-ARIN

OrgAbuseName: ICANN

OrgAbusePhone: +1-310-301-5820
OrgAbuseEmail: abuse@iana.org

OrgAbuseRef: https://rdap.arin.net/registry/entity/IANA-IP-ARIN

OrgTechHandle: IANA-IP-ARIN

OrgTechName: ICANN

OrgTechPhone: +1-310-301-5820
OrgTechEmail: abuse@iana.org

OrgTechRef: https://rdap.arin.net/registry/entity/IANA-IP-ARIN

7.ROUTER LOGIN PAGE ACCESS

CAN YOU ACCESS THE LOGIN PAGE:YES

Web login
Username:
Password:
V-35-6-O-d-
VerificationCode:
Opplie
9czjc
Login Rewrite
Login Rewrite

8.CONNECTED DEVICES INFORMATION

```
Command Prompt
Microsoft Windows [Version 10.0.22631.4169]
(c) Microsoft Corporation. All rights reserved.
C:\Users\hp>arp -a
Interface: 192.168.1.3 --- 0x7
Internet Address Physica
                            Physical Address
                                                      Type
  192.168.1.1
                            8c-c7-c3-00-e1-cd
                                                      dynamic
  192.168.1.7
                            ee-3b-3f-9f-a7-ad
                                                      dynamic
  192.168.1.255
                            ff-ff-ff-ff-ff-ff
                                                      static
                            01-00-5e-00-00-16
  224.0.0.22
                                                      static
  224.0.0.251
                            01-00-5e-00-00-fb
                                                      static
  224.0.0.252
239.255.255.250
255.255.255.255
                            01-00-5e-00-00-fc
                                                      static
                            01-00-5e-7f-ff-fa
ff-ff-ff-ff-ff
                                                      static
                                                      static
Interface: 192.168.56.1 --- 0xd
Internet Address Physical
                            Physical Address
ff-ff-ff-ff-ff
                                                      Type
  192.168.56.255
                                                      static
  224.0.0.22
                            01-00-5e-00-00-16
                                                      static
  224.0.0.251
                            01-00-5e-00-00-fb
                                                      static
                            01-00-5e-00-00-fc
  224.0.0.252
                                                      static
                            01-00-5e-7f-ff-fa
  239.255.255.250
                                                      static
                            ff-ff-ff-ff-ff
  255.255.255.255
                                                      static
C:\Users\hp>
```