KLK
PLANTATION
CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/492
Date of Report : 26/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 4 - 14/9/2026
Date of Analysis : 20 - 23/10/2026
Page : 1 of 10

Results

Sample Reference	Gaharu Estate (Oil Palm Leaf)					Test Method
	GHR-09-01A-SEP'26	GHR-09-01-SEP'26	GHR-09-02-SEP'26	GHR-09-03-SEP'26	GHR-09-04-SEP'26	
Laboratory Reference	L10/43	L10/44	L10/45	L10/46	L10/47	
Test Parameters						
Ash (% dry matter)	-	-	-	-	-	MS 677 : Part I to VIII : 1980
N (% dry matter)	2.61	2.77	2.57	2.66	2.56	MS 677 : Part I to VIII : 1980
P (% dry matter)	0.163	0.159	0.163	0.161	0.159	MS 677 : Part I to VIII : 1980
K (% dry matter)	1.07	1.19	1.17	1.17	1.26	MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.36	0.32	0.35	0.36	0.32	MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.42	0.38	0.45	0.40	0.32	MS 677 : Part I to VIII : 1980
B (ppm dry matter)	15.7	14.0	16.2	16.4	16.6	In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-	-	-	-	-	Not accredited

The reported results apply to the sample as received.

Approved Signatory

(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.

KLK
PLANTATION
CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/492
Date of Report : 26/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 4 - 14/9/2026
Date of Analysis : 20 - 23/10/2026
Page : 2 of 10

Results

Sample Reference	Gaharu Estate (Oil Palm Leaf)					Test Method
	GHR-09-05-SEP'26	GHR-09-06-SEP'26	GHR-09-07-SEP'26	GHR-09-08-SEP'26	GHR-09-09-SEP'26	
Laboratory Reference	L10/48	L10/49	L10/50	L10/51	L10/52	
Test Parameters						
Ash (% dry matter)	-	-	-	-	-	MS 677 : Part I to VIII : 1980
N (% dry matter)	2.67	2.68	2.66	2.71	2.64	MS 677 : Part I to VIII : 1980
P (% dry matter)	0.162	0.160	0.164	0.164	0.168	MS 677 : Part I to VIII : 1980
K (% dry matter)	1.09	1.07	1.05	1.08	1.12	MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.35	0.37	0.37	0.37	0.34	MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.41	0.34	0.36	0.43	0.44	MS 677 : Part I to VIII : 1980
B (ppm dry matter)	18.4	17.7	14.0	16.7	16.3	In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-	-	-	-	-	Not accredited

The reported results apply to the sample as received.

Approved Signatory

(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.

KLK
PLANTATION
CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/492
Date of Report : 26/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 4 - 14/9/2026
Date of Analysis : 20 - 23/10/2026
Page : 3 of 10

Results

Sample Reference	Gaharu Estate (Oil Palm Leaf)					Test Method
	GHR-09-10-SEP'26	GHR-09-12-SEP'26	GHR-09-13-SEP'26	GHR-09-14-SEP'26	GHR-09-15-SEP'26	
Laboratory Reference	L10/53	L10/54	L10/55	L10/56	L10/57	
Test Parameters						
Ash (% dry matter)	-	-	-	-	-	MS 677 : Part I to VIII : 1980
N (% dry matter)	2.54	2.60	2.77	2.83	2.73	MS 677 : Part I to VIII : 1980
P (% dry matter)	0.165	0.162	0.157	0.164	0.165	MS 677 : Part I to VIII : 1980
K (% dry matter)	1.19	1.22	1.18	1.04	1.11	MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.33	0.37	0.35	0.35	0.32	MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.44	0.33	0.34	0.34	0.43	MS 677 : Part I to VIII : 1980
B (ppm dry matter)	17.7	15.9	16.0	14.5	14.5	In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-	-	-	-	-	Not accredited

The reported results apply to the sample as received.

Approved Signatory

(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.

KLK
PLANTATION
CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/492
Date of Report : 26/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 4 - 14/9/2026
Date of Analysis : 20 - 23/10/2026
Page : 4 of 10

Results

Sample Reference	Gaharu Estate (Oil Palm Leaf)					Test Method
	GHR-09-16-SEP'26	GHR-09-17-SEP'26	GHR-09-18-SEP'26	GHR-09-19-SEP'26	GHR-09-20-SEP'26	
Laboratory Reference	L10/58	L10/59	L10/60	L10/61	L10/62	
Test Parameters						
Ash (% dry matter)	-	-	-	-	-	MS 677 : Part I to VIII : 1980
N (% dry matter)	2.86	2.66	2.74	2.57	2.68	MS 677 : Part I to VIII : 1980
P (% dry matter)	0.154	0.165	0.162	0.152	0.148	MS 677 : Part I to VIII : 1980
K (% dry matter)	1.17	1.15	1.12	1.13	1.15	MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.31	0.33	0.36	0.33	0.31	MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.40	0.34	0.40	0.31	0.37	MS 677 : Part I to VIII : 1980
B (ppm dry matter)	17.9	17.7	14.4	16.6	16.5	In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-	-	-	-	-	Not accredited

The reported results apply to the sample as received.

Approved Signatory

(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.

KLK
PLANTATION
CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/492
Date of Report : 26/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 4 - 14/9/2026
Date of Analysis : 20 - 23/10/2026
Page : 5 of 10

Results

Sample Reference	Gaharu Estate (Oil Palm Leaf)					Test Method
	GHR-09-21-SEP'26	GHR-09-22-SEP'26	GHR-09-23-SEP'26	GHR-09-24-SEP'26	GHR-09-25-SEP'26	
Laboratory Reference	L10/63	L10/64	L10/65	L10/66	L10/67	
Test Parameters						
Ash (% dry matter)	-	-	-	-	-	MS 677 : Part I to VIII : 1980
N (% dry matter)	2.70	2.71	2.69	2.61	2.66	MS 677 : Part I to VIII : 1980
P (% dry matter)	0.164	0.162	0.166	0.161	0.161	MS 677 : Part I to VIII : 1980
K (% dry matter)	1.07	1.03	1.10	1.02	1.04	MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.34	0.32	0.33	0.35	0.35	MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.36	0.30	0.36	0.34	0.36	MS 677 : Part I to VIII : 1980
B (ppm dry matter)	15.7	16.5	15.0	16.8	16.8	In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-	-	-	-	-	Not accredited

The reported results apply to the sample as received.

Approved Signatory

(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.

KLK
PLANTATION
CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/492
Date of Report : 26/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 4 - 14/9/2026
Date of Analysis : 20 - 23/10/2026
Page : 6 of 10

Results

Sample Reference	Gaharu Estate (Oil Palm Leaf)					Test Method
	GHR-09-26-SEP'26	GHR-09-11-SEP'26	GHR-10-01 SEP'26	GHR-10-02 SEP'26	GHR-10-03 SEP'26	
Laboratory Reference	L10/68	L10/69	L10/70	L10/71	L10/72	
Test Parameters						
Ash (% dry matter)	-	-	-	-	-	MS 677 : Part I to VIII : 1980
N (% dry matter)	2.87	2.68	2.73	2.79	2.73	MS 677 : Part I to VIII : 1980
P (% dry matter)	0.157	0.161	0.156	0.162	0.161	MS 677 : Part I to VIII : 1980
K (% dry matter)	1.17	1.06	1.12	1.18	1.10	MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.31	0.33	0.32	0.33	0.32	MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.33	0.35	0.34	0.38	0.38	MS 677 : Part I to VIII : 1980
B (ppm dry matter)	16.4	14.7	14.8	14.5	14.9	In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-	-	-	-	-	Not accredited

The reported results apply to the sample as received.

Approved Signatory

(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.

KLK
PLANTATION
CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/492
Date of Report : 26/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 4 - 14/9/2026
Date of Analysis : 20 - 23/10/2026
Page : 7 of 10

Results

Sample Reference	Gaharu Estate (Oil Palm Leaf)					Test Method
	GHR-10-04-SEP'26	GHR-11-01-SEP'26	GHR-11-02-SEP'26	GHR-11-03-SEP'26	GHR-11-04-SEP'26	
Laboratory Reference	L10/73	L10/74	L10/75	L10/76	L10/77	
Test Parameters						
Ash (% dry matter)	-	-	-	-	-	MS 677 : Part I to VIII : 1980
N (% dry matter)	2.70	2.68	2.45	2.71	2.67	MS 677 : Part I to VIII : 1980
P (% dry matter)	0.170	0.156	0.168	0.165	0.164	MS 677 : Part I to VIII : 1980
K (% dry matter)	1.14	1.19	1.21	1.18	1.11	MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.34	0.30	0.29	0.33	0.28	MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.37	0.34	0.32	0.36	0.37	MS 677 : Part I to VIII : 1980
B (ppm dry matter)	16.3	14.2	14.1	14.8	14.9	In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-	-	-	-	-	Not accredited

The reported results apply to the sample as received.

Approved Signatory

(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.

KLK
PLANTATION
CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/492
Date of Report : 26/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 4 - 14/9/2026
Date of Analysis : 20 - 23/10/2026
Page : 8 of 10

Results

Sample Reference	Gaharu Estate (Oil Palm Leaf)					Test Method
	GHR-11-05-SEP'26	GHR-13-01-SEP'26	GHR-13-02-SEP'26	GHR-13-03-SEP'26	GHR-13-04-SEP'26	
Laboratory Reference	L10/78	L10/79	L10/80	L10/81	L10/82	
Test Parameters						
Ash (% dry matter)	-	-	-	-	-	MS 677 : Part I to VIII : 1980
N (% dry matter)	2.71	2.59	2.78	2.87	2.71	MS 677 : Part I to VIII : 1980
P (% dry matter)	0.164	0.164	0.165	0.167	0.164	MS 677 : Part I to VIII : 1980
K (% dry matter)	1.02	1.17	1.03	1.12	1.05	MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.39	0.33	0.28	0.31	0.31	MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.31	0.31	0.35	0.38	0.36	MS 677 : Part I to VIII : 1980
B (ppm dry matter)	14.9	14.3	17.4	17.0	15.7	In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-	-	-	-	-	Not accredited

The reported results apply to the sample as received.

Approved Signatory

(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.

KLK
PLANTATION
CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/492
Date of Report : 26/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 4 - 14/9/2026
Date of Analysis : 20 - 23/10/2026
Page : 9 of 10

Results

Sample Reference	Gaharu Estate (Oil Palm Leaf)					Test Method
	GHR-13-05-SEP'26	GHR-13-06-SEP'26	GHR-13-07-SEP'26	GHR-13-08-SEP'26	GHR-13-09-SEP'26	
Laboratory Reference	L10/83	L10/84	L10/85	L10/86	L10/87	
Test Parameters						
Ash (% dry matter)	-	-	-	-	-	MS 677 : Part I to VIII : 1980
N (% dry matter)	2.58	2.63	2.77	2.81	2.77	MS 677 : Part I to VIII : 1980
P (% dry matter)	0.165	0.176	0.162	0.165	0.160	MS 677 : Part I to VIII : 1980
K (% dry matter)	1.10	1.03	1.08	1.16	1.03	MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.28	0.33	0.31	0.28	0.30	MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.34	0.40	0.41	0.37	0.33	MS 677 : Part I to VIII : 1980
B (ppm dry matter)	14.4	17.0	14.0	14.9	16.9	In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-	-	-	-	-	Not accredited

The reported results apply to the sample as received.

Approved Signatory

(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.

KLK
PLANTATION
CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/492
Date of Report : 26/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 4 - 14/9/2026
Date of Analysis : 20 - 23/10/2026
Page : 10 of 10

Results

Sample Reference	Gaharu Estate (Oil Palm Leaf)					Test Method
	GHR-13-10-SEP'26					
Laboratory Reference	L10/88					
Test Parameters						
Ash (% dry matter)	-					MS 677 : Part I to VIII : 1980
N (% dry matter)	2.67					MS 677 : Part I to VIII : 1980
P (% dry matter)	0.165					MS 677 : Part I to VIII : 1980
K (% dry matter)	1.10					MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.28					MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.38					MS 677 : Part I to VIII : 1980
B (ppm dry matter)	16.9					In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-					In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-					In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-					In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-					In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-					Not accredited

The reported results apply to the sample as received.

Approved Signatory



(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.