KLK
PLANTATION
CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/494
Date of Report : 30/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 16 - 25/9/2026
Date of Analysis : 26 - 29/10/2026
Page : 1 of 11

Results

Sample Reference	Merbau Estate (Oil Palm Leaf)					Test Method
	MEB-07-01-SEP26 (BW399)	MEB-07-02-SEP26 (BW399)	MEB-07-03-SEP26 (BW399)	MEB-07-04-SEP26	MEB-07-05-SEP26	
Laboratory Reference	L10/132	L10/133	L10/134	L10/135	L10/136	
Test Parameters						
Ash (% dry matter)	-	-	-	-	-	MS 677 : Part I to VIII : 1980
N (% dry matter)	2.78	2.88	2.82	2.72	2.69	MS 677 : Part I to VIII : 1980
P (% dry matter)	0.166	0.163	0.160	0.156	0.164	MS 677 : Part I to VIII : 1980
K (% dry matter)	1.21	1.14	1.24	1.17	1.12	MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.37	0.37	0.34	0.37	0.34	MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.37	0.32	0.31	0.31	0.29	MS 677 : Part I to VIII : 1980
B (ppm dry matter)	13.6	14.5	17.7	14.3	13.6	In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-	-	-	-	-	Not accredited

The reported results apply to the sample as received.

Approved Signatory

(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.

KLK
PLANTATION
CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/494
Date of Report : 30/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 16 - 25/9/2026
Date of Analysis : 26 - 29/10/2026
Page : 2 of 11

Results

Sample Reference	Merbau Estate (Oil Palm Leaf)					Test Method
	MEB-07-06-SEP26	MEB-07-07-SEP26	MEB-11-01-SEP26	MEB-11-02-SEP26	MEB-11-03-SEP26	
Laboratory Reference	L10/137	L10/138	L10/139	L10/140	L10/141	
Test Parameters						
Ash (% dry matter)	-	-	-	-	-	MS 677 : Part I to VIII : 1980
N (% dry matter)	2.71	2.84	2.69	2.77	2.75	MS 677 : Part I to VIII : 1980
P (% dry matter)	0.169	0.165	0.166	0.164	0.163	MS 677 : Part I to VIII : 1980
K (% dry matter)	1.12	1.19	1.17	1.11	1.17	MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.37	0.34	0.37	0.36	0.33	MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.33	0.28	0.30	0.34	0.32	MS 677 : Part I to VIII : 1980
B (ppm dry matter)	12.5	14.4	14.5	14.7	14.5	In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-	-	-	-	-	Not accredited

The reported results apply to the sample as received.

Approved Signatory

(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.

KLK
PLANTATION
CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/494
Date of Report : 30/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 16 - 25/9/2026
Date of Analysis : 26 - 29/10/2026
Page : 3 of 11

Results

Sample Reference	Merbau Estate (Oil Palm Leaf)					Test Method
	MEB-11-04-SEP26	MEB-11-05-SEP26	MEB-11-06-SEP26	MEB-11-07-SEP26	MEB-11-08-SEP26	
Laboratory Reference	L10/142	L10/143	L10/144	L10/145	L10/146	
Test Parameters						
Ash (% dry matter)	-	-	-	-	-	MS 677 : Part I to VIII : 1980
N (% dry matter)	2.71	2.81	2.72	2.68	2.80	MS 677 : Part I to VIII : 1980
P (% dry matter)	0.165	0.165	0.164	0.156	0.165	MS 677 : Part I to VIII : 1980
K (% dry matter)	1.07	1.13	1.20	1.04	1.14	MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.36	0.32	0.29	0.31	0.32	MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.33	0.30	0.30	0.32	0.33	MS 677 : Part I to VIII : 1980
B (ppm dry matter)	16.3	18.0	17.5	17.8	14.8	In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-	-	-	-	-	Not accredited

The reported results apply to the sample as received.

Approved Signatory

(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.

KLK
PLANTATION
CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/494
Date of Report : 30/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 16 - 25/9/2026
Date of Analysis : 26 - 29/10/2026
Page : 4 of 11

Results

Sample Reference	Merbau Estate (Oil Palm Leaf)					Test Method
	MEB-11-09-SEP26	MEB-11-10-SEP26	MEB-11-17-SEP26	MEB-11-18-SEP26	MEB-11-19-SEP26	
Laboratory Reference	L10/147	L10/148	L10/149	L10/150	L10/151	
Test Parameters						
Ash (% dry matter)	-	-	-	-	-	MS 677 : Part I to VIII : 1980
N (% dry matter)	2.68	2.75	2.79	2.78	2.81	MS 677 : Part I to VIII : 1980
P (% dry matter)	0.165	0.160	0.163	0.166	0.165	MS 677 : Part I to VIII : 1980
K (% dry matter)	1.13	1.13	1.12	1.18	1.20	MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.32	0.32	0.31	0.37	0.33	MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.33	0.33	0.39	0.34	0.37	MS 677 : Part I to VIII : 1980
B (ppm dry matter)	15.6	17.3	16.7	15.7	16.3	In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-	-	-	-	-	Not accredited

The reported results apply to the sample as received.

Approved Signatory

(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.

KLK
PLANTATION
CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/494
Date of Report : 30/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 16 - 25/9/2026
Date of Analysis : 26 - 29/10/2026
Page : 5 of 11

Results

Sample Reference	Merbau Estate (Oil Palm Leaf)					Test Method
	MEB-06-01-SEP26(BW399)	MEB-06-02-SEP26	MEB-06-03-SEP26	MEB-06-04-SEP26	MEB-09-01-SEP26	
Laboratory Reference	L10/152	L10/153	L10/154	L10/155	L10/156	
Test Parameters						
Ash (% dry matter)	-	-	-	-	-	MS 677 : Part I to VIII : 1980
N (% dry matter)	2.63	2.72	2.70	2.71	2.79	MS 677 : Part I to VIII : 1980
P (% dry matter)	0.160	0.169	0.169	0.167	0.169	MS 677 : Part I to VIII : 1980
K (% dry matter)	1.18	1.24	1.26	1.28	1.17	MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.32	0.36	0.35	0.31	0.30	MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.36	0.39	0.38	0.37	0.40	MS 677 : Part I to VIII : 1980
B (ppm dry matter)	18.1	14.9	17.2	17.2	15.9	In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-	-	-	-	-	Not accredited

The reported results apply to the sample as received.

Approved Signatory

(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.

KLK
PLANTATION
CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/494
Date of Report : 30/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 16 - 25/9/2026
Date of Analysis : 26 - 29/10/2026
Page : 6 of 11

Results

Sample Reference	Merbau Estate (Oil Palm Leaf)					Test Method
	MEB-09-02-SEP26	MEB-09-03-SEP26	MEB-09-04-SEP26	MEB-09-05-SEP26	MEB-09-06-SEP26	
Laboratory Reference	L10/157	L10/158	L10/159	L10/160	L10/161	
Test Parameters						
Ash (% dry matter)	-	-	-	-	-	MS 677 : Part I to VIII : 1980
N (% dry matter)	2.73	2.65	2.71	2.68	2.66	MS 677 : Part I to VIII : 1980
P (% dry matter)	0.162	0.166	0.168	0.160	0.160	MS 677 : Part I to VIII : 1980
K (% dry matter)	1.18	1.21	1.23	1.26	1.16	MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.31	0.38	0.37	0.36	0.37	MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.42	0.36	0.41	0.40	0.69	MS 677 : Part I to VIII : 1980
B (ppm dry matter)	15.3	16.2	17.9	16.7	17.5	In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-	-	-	-	-	Not accredited

The reported results apply to the sample as received.

Approved Signatory

(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.

KLK
PLANTATION
CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/494
Date of Report : 30/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 16 - 25/9/2026
Date of Analysis : 26 - 29/10/2026
Page : 7 of 11

Results

Sample Reference	Merbau Estate (Oil Palm Leaf)					Test Method
	MEB-09-07-SEP26	MEB-09-08-SEP26	MEB-09-09-SEP26	MEB-09-10-SEP26	MEB-09-11-SEP26	
Laboratory Reference	L10/162	L10/163	L10/164	L10/165	L10/166	
Test Parameters						
Ash (% dry matter)	-	-	-	-	-	MS 677 : Part I to VIII : 1980
N (% dry matter)	2.73	2.65	2.74	2.76	2.70	MS 677 : Part I to VIII : 1980
P (% dry matter)	0.166	0.159	0.159	0.162	0.160	MS 677 : Part I to VIII : 1980
K (% dry matter)	1.28	1.27	1.25	1.28	1.10	MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.34	0.37	0.32	0.36	0.35	MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.38	0.37	0.37	0.38	0.42	MS 677 : Part I to VIII : 1980
B (ppm dry matter)	16.7	15.9	14.6	17.0	17.1	In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-	-	-	-	-	Not accredited

The reported results apply to the sample as received.

Approved Signatory

(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.

KLK
PLANTATION
CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/494
Date of Report : 30/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 16 - 25/9/2026
Date of Analysis : 26 - 29/10/2026
Page : 8 of 11

Results

Sample Reference	Merbau Estate (Oil Palm Leaf)					Test Method
	MEB-09-12-SEP26	MEB-09-13-SEP26	MEB-09-14-SEP26	MEB-07-08-SEP26	MEB-07-09-SEP26	
Laboratory Reference	L10/167	L10/168	L10/169	L10/170	L10/171	
Test Parameters						
Ash (% dry matter)	-	-	-	-	-	MS 677 : Part I to VIII : 1980
N (% dry matter)	2.69	2.66	2.67	2.74	2.72	MS 677 : Part I to VIII : 1980
P (% dry matter)	0.159	0.165	0.168	0.166	0.170	MS 677 : Part I to VIII : 1980
K (% dry matter)	1.22	1.26	1.22	1.23	1.24	MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.37	0.37	0.38	0.36	0.33	MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.38	0.39	0.39	0.35	0.36	MS 677 : Part I to VIII : 1980
B (ppm dry matter)	15.2	15.6	15.7	15.4	15.4	In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-	-	-	-	-	Not accredited

The reported results apply to the sample as received.

Approved Signatory

(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.

KLK
PLANTATION
CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/494
Date of Report : 30/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 16 - 25/9/2026
Date of Analysis : 26 - 29/10/2026
Page : 9 of 11

Results

Sample Reference	Merbau Estate (Oil Palm Leaf)					Test Method
	MEB-11-11-SEP26	MEB-11-12-SEP26	MEB-11-13-SEP26	MEB-11-14-SEP26	MEB-11-15-SEP26	
Laboratory Reference	L10/172	L10/173	L10/174	L10/175	L10/176	
Test Parameters						
Ash (% dry matter)	-	-	-	-	-	MS 677 : Part I to VIII : 1980
N (% dry matter)	2.61	2.84	2.84	2.73	2.73	MS 677 : Part I to VIII : 1980
P (% dry matter)	0.169	0.167	0.167	0.160	0.169	MS 677 : Part I to VIII : 1980
K (% dry matter)	1.17	1.17	1.22	1.27	1.17	MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.32	0.34	0.34	0.33	0.32	MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.33	0.42	0.36	0.33	0.33	MS 677 : Part I to VIII : 1980
B (ppm dry matter)	17.9	15.3	15.8	17.5	17.6	In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-	-	-	-	-	Not accredited

The reported results apply to the sample as received.

Approved Signatory



(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.

KLK
PLANTATION
CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/494
Date of Report : 30/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 16 - 25/9/2026
Date of Analysis : 26 - 29/10/2026
Page : 10 of 11

Results

Sample Reference	Merbau Estate (Oil Palm Leaf)					Test Method
	MEB-11-16-SEP26	MEB-06-01-SEP26(BW500)	MEB-07-01-SEP26(BW500)	MEB-07-02-SEP26(BW500)	MEB-07-03-SEP26(BW500)	
Laboratory Reference	L10/177	L10/178	L10/179	L10/180	L10/181	
Test Parameters						
Ash (% dry matter)	-	-	-	-	-	MS 677 : Part I to VIII : 1980
N (% dry matter)	2.81	2.69	2.69	2.64	2.77	MS 677 : Part I to VIII : 1980
P (% dry matter)	0.171	0.166	0.162	0.170	0.167	MS 677 : Part I to VIII : 1980
K (% dry matter)	1.25	1.18	1.19	1.27	1.25	MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.38	0.37	0.33	0.35	0.37	MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.39	0.42	0.32	0.37	0.33	MS 677 : Part I to VIII : 1980
B (ppm dry matter)	15.8	17.3	15.2	15.2	14.6	In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-	-	-	-	-	Not accredited

The reported results apply to the sample as received.

Approved Signatory

(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.

KLK
PLANTATION
CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/494
Date of Report : 30/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 16 - 25/9/2026
Date of Analysis : 26 - 29/10/2026
Page : 11 of 11

Results

Sample Reference	Merbau Estate (Oil Palm Leaf)					Test Method
	MEB-09-15-SEP26	MEB-09-16-SEP26	MEB-11-20-SEP26	MEB-11-21-SEP26	MEB-11-22-SEP26	
Laboratory Reference	L10/182	L10/183	L10/184	L10/185	L10/186	
Test Parameters						
Ash (% dry matter)	-	-	-	-	-	MS 677 : Part I to VIII : 1980
N (% dry matter)	2.73	2.70	2.74	2.82	2.70	MS 677 : Part I to VIII : 1980
P (% dry matter)	0.171	0.169	0.167	0.171	0.163	MS 677 : Part I to VIII : 1980
K (% dry matter)	1.23	1.19	1.21	1.24	1.27	MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.32	0.36	0.38	0.37	0.38	MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.33	0.32	0.40	0.32	0.34	MS 677 : Part I to VIII : 1980
B (ppm dry matter)	17.9	15.3	15.8	17.5	17.6	In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-	-	-	-	-	Not accredited

The reported results apply to the sample as received.

Approved Signatory

(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.