KLK
PLANTATION
CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/493
Date of Report : 27/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 1 - 9/9/2026
Date of Analysis : 22 - 27/10/2026
Page : 1 of 9

Results

Sample Reference	Ramin Estate (Oil Palm Leaf)					Test Method
	RMN-09-01-SEP26	RMN-09-02-SEP26	RMN-09-03-SEP26	RMN-09-04-SEP26	RMN-09-05-SEP26	
Laboratory Reference	L10/89	L10/90	L10/91	L10/92	L10/93	
Test Parameters						
Ash (% dry matter)	-	-	-	-	-	MS 677 : Part I to VIII : 1980
N (% dry matter)	2.85	2.73	2.81	2.77	2.65	MS 677 : Part I to VIII : 1980
P (% dry matter)	0.185	0.197	0.187	0.181	0.184	MS 677 : Part I to VIII : 1980
K (% dry matter)	1.27	1.35	1.22	1.28	1.35	MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.36	0.32	0.37	0.37	0.31	MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.33	0.35	0.34	0.34	0.35	MS 677 : Part I to VIII : 1980
B (ppm dry matter)	16.2	16.8	18.5	18.5	18.7	In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-	-	-	-	-	Not accredited

The reported results apply to the sample as received.

Approved Signatory

(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.

KLK PLANTATION CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/493
Date of Report : 27/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 1 - 9/9/2026
Date of Analysis : 22 - 27/10/2026
Page : 2 of 9

Results

Sample Reference	Ramin Estate (Oil Palm Leaf)					Test Method
	RMN-09-06-SEP26	RMN-09-07-SEP26	RMN-09-08-SEP26	RMN-09-09-SEP26	RMN-09-10-SEP26	
Laboratory Reference	L10/94	L10/95	L10/96	L10/97	L10/98	
Test Parameters						
Ash (% dry matter)	-	-	-	-	-	MS 677 : Part I to VIII : 1980
N (% dry matter)	2.76	2.79	2.74	2.83	2.77	MS 677 : Part I to VIII : 1980
P (% dry matter)	0.188	0.195	0.182	0.192	0.193	MS 677 : Part I to VIII : 1980
K (% dry matter)	1.32	1.36	1.21	1.35	1.30	MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.31	0.30	0.35	0.30	0.31	MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.34	0.34	0.37	0.35	0.33	MS 677 : Part I to VIII : 1980
B (ppm dry matter)	18.9	19.0	16.8	16.3	16.2	In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-	-	-	-	-	Not accredited

The reported results apply to the sample as received.

Approved Signatory

(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.

KLK
PLANTATION
CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/493
Date of Report : 27/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 1 - 9/9/2026
Date of Analysis : 22 - 27/10/2026
Page : 3 of 9

Results

Sample Reference	Ramin Estate (Oil Palm Leaf)					Test Method
	RMN-09-11-SEP26	RMN-09-12-SEP26	RMN-09-13-SEP26	RMN-09-14-SEP26	RMN-09-15-SEP26	
Laboratory Reference	L10/99	L10/100	L10/101	L10/102	L10/103	
Test Parameters						
Ash (% dry matter)	-	-	-	-	-	MS 677 : Part I to VIII : 1980
N (% dry matter)	2.83	2.73	2.70	2.72	2.74	MS 677 : Part I to VIII : 1980
P (% dry matter)	0.191	0.206	0.195	0.196	0.197	MS 677 : Part I to VIII : 1980
K (% dry matter)	1.32	1.38	1.32	1.32	1.25	MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.31	0.31	0.33	0.30	0.34	MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.34	0.33	0.36	0.35	0.34	MS 677 : Part I to VIII : 1980
B (ppm dry matter)	15.9	17.9	17.5	16.9	16.3	In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-	-	-	-	-	Not accredited

The reported results apply to the sample as received.

Approved Signatory

(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.

KLK
PLANTATION
CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/493
Date of Report : 27/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 1 - 9/9/2026
Date of Analysis : 22 - 27/10/2026
Page : 4 of 9

Results

Sample Reference	Ramin Estate (Oil Palm Leaf)					Test Method
	RMN-09-16-SEP26	RMN-09-17-SEP26	RMN-09-18-SEP26	RMN-10-01-SEP26	RMN-10-02-SEP26	
Laboratory Reference	L10/104	L10/105	L10/106	L10/107	L10/108	
Test Parameters						
Ash (% dry matter)	-	-	-	-	-	MS 677 : Part I to VIII : 1980
N (% dry matter)	2.71	2.77	2.79	2.77	2.64	MS 677 : Part I to VIII : 1980
P (% dry matter)	0.202	0.198	0.197	0.201	0.200	MS 677 : Part I to VIII : 1980
K (% dry matter)	1.38	1.28	1.36	1.31	1.28	MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.31	0.32	0.30	0.31	0.34	MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.33	0.38	0.35	0.36	0.37	MS 677 : Part I to VIII : 1980
B (ppm dry matter)	18.0	17.5	18.0	16.9	18.6	In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-	-	-	-	-	Not accredited

The reported results apply to the sample as received.

Approved Signatory

(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.

KLK
PLANTATION
CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/493
Date of Report : 27/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 1 - 9/9/2026
Date of Analysis : 22 - 27/10/2026
Page : 5 of 9

Results

Sample Reference	Ramin Estate (Oil Palm Leaf)					Test Method
	RMN-10-03-SEP26	RMN-10-04-SEP26	RMN-10-05-SEP26	RMN-10-06-SEP26	RMN-10-07-SEP26	
Laboratory Reference	L10/109	L10/110	L10/111	L10/112	L10/113	
Test Parameters						
Ash (% dry matter)	-	-	-	-	-	MS 677 : Part I to VIII : 1980
N (% dry matter)	2.76	2.80	2.85	2.68	2.64	MS 677 : Part I to VIII : 1980
P (% dry matter)	0.193	0.192	0.206	0.201	0.204	MS 677 : Part I to VIII : 1980
K (% dry matter)	1.26	1.29	1.30	1.30	1.35	MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.30	0.32	0.30	0.30	0.30	MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.35	0.36	0.35	0.35	0.34	MS 677 : Part I to VIII : 1980
B (ppm dry matter)	18.6	19.0	17.0	19.1	18.6	In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-	-	-	-	-	Not accredited

The reported results apply to the sample as received.

Approved Signatory

(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.

KLK
PLANTATION
CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/493
Date of Report : 27/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 1 - 9/9/2026
Date of Analysis : 22 - 27/10/2026
Page : 6 of 9

Results

Sample Reference	Ramin Estate (Oil Palm Leaf)					Test Method
	RMN-10-08-SEP26	RMN-10-09-SEP26	RMN-10-10-SEP26	RMN-10-11-SEP26	RMN-10-12-SEP26	
Laboratory Reference	L10/114	L10/115	L10/116	L10/117	L10/118	
Test Parameters						
Ash (% dry matter)	-	-	-	-	-	MS 677 : Part I to VIII : 1980
N (% dry matter)	2.64	2.77	2.60	2.66	2.76	MS 677 : Part I to VIII : 1980
P (% dry matter)	0.194	0.185	0.193	0.192	0.186	MS 677 : Part I to VIII : 1980
K (% dry matter)	1.34	1.30	1.25	0.31	1.36	MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.31	0.28	0.34	0.32	0.30	MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.33	0.32	0.34	0.33	0.35	MS 677 : Part I to VIII : 1980
B (ppm dry matter)	16.9	17.9	17.8	17.9	18.5	In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-	-	-	-	-	Not accredited

The reported results apply to the sample as received.

Approved Signatory

(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.

KLK
PLANTATION
CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/493
Date of Report : 27/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 1 - 9/9/2026
Date of Analysis : 22 - 27/10/2026
Page : 7 of 9

Results

Sample Reference	Ramin Estate (Oil Palm Leaf)					Test Method
	RMN-10-13-SEP26	RMN-10-14-SEP26	RMN-10-15-SEP26	RMN-10-16-SEP26	RMN-10-17-SEP26	
Laboratory Reference	L10/119	L10/120	L10/121	L10/122	L10/123	
Test Parameters						
Ash (% dry matter)	-	-	-	-	-	MS 677 : Part I to VIII : 1980
N (% dry matter)	2.69	2.66	2.66	2.74	2.78	MS 677 : Part I to VIII : 1980
P (% dry matter)	0.188	0.189	0.186	0.196	0.182	MS 677 : Part I to VIII : 1980
K (% dry matter)	1.26	1.31	1.33	1.31	1.25	MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.28	0.28	0.32	0.32	0.31	MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.34	0.35	0.35	0.33	0.37	MS 677 : Part I to VIII : 1980
B (ppm dry matter)	17.8	17.0	18.4	18.7	16.8	In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-	-	-	-	-	Not accredited

The reported results apply to the sample as received.

Approved Signatory

(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.

KLK
PLANTATION
CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/493
Date of Report : 27/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 1 - 9/9/2026
Date of Analysis : 22 - 27/10/2026
Page : 8 of 9

Results

Sample Reference	Ramin Estate (Oil Palm Leaf)					Test Method
	RMN-10-18-SEP26	RMN-10-19-SEP26	RMN-10-20-SEP26	RMN-10-21-SEP26	RMN-10-22-SEP26	
Laboratory Reference	L10/124	L10/125	L10/126	L10/127	L10/128	
Test Parameters						
Ash (% dry matter)	-	-	-	-	-	MS 677 : Part I to VIII : 1980
N (% dry matter)	2.68	2.81	2.67	2.69	2.78	MS 677 : Part I to VIII : 1980
P (% dry matter)	0.182	0.184	0.196	0.184	0.186	MS 677 : Part I to VIII : 1980
K (% dry matter)	1.26	1.18	1.27	1.36	1.28	MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.31	0.36	0.29	0.32	0.31	MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.36	0.33	0.32	0.35	0.34	MS 677 : Part I to VIII : 1980
B (ppm dry matter)	17.8	18.6	15.7	18.1	18.4	In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-	-	-	-	-	In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-	-	-	-	-	Not accredited

The reported results apply to the sample as received.

Approved Signatory

(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.

KLK
PLANTATION
CENTRAL LABORATORIES

KL-KEPONG (SABAH) SDN. BHD. 1978010005246 (42262-A)
A Wholly-Owned Subsidiary of Kuala Lumpur Kepong Berhad
KLK PLANTATION CENTRAL LABORATORIES
Location: KM 54, Tawau-Semporna Highway, Tawau, Sabah
Postal Address: Locked Bag No. 3, 91009 Tawau, Sabah
T: +6089-975016; +6011-31557366 **F:** +6089-975 017 **Email:** pcl.sabah@klk.com.my

STANDARDS MALAYSIA ACCREDITED
SAMM 094

Your Ref. No. : BWSB (PSM): 600-5/16 (26/24)
Date Received : 16/10/2026

Report No. : R26/10/493
Date of Report : 27/10/2026

FOLIAR TEST REPORT

Company : Benta Wawasan Sdn Bhd
Attn : En. Julizam Molondoi
Contact No. : 089-912330

Date Sampled* : 1 - 9/9/2026
Date of Analysis : 22 - 27/10/2026
Page : 9 of 9

Results

Sample Reference	Ramin Estate (Oil Palm Leaf)					Test Method
	RMN-10-23-SEP26	RMN-10-24-SEP26	RMN-10-25-SEP26			
Laboratory Reference	L10/129	L10/130	L10/131			
Test Parameters						
Ash (% dry matter)	-	-	-			MS 677 : Part I to VIII : 1980
N (% dry matter)	2.74	2.62	2.76			MS 677 : Part I to VIII : 1980
P (% dry matter)	0.187	0.187	0.185			MS 677 : Part I to VIII : 1980
K (% dry matter)	1.25	1.34	1.33			MS 677 : Part I to VIII : 1980
Ca (% dry matter)	0.29	0.29	0.30			MS 677 : Part I to VIII : 1980
Mg (% dry matter)	0.34	0.34	0.35			MS 677 : Part I to VIII : 1980
B (ppm dry matter)	18.8	18.4	17.8			In-House Method P/TM7 based on AOAC 982.01
Cu (ppm dry matter)	-	-	-			In-House Method P/TM8 based on AOAC 975.03
Mn (ppm dry matter)	-	-	-			In-House Method P/TM8 based on AOAC 975.03
Zn (ppm dry matter)	-	-	-			In-House Method P/TM8 based on AOAC 975.03
Fe (ppm dry matter)	-	-	-			In-House Method P/TM8 based on AOAC 975.03
Sulfur (% dry matter)	-	-	-			Not accredited

The reported results apply to the sample as received.

Approved Signatory

(SHIA BEE GEK)
L/2637/7825/17

* Information provided by customer.

This report may not be reproduced, except in full, without the permission of the laboratory.