

EIDCymru Web Service (EWS)

Contents

1	Introduction	6
	1.1 Assumed Knowledge	6
	1.2 EIDCymru Registration Details:	6
	1.3 Application Name	6
2	Purpose	7
3	Document Contents	8
4	Web Services Security	9
	4.1 Introduction	9
	4.2 Web Services Security	9
	4.3 Warning Responses and SOAP Fault Errors	10
	4.3.1 Introduction	10
	4.3.2 Errors resulting in a SOAP Fault Response	10
	4.4 Service and Interface Namespaces	10
5	Interface Specification	11
	5.1 AcceptMovementRequest	11
	5.1.1 Pre-Conditions.....	11
	5.1.2 Post Conditions	11
	5.1.2.1 Success Conditions	11
	5.1.2.2 Failure Conditions	11
	5.1.3.1 Example request (ByKeyRequest)	12
	5.1.3.1.1 Example success response	12
	5.1.3.1.2 Example failure response	13
	5.1.3.2 Example request (AcceptMovementRequest)	13
	5.1.3.2.1 Example success response	14
	5.1.3.2.2 Example failure response	14
	5.2 CreateMovementRequest	15
	5.2.1 Pre-Conditions.....	15
	5.2.2 Post Conditions	15

5.2.3 Example Requests	16
5.2.3.1 Example Request (including optional elements)	16
5.2.3.2 Example request – example minimum submission	18
5.2.4 Example success response	18
5.2.5 Example failure response	18
5.2.6 Example warning response	19
5.3 DeleteMovementRequest.....	20
5.3.1 Pre-Conditions.....	20
5.3.2 Post Conditions	20
5.3.3 Example request	20
5.3.4 Example success response	21
5.3.5 Example failure response	21
5.4 DeleteReferenceRequest	22
5.4.1 Pre-Conditions.....	22
5.4.2 Post Conditions	22
5.4.3 Example request	22
5.4.4 Example success response	22
5.4.5 Example failure response	23
5.5 GetCurrentLocations	24
5.5.1 Pre-Conditions.....	24
5.5.2 Post Conditions	24
5.5.3 Example request	24
5.5.4 Example success response	24
5.6 GetHistoryRequest	25
5.6.1 Pre-Conditions.....	25
5.6.2 Post Conditions	25
5.6.3 Example request	25
5.6.4 Example success response	26
5.6.5 Example failure response	26

5.7 GetMovementRequest	28
5.7.1 Pre-Conditions.....	28
5.7.2 Post Conditions	28
5.7.3 Example request	28
5.7.4 Example success response	28
5.7.5 Example failure response	30
 5.8 GetOutstandingMovementsRequest	 31
5.8.1 Pre-Conditions.....	31
5.8.2 Post Conditions	31
5.8.3 Example request	31
5.8.4 Example success response	32
5.8.5 Example failure response	32
 5.9 GetReferenceRequest.....	 33
5.9.1 Pre-Conditions.....	33
5.9.2 Post Conditions	33
5.9.3 Example request	33
5.9.4 Example success response	33
5.9.5 Example failure response	34
 5.10 UpdateMovementRequest.....	 35
5.10.1 Pre-Conditions.....	35
5.10.2 Post Conditions	35
5.10.3 Example request	35
5.10.4 Example success response	36
5.10.5 Example failure response	36
 5.11 UpdateReferenceRequest	 37
5.11.1 Pre-Conditions.....	37
5.11.2 Post Conditions	37
5.11.3 Example request	37
5.11.4 Example success response	38
5.11.5 Example failure response	38

6	Detailed Field Definitions	39
6.1	Common Elements	39
6.2	AcceptMovementRequest	39
6.3	CreateMovementRequest	40
7	Lookup Tables.....	44
7.1	Premises Activities	44
7.2	Response Codes	44
7.2.1	Success	44
7.2.2	Warning	44
7.2.3	Failure	45
7.3	Movement Species	47
7.4	Movement Type	47
7.5	Movement Reason	47
7.6	Off Exemption Codes	48
7.7	On Exemption Codes	48
7.8	Transport / Haulier Type.....	49
7.9	FCI Withdrawl Period.....	49
7.10	Holding Numbers.....	49
8	Endpoints	50
9	End-User Setup - Advisory Notice	51

1 Introduction

This document describes and specifies a Web Service interface to EIDCymru Web Service (EWS). The interface is for Animal movement and associated data, submission and recovery. This document is intended for application suppliers to enable movement registrations to be made from external (to EIDCymru) systems and allows the client, the movement data supplier's, system invoking this service – to do the following:

- Submit movement into the EIDCymru Upload process.
- Request data of previously submitted movement using EIDCymru reference (Mid).
- Request data of previously submitted movement using Clients own reference (ExternalReference)
- Accept receipt of Animals following movement from third parties.
- Request listing of historic animal movement.
- Get Current Registered Holdings

1.1 Assumed Knowledge

This document assumes the reader is familiar with the concepts, acronyms and syntax of XML, XML Namespaces, Web Services and SOAP messaging. They should also have a general appreciation of WS-Security standards (<http://schemas.xmlsoap.org/specs/ws-security/ws-security.htm>).

1.2 EIDCymru Registration Details:

***To register, please contact the EIDCymru Service:**

e-mail: contact@eidcymru.org

Telephone: 01970 636959

1.3 Application Name

Each software provider requires an Application Name that must be specified when sending requests to EWS. The Application Name can be obtained from the EIDCymru Service.

2 Purpose

The overall purpose of the document is to specify the interface to the service and its expected behaviour. This behaviour includes response on successful completion of the service, or all possible error or warning conditions that may occur.

The document is a user guide to the service. It does not cover details on implementing a client application that calls this service, but intends to provide enough information for the reader to implement such a client.

3 Document Contents

This section introduces subsequent sections of this document, which combine to present a full specification of the service. Firstly, common features across all services are introduced:

- **Section 4** describes the common security features for EIDCymru web service invocation. These are encapsulated in the Security structure within the SOAP Body.
- **Section 4.3** describes the standard Warning Responses within a SOAP Body Response, and the SOAP Fault that is returned on a severe error.
- **Section 4.4** summarises the XML namespace structure for the service definition, the interface Request and Response data types and the underlying data types.

Section 5 describes the operations of the service, breaking down into the following headings:

- **Functional Specification:** a high-level description and summary of the logic of the operation and its pre- and post-conditions.
 - **Pre-Conditions:** a description of such items as global data requirements and the system state prior to invocation.
 - **Post-Conditions:** a description of the interface and the state of the system after an information transfer has been completed in the typical successful scenario.
- **Non-functional Specification:** details of the non-functional aspects of the Service.
- **Interface Definition:** a detailed description of the interface including what information and entities are passed across it, semantic meanings and specific values that must be supplied. References the Error Scenarios that are driven by the values of specific fields in the Request.
- **Error Scenarios:** a description of the interface after an information transfer has been completed including the state of the system and the possible error handling conditions and their effects. A full catalogue of the error conditions that may result and in which scenarios.

Section 6 sets out detailed definition of data type, contents and structure:

- Provides detailed information of the elements within the WSDL which are encapsulated with XSD validation to process XML requests.

Section 7 lists the supporting information and look up tables.

Section 8 provides details of Endpoints to be used.

Section 9 provides advisory details which can be relayed to end users who wish to setup a software link to their EIDCymru online account.

4 Web Services Security

4.1 Introduction

This section is intended for an audience external to EIDCymru that is intending to implement a client of the service described herein.

4.2 Web Services Security

All client systems invoking EIDCymru services, will be supplied credentials to access the application from the EIDCymru Service.

When calling this service, security information must be provided in the SOAP Body of the request, as follows:

```
<soapenv:Envelope
xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ews="https://ews.eidcymru.org/ews/">
  <soapenv:Header/>
  <soapenv:Body>
    <ews:CreateMovementRequest>
      <UserName>?</UserName>
      <Password>?</Password>
      <ApplicationName>?</ApplicationName>
      <ApplicationVersion>?</ApplicationVersion>
      <!--Optional:-->
      <ApplicationKey>?</ApplicationKey>
      <SchemaVersion>?</SchemaVersion>
      <Timestamp>?</Timestamp>
      <Movement></Movement>
    </ews:CreateMovementRequest>
  </soapenv:Body>
</soapenv:Envelope>
```

The provided credentials are used within the Security element of the SOAP message.

Note: Client systems will be provided with security credentials upon request.

The secure HTTPS transport protocol is used to invoke the Web Service. No element of the SOAP message is otherwise encrypted.

4.3 Warning Responses and SOAP Fault Errors

4.3.1 *Introduction*

This section describes a common element of the Response from the service.

If a service request message cannot be processed (e.g. invalid message format, internal system error), then a technical fault will be returned within a SOAP fault response.

If however, a service call has been successfully received and processed, but the content of the message has violated some validation routine or failed some application logic a successful SOAP response will be returned, with the Business Warning (i.e. application error or warning) contained within a bespoke structure.

4.3.2 *Errors resulting in a SOAP Fault Response*

When processing fails and the Response message cannot be populated, a SOAP Fault message is returned. The use of this SOAP Fault facility avoids having to have every field in the Response as optional. Please refer to section 7.2, for the full list of scenarios that can cause a SOAP Fault (severe Error) and for the Error Codes and Messages returned in those scenarios.

```
<SOAP-ENV:Envelope xmlns:SOAP-
ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns1="https://ews.eidcymru.org/ews/">
  <SOAP-ENV:Body>
    <ews:UpdateMovementResponse>
      <SubmissionId>1662</SubmissionId>
      <Failures>
        <Failure>
          <Code>S0011D</Code>
          <Description>No Record Found</Description>
          <Element>mid</Element>
        </Failure>
      </Failures>
    </ews:UpdateMovementResponse>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

4.4 Service and Interface Namespaces

For consistency and maintainability reasons the XML data types making up the Request and Response messages for a service are defined across a number of namespace layers. The dependencies between these layers are strictly controlled to ensure reusability and to minimise the impact of any changes.

The split across layers is such that the Request and Response messages for a service are defined at one namespace layer, and the component elements that make up those Requests and Responses are defined at a lower level. The latter does not ever refer to the former.

5 Interface Specification

Operations:

The EIdcymru Web Services consists of:

- AcceptMovementRequest
- CreateMovementRequest
- DeleteMovementRequest
- DeleteReferenceRequest
- GetCurrentLocations
- GetHistoryRequest
- GetMovementRequest
- GetOutstandingMovementRequest
- GetReferenceRequest
- UpdateMovementRequest
- UpdateReferenceRequest

5.1 Accept Movement Operation: (AcceptMovementRequest)

This operation is invoked to acknowledge and accept movements arriving at the client's location.

The operation accepts the request message, performs schema validation and then process the Animal movement within the EIDCymru system. The response message returned indicates whether the message was successfully processed, or whether the movement acceptance was rejected by the EIDCymru system.

5.1.1 *Pre-Conditions*

- The client system must be a registered* client of the EIDCymru system. Mid (Movement ID)- required
- ArrivalDate—optional
- MovementDoa - optional

5.1.2 *Post Conditions*

5.1.2.1 *Success Conditions*

The movement registration record will be stored within the EIDCymru system and a unique reference number returned for each record stored.

5.1.2.2 *Failure Conditions*

If the message fails schema validation or fails authentication, a SOAP Fault is returned as the response.

Failure scenarios are described in full in section - 7

5.1.3.1 *Example request (AcceptMovementByKeyRequest)*

```
<?xml version="1.0"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:ews="https://ews.eidcymru.org/ews/">
  <soapenv:Header/>
  <soapenv:Body>
    <ews:AcceptMovementByKeyRequest>
      <UserName>username</UserName>
      <Password>password</Password>
      <ApplicationName>Registered Application Name</ApplicationName>
      <ApplicationVersion>1.0</ApplicationVersion>
      <SchemaVersion>1.0</SchemaVersion>
      <Timestamp>YYYY-MM-DDThh:mm:ss</Timestamp>
      <Movement>
        <MovementKey>XXNNNNN</MovementKey>
        <DestinationCph>CC/PPP/HHHH</DestinationCph>
        <ArrivalDate>YYYY-MM-DD</ArrivalDate>
      </Movement>
    </ews:AcceptMovementByKeyRequest>
  </soapenv:Body>
</soapenv:Envelope>
```

5.1.3.1.1 *Example success response*

```
<?xml version="1.0"?>
<SOAP-ENV:Envelope
  xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:ns1="https://api.eidcymru.org/ews/">
  <SOAP-ENV:Body>
    <ns1:AcceptMovementByKeyRequest>
      <submission_id>NNNNN</submission_id>
      <Success>
        <Code>S003V</Code>
        <Description>Submission Processed</Description>
      </Success>
    </ns1:AcceptMovementByKeyRequest>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

5.1.3.1.2 *Example failure response*

```
<?xml version="1.0"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:ns1="https://api.eidcymru.org/ews/">
  <SOAP-ENV:Body>
    <ns1:AcceptMovementByKeyRequest>
      <submission_id>NNNN</submission_id>
      <Failures>
        <Failure>
          <Code>S022D</Code>
          <Description>Movement Accept Disallowed</Description>
          <Element>Mid</Element>
        </Failure>
      </Failures>
    </ns1:AcceptMovementByKeyRequest>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

5.1.3.2 *Example request (AcceptMovementRequest)*

```
<?xml version="1.0"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:ews="https://ews.eidcymru.org/ews/">
  <soapenv:Header/>
  <soapenv:Body>
    <ews:AcceptMovementRequest>
      <UserName>username</UserName>
      <Password>password</Password>
      <ApplicationName>Registered Application Name</ApplicationName>
      <ApplicationVersion>1.0</ApplicationVersion>
      <SchemaVersion>1.0</SchemaVersion>
      <Timestamp>YYYY-MM-DDThh:mm:ss</Timestamp>
      <Movement>
        <Mid>NNNNNNNNNN</Mid>
        <ArrivalDate>YYYY-MM-DD</ArrivalDate>
      </Movement>
    </ews:AcceptMovementRequest>
  </soapenv:Body>
</soapenv:Envelope>
```

5.1.3.2.1 *Example success response*

```
<?xml version="1.0"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns1="https://api.eidcymru.org/ews/">
  <SOAP-ENV:Body>
    <ns1:AcceptMovementRequest>
      <submission_id>NNNN</submission_id>
      <Success>
        <Code>S003V</Code>
        <Description>Submission Processed</Description>
        <Mid>NNNNNNNNNN</Mid>
      </Success>
    </ns1:AcceptMovementRequest>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

5.1.3.2.2 *Example failure response*

```
<?xml version="1.0"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns1="https://api.eidcymru.org/ews/">
  <SOAP-ENV:Body>
    <ns1:AcceptMovementRequest>
      <submission_id>NNNN</submission_id>
      <Failures>
        <Failure>
          <Code>S022D</Code>
          <Description>Movement Accept Disallowed</Description>
          <Element>Mid</Element>
        </Failure>
      </Failures>
    </ns1:AcceptMovementRequest>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

5.2 Create Movement Operation (CreateMovementRequest)

This operation is invoked to create a movement with a minimum set of mandatory details, or up to as many movement details as required.

The operation accepts the request message, performs schema validation and then process the Animal movement within the EIDCymru system. The response message returned indicates whether the message was successfully processed, or whether the request to create a movement was rejected by the EIDCymru system.

5.2.1 *Pre-Conditions*

- The client system must be a registered client of the EIDCymru system
- MovementSpecies - required
- MovementQty–required , must be greater than 0
- DepartureDate– required, cannot be more than 3 days after the submission date
- DepartureCph
- DestinationCph - required OR at least 1 of:
 - DestinationStreet
 - DestinationLocality
 - DestinationTown
 - DestinationCounty
 - DestinationPostcode

5.2.2 *Post Conditions*

5.2.3 Example Requests

5.2.3.1 Example Request (including optional elements)

```
<?xml version="1.0"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ews="https://ews.eidcymru.org/ews/">
  <soapenv:Header/>
  <soapenv:Body>
    <ews:CreateMovementRequest>
      <UserName>username</UserName>
      <Password>password</Password>
      <ApplicationName>Registered Application Name</ApplicationName>
      <ApplicationVersion>1.0</ApplicationVersion>
      <SchemaVersion>1.0</SchemaVersion>
      <Timestamp>YYYY-MM-DDThh:mm:ss</Timestamp>
      <Movement>
        <ExternalReference>(Your unique ref.)</ExternalReference>
        <ExternalSystem>(your system label)</ExternalSystem>
        <LotNumber>NNNNNN</LotNumber>
        <MovementReference>(Your comment / note)</MovementReference>
        <MovementSpecies>4</MovementSpecies>
        <MovementQty>NNN</MovementQty>
        <ReadLocation>A</ReadLocation>
        <MovementReads>NNN</MovementReads>
        <MovementType>4</MovementType>
        <MovementReason>Reason Code</MovementReason>
        <DepartureCph>CC/PPP/HHHH</DepartureCph>
        <DepartureActivity>CCC</DepartureActivity>
        <DepartureDate>YYYY-MM-DD</DepartureDate>
        <LoadingDate>YYYY-MM-DD</LoadingDate>
        <LoadingTime>hh:mm</LoadingTime>
        <OffExemptionCode>Exemption code</OffExemptionCode>
        <DepartureName>Departure Name</DepartureName>
        <DepartureStreet>Departure Street</DepartureStreet>
        <DepartureLocality>Departure Locality</DepartureLocality>
        <DepartureTown>Departure Town</DepartureTown>
        <DepartureCounty>Departure County</DepartureCounty>
        <DeparturePostcode>Off Postcode</DeparturePostcode>
        <DeparturePhone>Off Phone</DeparturePhone>
        <DepartureEmail>Off. Email</DepartureEmail>
        <DestinationCph>CC/PPP/HHHH</DestinationCph>
        <DepartureTime>hh:mm</DepartureTime>
        <DestinationActivity>Activity Code</DestinationActivity>
        <UnloadingDate>YYYY-MM-DD</UnloadingDate>
        <UnLoadingTime>hh:mm</UnLoadingTime>
        <OnExemptionCode>Exemption Code</OnExemptionCode>
        <DestinationName>Destination Name</DestinationName>
        <DestinationStreet>Destination Street</DestinationStreet>
        <DestinationLocality>Destination Locality</DestinationLocality>
        <DestinationTown>Destination Town</DestinationTown>
        <DestinationCounty>Destination County</DestinationCounty>
        <DestinationPostcode>On Postcode</DestinationPostcode>
        <DestinationPhone>On Phone</DestinationPhone>
        <DestinationEmail>On Email</DestinationEmail>
        <ArrivalDate>YYYY-MM-DD</ArrivalDate>
        <TransportInformation>
          <TransportType>Code</TransportType>
          <TransportName>Driver Name</TransportName>
          <TransportCompanyName>Company Name</TransportCompanyName>
          <TransportPhone>01234567890</TransportPhone>
          <TransportEmail>email@somedomain.co.uk</TransportEmail>
          <TransportVehicleReg>REG No</TransportVehicleReg>
          <TransportAuthNumber>1234567890</TransportAuthNumber>
        </TransportInformation>
        <FciAnimals>
```

EIDCymru Web Service (EWS)

```
<FciDiseaseDesc>Disease Description</FciDiseaseDesc>
<FciWithdrawalPeriods>Withdrawal Period</FciWithdrawalPeriods>
<FciSatisfied>1</FciSatisfied>
<FciOtherInfo>Further Information</FciOtherInfo>
<Animals>
  <Animal ISO24631="1 0 04 00 0 826 0712345 12345"/>
  <Animal Hex="8200CE905568BCCA"/>
</Animals>
</FciAnimals>
<TagReadings>
  <TagReading Hex="8200CE905568BCCA" Type="eid" Timestamp="YYYY-MM-DDThh:mm:ss"/>
  <TagReading ISO24631="1 0 04 00 0 826 0712345 12345" Type="eid" Timestamp="YYYY-MM-DDThh:mm:ss"/>
  <TagReading FreeTag="UK123456 111" Type="manual" Timestamp="YYYY-MM-DDThh:mm:ss"/>
</TagReadings>
<FlockTags>
  <!--Zero or more repetitions:-->
  <FlockTag FlockNumber="123456" TagCount="NNN"/>
</FlockTags>
</Movement>
</ews:CreateMovementRequest>
</soapenv:Body>
</soapenv:Envelope>
```

5.2.3.2 *Example request – example minimum submission*

```
<?xml version="1.0"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ews="https://ews.eidcymru.org/ews/">
  <soapenv:Header/>
  <soapenv:Body>
    <ews:CreateMovementRequest>
      <UserName>username</UserName>
      <Password>password</Password>
      <ApplicationName>Registered Application Name</ApplicationName>
      <ApplicationVersion>1.0</ApplicationVersion>
      <SchemaVersion>1.0</SchemaVersion>
      <Timestamp>YYYY-MM-DDThh:mm:ss</Timestamp>
      <Movement>
        <LotNumber>NNN</LotNumber>
        <MovementSpecies>4</MovementSpecies>
        <MovementQty>NNN</MovementQty>
        <MovementReads>NNN</MovementReads>
        <DepartureCph>CC/PPP/HHHH</DepartureCph>
        <DepartureDate>YYYY-MM-DD</DepartureDate>
        <DestinationCph>CC/PPP/HHHH</DestinationCph>
        <ArrivalDate>YYYY-MM-DD</ArrivalDate>
        <TagReadings>
          <TagReading Hex="8200CE9095A82B6B" Type="eid"
Timestamp="YYYY-MM-DDThh:mm:ss"/>
          <TagReading ISO24631="1 0 04 00 0 826 0712345 12345" Type="eid"
Timestamp="YYYY-MM-DDThh:mm:ss"/>
        </TagReadings>
      </Movement>
    </ews:CreateMovementRequest>
  </soapenv:Body>
</soapenv:Envelope>
```

5.2.4 *Example success response*

```
<?xml version="1.0"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns1="https://api.eidcymru.org/ews/">
  <SOAP-ENV:Body>
    <ns1:CreateMovementRequest>
      <submission_id>NNNNN</submission_id>
      <Success>
        <Code>S001V</Code>
        <Description>Submission Processed</Description>
        <Mid>NNNNNNNNNN</Mid>
      </Success>
    </ns1:CreateMovementRequest>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

5.2.5 *Example failure response*

```
<?xml version="1.0"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns1="https://api.eidcymru.org/ews/">
  <SOAP-ENV:Body>
    <ns1:CreateMovementRequest>
      <submission_id>NNNNN</submission_id>
      <Failures>
        <Failure>
```

```

        <Code>S026W</Code>
        <Description>Species not recognised</Description>
        <Element>MovementSpecies</Element>
    </Failure>
</Failures>
</ns1:CreateMovementRequest>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

5.2.6 *Example warning response*

```

<?xml version="1.0"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns1="https://api.eidcymru.org/ews/">
  <SOAP-ENV:Body>
    <ns1:CreateMovementRequest>
      <submission_id>NNNNN</submission_id>
      <Success>
        <Code>S001V</Code>
        <Description>Submission Processed</Description>
        <Mid>NNNNNNNNNN</Mid>
      </Success>
      <Warnings>
        <Warning>
          <Code>S004D</Code>
          <Description>CPH Not Recognised</Description>
          <Element>DestinationCph</Element>
        </Warning>
      </Warnings>
    </ns1:CreateMovementRequest>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

5.3 Delete Movement Operation (DeleteMovementRequest)

This operation is invoked in order to delete a movement.

The operation accepts the request message, performs schema validation and then process the Animal movement within the EIDCymru system. The response message returned indicates whether the message was successfully processed, or whether the request to delete a movement was rejected by the EIDCymru system. *Delete Requests may be rejected dependant on internal processing- i.e. Moves has been accepted by Destination Keeper.*

5.3.1 Pre-Conditions

- The client system must be a registered client* of the EIDCymru system
- Movement ID (Mid) - required
- DepartureCph– required
- DestinationCph - optional

5.3.2 Post Conditions

5.3.3 Example request

```
<?xml version="1.0"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:ews="https://ews.eidcymru.org/ews/">
  <soapenv:Header/>
  <soapenv:Body>
    <ews:DeleteMovementRequest>
      <UserName>username</UserName>
      <Password>password</Password>
      <ApplicationName>Registered Application Name</ApplicationName>
      <ApplicationVersion>1.0</ApplicationVersion>
      <SchemaVersion>1.0</SchemaVersion>
      <Timestamp>YYYY-MM-DDThh:mm:ss</Timestamp>
      <Movement>
        <Mid>NNNNNNNNNN</Mid>
        <DepartureCph>CC/PPP/HHHH</DepartureCph>
      </Movement>
    </ews:DeleteMovementRequest>
  </soapenv:Body>
</soapenv:Envelope>
```

5.3.4 *Example success response*

```
<?xml version="1.0"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns1="https://api.eidcymru.org/ews/">
  <SOAP-ENV:Body>
    <ns1:DeleteMovementRequest>
      <submission_id>NNNNN</submission_id>
      <Success>
        <Code>S002V</Code>
        <Description>Submission Processed</Description>
        <Mid>NNNNNNNNNN</Mid>
      </Success>
    </ns1:DeleteMovementRequest>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

5.3.5 *Example failure response*

```
<?xml version="1.0"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns1="https://api.eidcymru.org/ews/">
  <SOAP-ENV:Body>
    <ns1:DeleteMovementRequest>
      <submission_id>NNNNNN</submission_id>
      <Failures>
        <Failure>
          <Code>S021D</Code>
          <Description>Delete disallowed</Description>
          <Element>Mid</Element>
        </Failure>
      </Failures>
    </ns1:DeleteMovementRequest>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

5.4 Delete by Reference Operation (DeleteReferenceRequest)

This operation is invoked in order to delete a movement referenced by client own external reference.

The operation accepts the request message, performs schema validation and then process the Animal movement within the EIDCymru system. The response message returned indicates whether the message was successfully processed, or whether the request to delete a movement was rejected by the EIDCymru system. *Delete Requests may be rejected dependant on internal processing. i.e. Moves has been accepted by Destination Keeper.*

5.4.1 Pre-Conditions

- The client system must be a registered client* of the EIDCymru system
- Client Reference ID (ExternalReference) - required
- DepartureCph – required
- DestinationCph - optional

5.4.2 Post Conditions

5.4.3 Example request

```
<?xml version="1.0"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ews="https://ews.eidcymru.org/ews/">
  <soapenv:Header/>
  <soapenv:Body>
    <ews>DeleteReferenceRequest>
      <UserName>username</UserName>
      <Password>password</Password>
      <ApplicationName>Registered Application Name</ApplicationName>
      <ApplicationVersion>1.0</ApplicationVersion>
      <SchemaVersion>1.0</SchemaVersion>
      <Timestamp>YYYY-MM-DDThh:mm:ss</Timestamp>
      <Movement>
        <ExternalReference>A Unique Id</ExternalReference>
        <DepartureCph>CC/PPP/HHHH</DepartureCph>
      </Movement>
    </ews>DeleteReferenceRequest>
  </soapenv:Body>
</soapenv:Envelope>
```

5.4.4 Example success response

```
<?xml version="1.0"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns1="https://api.eidcymru.org/ews/">
  <SOAP-ENV:Body>
    <ns1>DeleteReferenceRequest>
      <submission_id>NNNNNN</submission_id>
      <Success>
        <Code>S002V</Code>
        <Description>Submission Processed</Description>
        <Mid>NNNNNNNNNN</Mid>
      </Success>
    </ns1>DeleteReferenceRequest>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

```
        </Success>
      </ns1:DeleteReferenceRequest>
    </SOAP-ENV:Body>
  </SOAP-ENV:Envelope>
```

5.4.5 *Example failure response*

```
<?xml version="1.0"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns1="https://api.eidcymru.org/ews/">
  <SOAP-ENV:Body>
    <ns1:DeleteReferenceRequest>
      <submission_id>NNNNN</submission_id>
      <Failures>
        <Failure>
          <Code>S009W</Code>
          <Description>No Departure CPH</Description>
          <Element>DepartureCph</Element>
        </Failure>
      </Failures>
    </ns1:DeleteReferenceRequest>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

5.5 GetCurrentLocations Operation(GetCurrentLocations)

This operation returns a list of locations relating to the user credentials provided for authentication.

The operation accepts the request message, performs schema validation and accesses location information for the account associated with the details provided for authentication. The response message returned indicates whether the message was successfully processed, or whether the request was rejected by the EIDCymru system.

5.5.1 *Pre-Conditions*

- The client system must be a registered client* of the EIDCymru system

5.5.2 *Post Conditions*

5.5.3 *Example request*

```
<?xml version="1.0"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ews="https://ews.eidcymru.org/ews/">
  <soapenv:Header/>
  <soapenv:Body>
    <ews:GetCurrentLocationsRequest>
      <UserName>username</UserName>
      <Password>password</Password>
      <ApplicationName>Registered Application Name</ApplicationName>
      <ApplicationVersion>1.0</ApplicationVersion>
      <SchemaVersion>1.0</SchemaVersion>
      <Timestamp>YYYY-MM-DDThh:mm:ss</Timestamp>
    </ews:GetCurrentLocationsRequest>
  </soapenv:Body>
</soapenv:Envelope>
```

5.5.4 *Example success response*

```
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns1="https://ews.eidcymru.org/ews/">
  <SOAP-ENV:Body>
    <ns1:GetCurrentLocationsResponse>
      <SubmissionId>NNNNN</SubmissionId>
      <Success>
        <Code>S004V</Code>
        <Description>Submission Processed</Description>
        <NumPages>1</NumPages>
      </Success>
      <Locations>
        <LocationReference>CC/PPP/HHHH</LocationReference>
      </Locations>
    </ns1:GetCurrentLocationsResponse>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

5.6 GetHistory Operation (GetHistoryRequest)

This operation is invoked to return a list of movements relating to the account identified with the user credentials provided for authentication.

The operation accepts the request message, performs schema validation and accesses movements for the account associated with the details provided for authentication. The response message returned indicates whether the message was successfully processed, or whether the request was rejected by the EIDCymru system.

A response indicating a successful operation will contain the following result pagination information

- NumRecords - total number of records associated with the request
- NumPages - the number of pages across which, the total number of records, span
- CurrentPage - which of the number of pages of results has currently been returned
- LastPage - is this the last page of the number of pages of results

If a page is requested that lies outwith the range of pages defined by 'NumPages', above, then the response xml will contain the following:

```
<Response>none in range</Response>
```

5.6.1 Pre-Conditions

- The client system must be a registered client* of the EIDCymru system

5.6.2 Post Conditions

5.6.3 Example request

```
<?xml version="1.0"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:ews="https://ews.eidcymru.org/ews/">
  <soapenv:Header/>
  <soapenv:Body>
    <ews:GetHistoryRequest>
      <UserName>username</UserName>
      <Password>password</Password>
      <ApplicationName>Registered Application Name</ApplicationName>
      <ApplicationVersion>1.0</ApplicationVersion>
      <SchemaVersion>1.0</SchemaVersion>
      <Timestamp>YYYY-MM-DDThh:mm:ss</Timestamp>
      <History>
        <Page>2</Page>
      </History>
    </ews:GetHistoryRequest>
  </soapenv:Body>
</soapenv:Envelope>
```

5.6.4 *Example success response*

```
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns1="https://ews.eidcymru.org/ews/">
  <SOAP-ENV:Body>
    <ns1:GetHistoryResponse>
      <SubmissionId>NNNNN</SubmissionId>
      <Success>
        <Code>S004V</Code>
        <Description>Submission Processed</Description>
        <NumRecords>3</NumRecords>
        <NumPages>1</NumPages>
        <CurrentPage>1</CurrentPage>
        <LastPage>No</LastPage>
      </Success>
      <History>
        <Movement>
          <Mid>NNNNNNNNNN</Mid>
          <MovementSpecies>4</MovementSpecies>
          <MovementQty>5</MovementQty>
          <DepartureCph>CC/PPP/HHHH</DepartureCph>
          <DestinationCph>CC/PPP/HHHH</DestinationCph>
          <DepartureDate>2016-08-18</DepartureDate>
        </Movement>
        <Movement>
          <Mid>NNNNNNNNNN</Mid>
          <MovementSpecies>4</MovementSpecies>
          <MovementQty>11</MovementQty>
          <DepartureCph>CC/PPP/HHHH</DepartureCph>
          <DestinationCph>CC/PPP/HHHH</DestinationCph>
          <DepartureDate>2016-08-24</DepartureDate>
        </Movement>
        <Movement>
          <Mid>NNNNNNNNNN</Mid>
          <MovementSpecies>4</MovementSpecies>
          <MovementQty>7</MovementQty>
          <DepartureCph>CC/PPP/HHHH</DepartureCph>
          <DestinationCph>CC/PPP/HHHH</DestinationCph>
          <DepartureDate>2016-08-24</DepartureDate>
        </Movement>
      </History>
    </ns1:GetHistoryResponse>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

5.6.5 *Example failure response*

```
<?xml version="1.0"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns1="https://api.eidcymru.org/ews/">
  <SOAP-ENV:Body>
    <ns1:GetHistoryRequest>
      <submission_id>NNNNN</submission_id>
      <Success>
        <Code>S004V</Code>
        <Description>Submission Processed</Description>
        <NumRecords>343</NumRecords>
        <NumPages>4</NumPages>
      </Success>
      <Response>none in range</Response>
    </ns1:GetHistoryRequest>
  </SOAP-ENV:Body>
```

</SOAP-ENV:Envelope>

5.7 GetMovement Operation (GetMovementRequest)

This operation is invoked to retrieve all details associated with a given Movement ID.

The operation accepts the request message, performs schema validation and retrieves movement information if access is allowed for the account associated with the details provided for authentication. The response message returned indicates whether the message was successfully processed, or whether the request was rejected by the EIDCymru system.

5.7.1 *Pre-Conditions*

- The client system must be a registered client* of the EIDCymru system

5.7.2 *Post Conditions*

5.7.3 *Example request*

```
<?xml version="1.0"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:ews="https://ews.eidcymru.org/ews/">
  <soapenv:Header/>
  <soapenv:Body>
    <ews:GetMovementRequest>
      <UserName>username</UserName>
      <Password>password</Password>
      <ApplicationName>Registered Application Name</ApplicationName>
      <ApplicationVersion>1.0</ApplicationVersion>
      <SchemaVersion>1.0</SchemaVersion>
      <Timestamp>YYYY-MM-DDThh:mm:ss</Timestamp>
      <Movement>
        <Mid>NNNNNNNNNN</Mid>
      </Movement>
    </ews:GetMovementRequest>
  </soapenv:Body>
</soapenv:Envelope>
```

5.7.4 *Example success response*

```
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:ns1="https://ews.eidcymru.org/ews/">
  <SOAP-ENV:Body>
    <ns1:GetMovementResponse>
      <SubmissionId>NNNNN</SubmissionId>
      <Success>
        <Code>S005V</Code>
        <Description>Submission Processed</Description>
        <Mid>NNNNNNNNNN</Mid>
      </Success>
      <Movement>
        <Mid>NNNNNNNNNN</Mid>
        <ExternalReference>ref2f</ExternalReference>
        <ExternalSystem>kpr1</ExternalSystem>
        <LotNumber>2f</LotNumber>
        <MovementReference>ref2f</MovementReference>
        <MovementType>4</MovementType>
        <MovementReason>1</MovementReason>
      </Movement>
    </ns1:GetMovementResponse>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

EIDCymru Web Service (EWS)

```

<MovementSpecies>4</MovementSpecies>
<MovementQty>100</MovementQty>
<MovementDoa>0</MovementDoa>
<MovementReads>10</MovementReads>
<DepartureCph>CC/PPP/HHHH</DepartureCph>
<DepartureActivity>STM</DepartureActivity>
<DepartureDate>YYYY-MM-DD</DepartureDate>
<DepartureTime>hh:mm</DepartureTime>
<LoadingDate>YYYY-MM-DD</LoadingDate>
<LoadingTime>hh:mm</LoadingTime>
<OffExemptionCode>AOF016</OffExemptionCode>
<DepartureName>Departure Name</DepartureName>
<DepartureStreet>Departure Street</DepartureStreet>
<DepartureLocality>Departure Locality</DepartureLocality>
<DepartureTown>Departure Town</DepartureTown>
<DepartureCounty>Departure County</DepartureCounty>
<DeparturePostcode>Off Postcode</DeparturePostcode>
<DeparturePhone>Off Phone</DeparturePhone>
<DepartureEmail>Off. Email</DepartureEmail>
<DestinationCph>CC/PPP/HHHH</DestinationCph>
<DestinationActivity>AH</DestinationActivity>
<UnloadingDate>YYYY-MM-DD</UnloadingDate>
<OnExemptionCode>AON014</OnExemptionCode>
<DestinationName>Destination Name</DestinationName>
<DestinationStreet>Destination Street</DestinationStreet>
<DestinationLocality>Destination Locality</DestinationLocality>
<DestinationTown>Destination Town</DestinationTown>
<DestinationCounty>Destination County</DestinationCounty>
<DestinationPostcode>On Postcode</DestinationPostcode>
<DestinationPhone>On Phone</DestinationPhone>
<DestinationEmail>On Email</DestinationEmail>
<ArrivalDate>YYYY-MM-DD</ArrivalDate>
<TransportInformation>
  <TransportType>1</TransportType>
  <TransportName>Driver Name</TransportName>
  <TransportCompanyName>Company Name</TransportCompanyName>
  <TransportPhone>01234567890</TransportPhone>
  <TransportEmail>email@somedomain.co.uk</TransportEmail>
  <TransportVehicleReg>REG No</TransportVehicleReg>
  <TransportAuthNumber>1234567890</TransportAuthNumber>
</TransportInformation>
<FciAnimals>
  <FciDiseaseDesc>Scrapie</FciDiseaseDesc>
  <FciWithdrawalPeriods>2</FciWithdrawalPeriods>
  <FciSatisfied>1</FciSatisfied>
  <FciOtherInfo>testing</FciOtherInfo>
  <Animals>
    <Animal ISO24631="1 0 04 00 0 826 0712345 01234"/>
    <Animal Hex="8200CE905568BCTBB"/>
  </Animals>
</FciAnimals>
<TagReadings>
  <TagReading Hex="8200CE905568BC44" Timestamp="YYYY-MM-DD
15:51:49"/>
  <TagReading Hex="8200CE905568BCTBB" Timestamp="YYYY-MM-DD
15:51:50"/>
  <TagReading ISO24631="1 0 04 00 0 826 0712345 01234"
Timestamp="YYYY-MM-DD 15:51:50"/>
</TagReadings>
<FlockTags>
  <FlockTag FlockNumber="703269" TagCount="7"/>
</FlockTags>
</Movement>
</ns1:GetMovementResponse>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

5.7.5 *Example failure response*

```
<?xml version="1.0"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns1="https://api.eidcymru.org/ews/">
  <SOAP-ENV:Body>
    <ns1:GetMovementRequest>
      <submission_id>NNNNN</submission_id>
      <Failures>
        <Failure>
          <Code>S001D</Code>
          <Description>View Movement Disallowed</Description>
          <Element>Mid</Element>
        </Failure>
      </Failures>
    </ns1:GetMovementRequest>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

5.8 GetOutstanding Movement Operations (GetOutstandingMovementsRequest)

This operation is invoked to return a list of movements that need to be 'accepted', relating to the account identified with the user credentials provided for authentication.

The operation accepts the request message, performs schema validation and retrieves movement information if access is allowed for the account associated with the details provided for authentication. The response message returned indicates whether the message was successfully processed, or whether the request was rejected by the EIDCymru system.

A response indicating a successful operation will contain the following result pagination information

- NumRecords - total number of records associated with the request
- NumPages - the number of pages across which, the total number of records, span
- CurrentPage - which of the number of pages of results has currently been returned
- LastPage - is this the last page of the number of pages of results

If a page is requested that lies outwith the range of pages defined by 'NumPages', above, then the response xml will contain the following:

```
<Response>none in range</Response>
```

5.8.1 *Pre-Conditions*

- The client system must be a registered client* of the EIDCymru system

5.8.2 *Post Conditions*

5.8.3 *Example request*

```
<?xml version="1.0"?>
<s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/">
  <s:Body xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xmlns:xsd="http://www.w3.org/2001/XMLSchema">
    <GetOutstandingMovementsRequest xmlns="https://ews.eidcymru.org/ews/">
      <UserName xmlns="">username</UserName>
      <Password xmlns="">password</Password>
      <ApplicationName xmlns="">Registered Application Name</ApplicationName>
      <ApplicationVersion xmlns="">1.0</ApplicationVersion>
      <SchemaVersion xmlns="">1.0</SchemaVersion>
      <Timestamp xmlns="">YYYY-MM-DDThh:mm:ss</Timestamp>
      <Outstanding xmlns="">
        <Page>1</Page>
      </Outstanding>
    </GetOutstandingMovementsRequest>
  </s:Body>
</s:Envelope>
```

5.8.4 *Example success response*

```
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns1="https://ews.eidcymru.org/ews/">
  <SOAP-ENV:Body>
    <ns1:GetOutstandingMovementsResponse>
      <SubmissionId>438</SubmissionId>
      <Success>
        <Code>S004V</Code>
        <Description>Submission Processed</Description>
        <NumRecords>2</NumRecords>
        <NumPages>1</NumPages>
        <CurrentPage>1</CurrentPage>
        <LastPage>Yes</LastPage>
      </Success>
      <Outstanding>
        <Movement>
          <Mid>NNNNNNNNNN</Mid>
          <MovementSpecies>4</MovementSpecies>
          <MovementQty>100</MovementQty>
          <MovementStatus>10</MovementStatus>
          <DepartureCph>CC/PPP/HHHH</DepartureCph>
          <DestinationCph>CC/PPP/HHHH</DestinationCph>
          <DepartureDate>2017-07-20</DepartureDate>
        </Movement>
        <Movement>
          <Mid>NNNNNNNNNN</Mid>
          <MovementSpecies>4</MovementSpecies>
          <MovementQty>1</MovementQty>
          <MovementStatus>10</MovementStatus>
          <DepartureCph>CC/PPP/HHHH</DepartureCph>
          <DestinationCph>CC/PPP/HHHH</DestinationCph>
          <DepartureDate>YYYY-MM-DD</DepartureDate>
        </Movement>
      </Outstanding>
    </ns1:GetOutstandingMovementsResponse>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

5.8.5 *Example failure response*

```
<?xml version="1.0"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns1="https://api.eidcymru.org/ews/">
  <SOAP-ENV:Body>
    <ns1:GetOutstandingMovementsRequest>
      <submission_id>NNNNN</submission_id>
      <Success>
        <Code>S004V</Code>
        <Description>Submission Processed</Description>
        <NumRecords>2</NumRecords>
        <NumPages>1</NumPages>
      </Success>
      <Response>none in range</Response>
    </ns1:GetOutstandingMovementsRequest>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

5.9 GetReference Operations (GetReferenceRequest)

This operation is identical to 'GetMovementRequest' detailed @ 5.7 above, except for:

ExternalReference is required

Movement ID (Mid) is optional

The operation accepts the request message, performs schema validation and retrieves movement information if access is allowed for the account associated with the details provided for authentication. The response message returned indicates whether the message was successfully processed, or whether the request was rejected by the EIDCymru system.

5.9.1 *Pre-Conditions*

- The client system must be a registered client* of the EIDCymru system

5.9.2 *Post Conditions*

5.9.3 *Example request*

```
<?xml version="1.0"?>
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:ews="https://ews.eidcymru.org/ews/">
  <soapenv:Header/>
  <soapenv:Body>
    <ews:GetReferenceRequest>
      <UserName>username</UserName>
      <Password>password</Password>
      <ApplicationName>Registered Application Name</ApplicationName>
      <ApplicationVersion>1.0</ApplicationVersion>
      <SchemaVersion>1.0</SchemaVersion>
      <Timestamp>YYYY-MM-DDThh:mm:ss</Timestamp>
      <Movement>
        <Mid>NNNNNNNNNN</Mid>
        <ExternalReference>keeper2_1b</ExternalReference>
      </Movement>
    </ews:GetReferenceRequest>
  </soapenv:Body>
</soapenv:Envelope>
```

5.9.4 *Example success response*

```
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:ns1="https://ews.eidcymru.org/ews/">
  <SOAP-ENV:Body>
    <ns1:GetReferenceResponse>
      <SubmissionId>443</SubmissionId>
      <Success>
        <Code>S005V</Code>
        <Description>Submission Processed</Description>
        <Mid>NNNNNNNNNN</Mid>
      </Success>
      <Movement>
        <Mid>NNNNNNNNNN</Mid>
        <ExternalReference>keeper2_1b</ExternalReference>
        <LotNumber>123b</LotNumber>
        <MovementReference>ref</MovementReference>
        <MovementType>3</MovementType>
      </Movement>
    </ns1:GetReferenceResponse>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

```

        <MovementSpecies>4</MovementSpecies>
        <MovementQty>1</MovementQty>
        <MovementReads>1</MovementReads>
        <DepartureCph>CC/PPP/HHHH</DepartureCph>
        <DepartureActivity>AH</DepartureActivity>
        <DepartureDate>YYYY-MM-DD</DepartureDate>
        <DestinationCph>CC/PPP/HHHH</DestinationCph>
        <DestinationActivity>AH</DestinationActivity>
        <ArrivalDate>YYYY-MM-DD</ArrivalDate>
    </Movement>
</ns1:GetReferenceResponse>
</SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

5.9.5 *Example failure response*

```

<?xml version="1.0"?>
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns1="https://api.eidcymru.org/ews/">
  <SOAP-ENV:Body>
    <ns1:GetReferenceRequest>
      <submission_id>NNNNN</submission_id>
      <Failures>
        <Failure>
          <Code>S001D</Code>
          <Description>View Movement Disallowed</Description>
          <Element>Mid</Element>
        </Failure>
      </Failures>
    </ns1:GetReferenceRequest>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

	5.10	Update Movement Operations (UpdateMovementRequest)
		This operation is invoked in order to update details relating a particular movement identified by its Movement ID. The operation accepts the request message, performs schema validation and retrieves movement information if access is allowed for the account associated with the details provided for authentication. The update is a fully replacing update, any data not provided is removed from the original movement. The response message returned indicates whether the message was successfully processed, or whether the request was rejected by the EIDCymru system.
	5.10.1	<i>Pre-Conditions</i> • The client system must be a registered* client of the EIDCymru system • Movement ID (Mid) - required • All other parameters are required as per the original movement transmission
	5.10.2	<i>Post Conditions</i>
	5.10.3	<i>Example request</i>
		<pre> <?xml version="1.0"?> <s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/"> <s:Body xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"> <UpdateMovementRequest xmlns="https://ews.eidcymru.org/ews/"> <UserName xmlns="">username</UserName> <Password xmlns="">password</Password> <ApplicationName xmlns="">Registered Application Name</ApplicationName> <ApplicationVersion xmlns="">1.0</ApplicationVersion> <SchemaVersion xmlns="">1.0</SchemaVersion> <Timestamp xmlns="">YYYY-MM-DDThh:mm:ss</Timestamp> <Movement xmlns=""> <Mid>NNNNNNNNNN</Mid> <MovementSpecies>4</MovementSpecies> <MovementQty>NNN</MovementQty> <ReadLocation>A</ReadLocation> <MovementType>3</MovementType> <DepartureCph>CC/PP/HHHH</DepartureCph> <DepartureDate>YYYY-MM-DD</DepartureDate> <DepartureTime>hh:mm</DepartureTime> <DeparturePostcode>Postcode</DeparturePostcode> <DestinationCph>CC/PPP/HHHH</DestinationCph> <DestinationPostcode>Postcode</DestinationPostcode> <DestinationPhone>Phone</DestinationPhone> <ArrivalDate>YYYY-MM-DD</ArrivalDate> <TransportInformation> <TransportType>0</TransportType> </TransportInformation> <TagReadings> <TagReading ISO24631="1 0 04 00 0 826 0712345 12345" Type="eid" Timestamp="YYYY-MM-DDThh:mm:ss"/> <TagReading ISO24631="1 0 04 00 0 826 0712345 23467" Type="eid" Timestamp="YYYY-MM-DDThh:mm:ss"/> </TagReadings> </Movement> </UpdateMovementRequest> </s:Body> </s:Envelope> </pre>

		5.10.4	<i>Example success response</i>
	<pre> <?xml version="1.0"?> <SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/" xmlns:ns1="https://api.eidcymru.org/ews/"> <SOAP-ENV:Body> <ns1:UpdateMovementRequest> <submission_id>NNNNN</submission_id> <Success> <Code>S003V</Code> <Description>Submission Processed</Description> <Mid>NNNNNNNNNN</Mid> </Success> </ns1:UpdateMovementRequest> </SOAP-ENV:Body> </SOAP-ENV:Envelope> </pre>		
		5.10.5	<i>Example failure response</i>
	<pre> <?xml version="1.0"?> <SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/" xmlns:ns1="https://api.eidcymru.org/ews/"> <SOAP-ENV:Body> <ns1:UpdateMovementRequest> <submission_id>NNNNN</submission_id> <Failures> <Failure> <Code>S045D</Code> <Description>Update disallowed</Description> <Element>mid</Element> </Failure> </Failures> </ns1:UpdateMovementRequest> </SOAP-ENV:Body> </SOAP-ENV:Envelope> </pre>		

	5.11	Update Reference Operation (UpdateReferenceRequest)
		This operation is invoked in order to update details relating a particular movement identified by its Movement Reference. The operation accepts the request message, performs schema validation and retrieves movement information if access is allowed for the account associated with the details provided for authentication. The update is a fully replacing update, any data not provided is removed from the original movement. The response message returned indicates whether the message was successfully processed, or whether the request was rejected by the EIDCymru system.
	5.11.1	<i>Pre-Conditions</i> • The client system must be a registered* client of the EIDCymru system • The movement reference (ExternalReference) – required • All other parameters are required as per the original movement transmission
	5.11.2	<i>Post Conditions</i>
	5.11.3	<i>Example request</i>
		<pre> <?xml version="1.0"?> <s:Envelope xmlns:s="http://schemas.xmlsoap.org/soap/envelope/"> <s:Body xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"> <UpdateMovementRequest xmlns="https://ews.eidcymru.org/ews/"> <UserName xmlns="">username</UserName> <Password xmlns="">password</Password> <ApplicationName xmlns="">Registered Application Name</ApplicationName> <ApplicationVersion xmlns="">1.0</ApplicationVersion> <SchemaVersion xmlns="">1.0</SchemaVersion> <Timestamp xmlns="">YYYY-MM-DDThh:mm:ss</Timestamp> <Movement xmlns=""> <ExternalReference>(Your unique ref.)</ExternalReference> <MovementSpecies>4</MovementSpecies> <MovementQty>NNN</MovementQty> <ReadLocation>A</ReadLocation> <MovementType>3</MovementType> <DepartureCph>CC/PP/HHHH</DepartureCph> <DepartureDate>YYYY-MM-DD</DepartureDate> <DepartureTime>hh:mm</DepartureTime> <DeparturePostcode>Postcode</DeparturePostcode> <DestinationCph>CC/PPP/HHHH</DestinationCph> <DestinationPostcode>Postcode</DestinationPostcode> <DestinationPhone>Phone</DestinationPhone> <ArrivalDate>YYYY-MM-DD</ArrivalDate> <TransportInformation> <TransportType>0</TransportType> </TransportInformation> <TagReadings> <TagReading ISO24631="1 0 04 00 0 826 0712345 12345" Type="eid" Timestamp="YYYY-MM-DDThh:mm:ss"/> <TagReading ISO24631="1 0 04 00 0 826 0712345 23467" Type="eid" Timestamp="YYYY-MM-DDThh:mm:ss"/> </TagReadings> </Movement> </UpdateMovementRequest> </s:Body> </s:Envelope> </pre>

		5.11.4	<i>Example success response</i>
			<pre> <?xml version="1.0"?> <SOAP-ENV:Envelope xmlns:SOAP- ENV="http://schemas.xmlsoap.org/soap/envelope/" xmlns:ns1="https://api.eidcymru.org/ews/"> <SOAP-ENV:Body> <ns1:UpdateReferenceRequest> <submission_id>NNNNN</submission_id> <Success> <Code>S003V</Code> <Description>Submission Processed</Description> <Mid>NNNNNNNNNN</Mid> </Success> </ns1:UpdateReferenceRequest> </SOAP-ENV:Body> </SOAP-ENV:Envelope> </pre>
		5.11.5	<i>Example failure response</i>
			<pre> <?xml version="1.0"?> <SOAP-ENV:Envelope xmlns:SOAP- ENV="http://schemas.xmlsoap.org/soap/envelope/" xmlns:ns1="https://api.eidcymru.org/ews/"> <SOAP-ENV:Body> <ns1:UpdateReferenceRequest> <submission_id>NNNNN</submission_id> <Failures> <Failure> <Code>S045D</Code> <Description>Update disallowed</Description> <Element>ExternalReference</Element> </Failure> </Failures> </ns1:UpdateReferenceRequest> </SOAP-ENV:Body> </SOAP-ENV:Envelope> </pre>

6 Detailed Field Definitions

6.1 Common Elements

XML Element	Required	Definition
Username	Compulsory	Client username as provided by EIDCymru Web service (EWS)
Password	Compulsory	The password provided by the EIDCymru service
ApplicationName	Optional	The name of the Client application being used to create the request.
ApplicationVersion	Optional	Client application version number for the application name, where provided to EIDCymru service, optional validation can be provided to prevent submissions from out of date application versions by registering the minimum version number with EIDCymru.
ApplicationKey	Optional	Reserved for future use.
SchemaVersion	Optional	Schema version of the EIDCymru web service (EWS) supported by this request. Current minimum value is 1.0.

6.2 AcceptMovementRequest

XML Element	Required	Definition
Mid	Compulsory	EIDCymru web service (EWS) unique movement identifier.
ArrivalDate	Optional	The on-date of the animal movement in the format YYYY-mm-dd.
MovementDoa	Optional	The integer value of animals Dead On Arrival (DOA) in format nn. Maximum admitted value equal to or less than number of animals moved.

6.3 CreateMovementRequest

XML Element	Required	Definition
ExternalReference	Optional	Unique movement identifier. Provided by the client and unique for each movement. In the format of text of maximum length, 32 characters.
ExternalSystem	Optional	Client system name. In the format of text of maximum length, 6 characters.
LotNumber	Optional	Lot number in arbitrary format, must have a maximum length of 10 characters and be unique for the given read location and date.
MovementReference	Optional	Client movement reference. Free format text field i.e. for Notes. In the format of text of maximum length, 32 characters.
MovementType	Optional	See Movement Type list in section 7 in the format of integer nn.
MovementReason	Optional	See Movement Reason list in section 7 in the format of integer nn.
MovementSpecies	Compulsory	See Movement Species list in section 7 in the format of integer nn.
MovementQty	Compulsory	Number of animals moved. Minimum value of 1. Maximum value 1000. In the format of an integer nnnn.
MovementDoa	Optional	The integer value of animals Dead On Arrival (DOA) in format nn. Maximum admitted value equal to or less than number of animals moved.
ReadLocation	Optional	Specify if animals have been read at Departure specify - D Arrival specify - A Format X (single uppercase character)
MovementReads	Optional	The number of EID tags entered. Maximum value number of animals moved. In the format of an integer nnnn.
DepartureCph	Compulsory	The departure location registered identifier. In the format of County Parish Holding (CPH), nn/nnn/nnnn OR EU identifier, in the format of nnnn OR other identifier in text of maximum length, 11 characters.
DepartureActivity	Optional	See Premises Activity list in section 7
DepartureDate	Compulsory	The off-date of the animal movement in the format YYYY-mm-dd.
DepartureTime	Optional	The off-time. In the format HH:mm
LoadingDate	Optional	The date of loading. In the format of YYYY-mm-dd

LoadingTime	Optional	The time of loading. In the format of HH:mm (24 hour)
OffExemptionCode	Optional	See Exemption Code list in section 7
DepartureName	Optional	The name of the person sending the animals. In the format of text, maximum of 40 characters.
DepartureStreet	Optional	The Street address of the departure location. In the format of text, maximum of 40 characters.
DepartureLocality	Optional	The Locality of the departure location. In the format of text, maximum of 40 characters.
DepartureTown	Optional	The Town of the departure location. In the format of text, maximum of 40 characters.
DepartureCounty	Optional	The County of the departure location. In the format of text, maximum of 40 characters.
DeparturePostcode	Optional	The Postcode of the departure location. In the format of text, maximum of 40 characters.
DeparturePhone	Optional	The Phone of the departure location. In the format of text, maximum of 40 characters.
DepartureEmail	Optional	The Email address of the departure location. In the format of text, maximum of 40 characters.
DestinationCph	Compulsory * * Either DestinationCPH or address of movement destination if DestinationCPH not known.	The Destination location registered identifier. In the format of County Parish Holding (CPH), nn/nnn/nnnn OR EU identifier, in the format of nnnn OR other identifier in text of maximum length, 11 characters.
DestinationActivity	Optional	See Premises Activity list in section 7
UploadingDate	Optional	The date of unloading. In the format of YYYY-mm-dd
UploadingTime	Optional	The time of loading. In the format of HH:mm (24 hour)
OnExemptionCode	Optional	See Exemption Code list in section 7
DestinationName	Optional	The name of the person sending the animals. In the format of text, maximum of 40 characters.
DestinationStreet	Optional *	The Street address of the Destination location. In the format of text, maximum of 40 characters.
DestinationLocality	Optional *	The Locality address of the Destination location. In the format of text, maximum of 40 characters.
DestinationTown	Optional *	The Town address of the Destination location. In the format of text, maximum of 40 characters.
DestinationCounty	Optional *	The County address of the Destination location. In the format of text, maximum of 40 characters.

DestinationPostcode	Optional *	The Postcode address of the Destination location. In the format of text, maximum of 40 characters.
DestinationPhone	Optional	The Phone of the Destination location. In the format of text, maximum of 40 characters.
DestinationEmail	Optional	The Email address of the Destination location. In the format of text, maximum of 40 characters.
ArrivalDate	Optional	The on-date of the animal movement in the format YYYY-mm-dd.
TransportType	Optional	Who is transporting the animals. See section 7 for list of values.
TransportName	Optional	The name of the Driver. In the format of text, maximum of 60 characters.
TransportCompanyName	Optional	The name of the Haulier company. In the format of text, maximum of 60 characters.
TransportPhone	Optional	The Phone of the Haulier. In the format of text, maximum of 40 characters.
TransportEmail	Optional	The Email address of the Haulier. In the format of text, maximum of 40 characters.
TransportVehicleReg	Optional	The registration of the vehicle. In the format of text, maximum of 14 characters.
TransportAuthNumber	Optional	The permit number. In the format of text, maximum 10 characters.
FciDiseaseDesc	Optional	The name of the disease. In the format of text, maximum of 2048 characters.
FciWithdrawalPeriod	Optional	See Withdrawal Period list in section 7.
FciSatisfied	Optional	Have the FCI requirements been met. 0 equals no. 1 equals yes.
FciOtherInfo	Optional	Other FCI information. In the format of text, maximum of 2048 characters.
Animal	Optional	Tag number of animal/s which do not meet FCI requirements. In the format of: Hex - hex number, i.e. 8200CE8DF846BD2D and/or ISO24631 - i.e. 1 0 04 00 0 826 0701234 01241 and/or FreeTag. i.e. UK123456 229 (Non-EID tag animal born pre-2010)
TagReading	Optional	In the format of: Hex - hex number, i.e. 8200CE8DF846BD2D and/or ISO24631 - i.e. 1 0 04 00 0 826 0701234 01241 and/or FreeTag. i.e. UK123456 229 (Non-EID tag animal born pre-2010)

		and (optional) KillNumber, in the format of integer, nnn Timestamp, in the format of dateTime YYYY-mm-ddTHH:mm:ss
FlockTag	Optional	In the format of: FlockNumber - in the format of a 6-digit flock number, nnnnnn TagCount - in the format of integer, nnnn

7 Lookup Tables:

7.1 Premises Activities

Activity Code	Description	Comment
AC	Assembly Centre	
AH	Agricultural Holding	
CC	Collection Centre	
CL	Common Land	
QU	Quarantine	
SLM	Slaughter Market	
SR	Slaughter House	
STM	Store Market	

7.2 Response Codes

7.2.1 Success

Code	Description (Eng.)	Description (Welsh)
S001V	Submission Processed	Methiant Dilysu
S002V	Submission Processed	Methiant Dilysu
S003V	Submission Processed	Methiant Dilysu
S004V	Submission Processed	Methiant Dilysu
S005V	Submission Processed	Methiant Dilysu
S006V	Submission Processed	Methiant Dilysu

7.2.2 Warning

Code	Description (Eng.)	Description (Welsh)
S003D	Arrival Date Must Be Less Than 2 Days After Departure Date	Rhaid i'r Dyddiad Cyrraedd fod yn Llai na 2 Ddiwrnod Wedi'r Dyddiad Gadael
S004D	CPH Not Recognised	Rhif y Daliad Heb ei Adnabod
S006D	Departure And Destination CPH Must Be Different	Rhaid i Rif y Daliad y Man Gadael a Pen y Daith fod yn Wahanol
S017D	Submission Date Must Be Less Than 3 Days After Arrival Date	Rhaid i'r Dyddiad Cyflwyno Fod yn Llai na 3 Diwrnod Wedi'r Dyddiad Cyrraedd
S017W	Incorrect Movement Type For Role Or Premises Combination	Fath o Symudiad Anghywir ar gyfer Cyfuniad y Rôl a'r Lleoliad

S019W	Total Quantity of Animals Mismatch	Nid yw Cyfanswm yr Anifeiliaid yn Cyfateb
S020W	Tags Must Equal Reads	Rhaid Cael yr un Faint o Dagiau â'r Rhestr
S023W	Premises Activity Incorrect	Gweithgaredd y Safle yn Anghywir
S033W	Incorrect Flock Number	Rhif Diadell Anghywir

7.2. Failure

3

Code	Description (Eng.)	Description (Welsh)
S001A	Authentication Fail	Methiant Dilysu
S001D	View Movement Disallowed	Gweld y Symudiad na Chaniateir
S002D	Animal ID Must Be Known	Rhaid Gwybod Cod Adnabod yr Anifail
S005D	Arrival Date Cannot Be Future Date	Ni all y Dyddiad Cyrraedd fod yn y Dyfodol
S007D	Departure Date Must Be Less Than 3 Days Ahead	Rhaid i'r Dyddiad Gadael fod yn Llai na 3 Diwrnod yn y Dyfodol
S008D	Duplicate Movement	Symudiad wedi ei wneud eisoes
S009D	Movement Over 12 Months Old	Symudiad Dros 12 Mis Oed
S010D	Movement Not Found	Symudiad Heb Ei Ganfod
S011D	Movement Not Saved	Symudiad Heb Ei Gadw
S012D	Neither CPH Registered With This User	Dim Un Rhif y Daliad wedi ei Gofrestru Gyda'r Defnyddiwr Hwn
S013D	No Record Found	Dim Cofnod
S014D	Quantity Of Animals Must Be Less Than 1000	Rhaid Cael Llai na 1000 o Anifeiliaid
S015D	Updated Record But No Matching Movement	Cofnod Wedi'i Diweddarau ond Dim Symudiad yn Cyd-fynd
S016D	Deleted Record But No Matching Movement	Cofnod Wedi'i Ddileu ond Dim Symudiad yn Cyd-fynd
S018D	Specified Foreign Reference Already Exists	Cyfeirnod Tramor Penodol Eisoes yn Bodoli
S019D	Foreign Reference Not Found	Dim Cyfeirnod Tramor
S020D	CPH Not Registered With This User	Rhif y Daliad Heb ei Gofrestru â'r Defnyddiwr Hwn
S021D	Movement Cannot Be Deleted	Ni Caniateir Dileu y Symudiad

S022D	Movement Cannot Be Accepted	Ni Cheir Dderbyn y Symudiad
S023D	CPH View Disallowed	Cais Annilyd i weld y CPH
S045D	Update Disallowed	Cais Annilyd i Diweddarw
S001W	Reference Number Required	Angen Rhif Cyfeirnod
S002W	Movement Type Required.	Angen y Fath o Symudiad
S003W	Applicant Premises Activity Not Recognised	Gweithgaredd yr Ymgeisydd heb ei adnabod
S004W	Date Format Must Be yyyy-mm-dd	Rhaid i'r Dyddiad fod mewn ffurf bbbb-mm-dd
S005W	Tag Time Format Must Be yyyy-mm-ddThh:mm:ss	Rhaid i amser y Tag fod mewn ffurf bbbb-mm-ddTaa:mm:ee
S006W	Destination Information Required	Angen Manylion Pen y Daith
S007W	External Movement ID Required	Angen Cyfeirnod Symud Allanol
S008W	Departure Date Required	Dim Dyddiad Ymadael
S009W	Departure CPH Required	Dim CPH man Cychwyn y Daith
S010W	External Reference Required	Dim Cyfeirnod allanol
S011W	Species Required	Nid oes Rhiwogaeth wedi ei gwblhau
S012W	Destination CPH Required	Angen Rhif Daliad Pen y Daith
S013W	Dead On Arrival Must Be Numeric	Rhaid i nifer y rhai marw ar gyrraedd fod yn Rhifol
S014W	Quantity Required	Angen y Nifer o Anifeiliaid
S015W	Quantity Too Large	Nifer yn Ormod
S016W	Reads Must Be Positive	Rhaid i'r Darlleniadau fod yn Ffigwr Positif
S018W	Element Previously Used	Elfen Wedi'i Ddefnyddio Eisoes
S021W	Incorrect Time Format	Fformat Amser Anghywir
S022W	Duplicated Element	Elfen Wedi'i Ddefnyddio Eisoes
S024W	Input Error	Camgymeriad yn y Mewnbwn
S025W	Incorrect Read Location Format	Fformat Lleoliad wedi'i Ddarllen yn Anghywir
S026W	Species Not Recognised	Rhywogaeth heb ei adnabod
S027W	Incorrect Lot Number	Rhif Lot Anghywir
S028W	Movement Key Required	Angen Allwedd Symudiad
S029W	Incorrect ISO tag	Tag ISO Anghywir
S030W	Incorrect Hex tag	Tag Hex Anghywir

S031W	Incorrect Movement Type	Math Anghywir o Symudiad
S032W	Quantity Must Be Positive	Rhaid i'r Swm fod yn Fwy na Dim
S034W	Field To Be Completed	Maes i'w Gwblhau
S035W	Too Many Characters	Gormod o Nodau
S036W	Incorrect Date Format	Fformat Dyddiad Anghywir
S037W	Date Is Too Old	Dyddiad yn Rhy Hen
S038W	Date Must Not Be In Future	Ni Ddylai'r Dyddiad fod yn y Dyfodol
S039W	Out Of Range	Tu Hwnt i'r Terfynnau

7.3 Movement Species

Species Code	Description
4	SHEEP
44	GOAT
60	DEER

7.4 Movement Type

Movement Type	Description
3	ON/OFF (Keeper move)
4	MART (Use only by Market or Collection Centre CPRC)
8	ABATTOIR (Use only by Abattoir CPRC)

7.5 Movement Reason

Movement Reason Code	Description
1	Moving to/Return from rounding up from Common Land
2	Moving animals within your business that remain under your ownership
3	Animals moving to a CPRC

7.6 Off Exemption Codes

Movement Off Exemption Codes	Description
102	Movements from tack
154	Moving from sheep dog trials back to premises of origin
168	Moving to show and no animals have moved onto the holding since the animals last visited a show
169	Moving to show and no animals have moved onto the holding since the animals last visited a show
173	Returning to their correct home after being inadvertently rounded up from common land
185	Animals are moving to a slaughter collecting centre, from where the only move is to slaughter

The exemption codes are AMLS codes and are only required in certain circumstances and scenarios. The list is not exhaustive and has been compiled based on what is deemed to be likely common codes.

7.7 On Exemption Codes

Movement On Exemption Codes	Description
102	Movements from tack
173	Returning to their correct home after being inadvertently rounded up from common land
187	Animals moved for performance/exhibition purposes and a permit has been issued for the move.

The exemption codes are AMLS codes and are only required in certain circumstances and scenarios. The list is not exhaustive and has been compiled based on what is deemed to be likely common codes.

7.8 Transport / Haulier Type

Transport / Haulier Code	Description
0	Departure Keeper
1	Receiving Keeper
2	Haulier

7.9 FCI Withdrawl Period

FCI Withdrawl Period Code	Description
0	Not relevant for this movement (e.g. moves within a business or to shows)
1	The required withdrawal period for all medicines has been adhered to - no medicines have been administered in the past 28 days
2	The required withdrawal period has not been met

7.10 Holding Numbers

The CPH number formatting is CC/PPP/HHHH. Sub-locations are not supported and should be removed before submission.

Where a movement is made to an abattoir, the 4-digit EU number may be used as an alternative.

8 Endpoints

Two separate endpoints have been configured.

The first is for testing and is a fully functional test environment. The second is the main production environment for users.

Before access will be given to the production environment, developers must successfully test their application against the Staging environment and be satisfied that reporting criteria has been met as laid out in the specification.

Staging site: <https://stagews.eidcymru.org/ews>

Staging WSDL: <https://stagews.eidcymru.org/ews.wsdl>

Production site: <https://ews.eidcymru.org/ews>

Production WSDL: <https://ews.eidcymru.org/ews.wsdl>

Vendors will only be added into the Production Site once they have notified EIDCymru that testing has been completed to their own satisfaction. EIDCymru will not retain a list of Approved vendors.

9 End-User Setup - Advisory Notice

This section provides advisory details which can be relayed to end users who wish to setup a software link to their EIDCymru online account.

9.1.1 *Pre-Requisite*

Each individual keeper needs to have registered via the website www.eidcymru.org for a standard EIDCymru account.

They should ensure details have been fully entered to their online account.

Specifically:

- Name and address details
- The primary farm CPH and any other CPH numbers that form part of the holding/farm.

9.1.2 **Enable Interface Credentials**

To enable their farm software link, the user is required to contact the EIDCymru Bureau directly via email or phone.

They will need to provide:

- EIDCymru Username
- Primary farm CPH number
- Name of their farm software package.

The bureau service will activate the user's web account to work with the specified farm software package.

The credentials used for interfacing via farm software will remain the same as the keeper's web site credentials.

9.1.3 **Contact Details for User Support**

To register or ask for assistance, please contact the EIDCymru Service:

e-mail: contact@eidcymru.org / cysylltu@eidcymru.org

Telephone: 01970 636959