



KREDENCE
STEEL TRADING

COMPANY PROFILE

STEEL & BUILDING MATERIALS, SUPPLIED FOR YOUR PROJECT.

Fencing systems, coated metals, roofing and building materials for contractors, purchasers and fabricators across the UAE.

WHAT WE SUPPLY

PPGI Coils | Fencing & Hoarding | PVC Eco Fence | Heras Fence | Chain Link Fence
Sandwich Panels | Corrugated Sheets | Decking Sheets | Z & C Purlins | Drywall Systems

DUBAI, UAE | kredencesteel.com

Steel and building materials, supplied for real project requirements.

Kredence Steel Trading is a UAE steel trading and building materials supplier. It provides fencing systems and coated metal products for construction sites, enclosures, roofing and industrial projects.

■ WHAT WE DO

Supply of steel and building materials from material selection and customisation to processing and distribution. One point of supply for fence products and metals.

■ WHO WE SERVE

Contractors, purchasers, fabricators and businesses of all sizes. Construction companies, industrial projects, commercial enterprises and institutional clients.

■ WHERE WE WORK

Dubai, Abu Dhabi, Sharjah and the other Emirates, with growing supply into the wider GCC.

■ HOW WE WORK

Quality held to international specifications such as ASTM, JIS and EN. Competitive commercial pricing for project, bulk and ongoing supply. Timely delivery and solutions shaped to the project.

PRODUCT RANGE

PPGI Color Coated Coils | Fencing Panels & Hoarding | PVC Eco Fence | Heras Fence | Chain Link Fence | Sandwich Panels | Corrugated Color Sheets | Decking Sheets | Z & C Purlins | Drywall Partition Systems

AT A GLANCE

15+

years in steel trading and building materials

2010

building excellence since

10

product categories, fence and metals

ASTM JIS EN

international specifications

ISO

9001:2015 | 14001:2015 | 45001:2018

MARKETS

UAE: Dubai, Abu Dhabi, Sharjah and the other Emirates.
Growing presence in Saudi Arabia, Oman, Bahrain, Kuwait and Qatar.
Regional export to Iraq, Yemen and Jordan.

What we supply


Ten product categories across fence products and metals, supplied to project specification.



01 / METALS

PPGL Color Coated Coils

Pre-painted galvanized steel coils in RAL colours, including RAL 9002 and RAL 1001.



02 / FENCE

Fencing Panels & Hoarding


Temporary and continuous corrugated fencing, supplied with complete accessories.



03 / FENCE

PVC Eco Fence

PVC eco fence from 2.4 m to 5.0 m, made to customer specification.



04 / FENCE

Heras Fence

Wire mesh, weld mesh and Heras fence in stainless steel.



05 / FENCE

Chain Link Fence

Chain link fence for property protection, also known as hurricane or diamond-mesh fence.



06 / METALS

Sandwich Panels

Roof, wall and cold room panels with PUR and PIR insulation.



07 / METALS

Corrugated Color Sheets

Single skin corrugated sheets in sinusoidal, trapezoidal and box profiles.



08 / METALS

Decking Sheets

Metal floor deck with ribbed profiles, including 45/150 and 75/305.



09 / METALS

Z & C Purlins

Z and C purlins in a range of sizes, with punching options and quick-fix anti-sag rods.



10 / METALS

Drywall Partition Systems

Stud, track, furring channel, main channel and wall angles for metal partition systems.

Practical reasons buyers choose Kredence.

Everything below is what Kredence offers procurement teams, contractors and fabricators: range, price, project focus and UAE-wide supply.

01

Wide product range

From GI and PPGI coils to roofing, purlins, sandwich panels, drywall systems and fencing. One supplier for fence products and metals.

02

Competitive pricing

Commercial pricing for project, bulk and ongoing supply requirements.

03

Project-focused supply

Products supplied to meet the specifications, quantities and timelines of your project.

04

UAE-wide supply

Supplying contractors, purchasers, fabricators and businesses across the UAE, with growing regional supply.

HOW WE WORK

One stop, from selection to supply.

1

Material selection

The right material is chosen for the project, with the specification the job requires.

2

Customisation and processing

Work is prepared to the requirement, from specification through processing.

3

Distribution

Material is supplied so construction, industrial and commercial projects can move ahead.

STANDARDS AND CERTIFICATION

Specifications held to ASTM, JIS and EN.

ISO CERTIFICATIONS (IAF & EIAC ACCREDITED)

ISO 9001:2015 | ISO 14001:2015 | ISO 45001:2018



PPGI Color Coated Coils

Pre-painted galvanized steel coils in RAL colours, including RAL 9002 and RAL 1001.

WHAT IT IS

PPGI is galvanized steel with a colour finish: a zinc coating under a painted polyester layer. Supplied as coil, sheet or slit coil, with weight and size to the order.

WHY BUYERS CHOOSE IT

A colour-finished galvanized base in standard RAL shades, with a choice of two coating grades, cut to the size and weight your project needs.

SUPPLIED AS

- Coil
- Sheet
- Slit coil

SPECIFICATIONS

Thickness	0.28 mm to 1.50 mm
Width	40 mm to 1250 mm
Zinc coating	80 GSM (G40) to 275 GSM (G90)
Coil weight	3.5 MT to 4.5 MT
Colours	RAL 9002 and RAL 1001
Coatings	Regular modified polyester, high durable polyester

01

METALS

Need availability or pricing for this product?

Info@kredencesteel.com | +971 56 568 6811

FENCE / PRODUCT 02

Fencing Panels & Hoarding

Temporary and continuous corrugated fencing, supplied with complete accessories.

WHAT IT IS

Corrugated galvanized steel boundaries for construction sites and industrial yards. Supplied with U-channels, GI pipes, clamps and concrete blocks. Fireproof, strong, and can be installed and removed.

WHY BUYERS CHOOSE IT

Two systems for different needs. Discontinuous panels are fixed on concrete blocks at 2 m intervals and back-stayed at the junction. Continuous fencing overlaps the sheets so there is no gap in the run, back-stayed at 2.5 m intervals with galvanized ERW pipes.

USED ON

Construction sites

Industrial yards

SPECIFICATIONS

Fencing sheet	0.30 mm x 1.0 m x 2.0 m
Standard colour	RAL 9002 off-white, other RAL colours available
Galvanized U-channel	40 x 40 x 40 mm, 1.2 to 2.0 mm, 2.18 m
GI pipe	42 mm OD, 2.2 m long, 1.2 to 2.0 mm
GI clamp	3.0 mm
Concrete block	600 x 400 x 200 mm
Frame	2.15 m x 2.0 m (4.30 m ²)
Types	Discontinuous panels or continuous overlapped sheets

Need availability or pricing for this product?

Info@kredencesteel.com | +971 56 568 6811

PVC Eco Fence

PVC eco fence from 2.4 m to 5.0 m, made to customer specification.

WHAT IT IS

A light, rust-free boundary for residential, commercial and agricultural sites. Lighter than a metal fence, weather resistant and simple to install. The range also includes PVC eco hoarding as a flat panel.

WHY BUYERS CHOOSE IT

Standard sizes are available, and heights from 2.4 m to 5.0 m can be made to your specification.

USED ON


Residential

Commercial

Agricultural


SPECIFICATIONS

Height	2.4 m to 5.0 m, or to specification
Material	PVC
Sheet clips	4
Concrete foundation	1000 x 400 x 400 mm at 2.5 m centres
Other foundations	1000 x 500 x 500, 1000 x 300 x 300, 1000 x 600 x 600 mm
Frame pipe	48 mm OD x 1.5 mm at 2.5 m centres
Railing	Top and bottom, or as specified
Couplers	Putlog coupler (railing), swivel coupler (frame)



Need availability or pricing for this product?

Info@kredencesteel.com | +971 56 568 6811



FENCE / PRODUCT 04

Heras Fence

Wire mesh, weld mesh and Heras fence in stainless steel.

WHAT IT IS

Wire mesh, weld mesh and Heras fence for sites that need corrosion resistance. Grades suit applications exposed to acids, alkalis and higher temperatures.

WHY BUYERS CHOOSE IT

Durable, corrosion-resistant mesh supplied the way your job needs it: in rolls, cut to size, or assembled.

SUPPLIED AS

Rolls

Cut to size

Assembled

SPECIFICATIONS

Grades	Stainless steel 304, 304L, 316, 316L and others
Types	Wire mesh, weld mesh, Heras fence
Forms	Rolls, cut to size, or assembled
Resistance	Acid, alkali and high temperature

Need availability or pricing for this product?

Info@kredencesteel.com | +971 56 568 6811

Chain Link Fence

Chain link fence for property protection, also known as hurricane or diamond-mesh fence.

WHAT IT IS

Woven steel wire in a diamond pattern. The mesh stays open, so the line beyond the fence remains visible. Durable and versatile.

WHY BUYERS CHOOSE IT

A wide range of heights, gauges, mesh sizes and finishes, so one product covers anything from temporary boundaries to heavier security.

USED ON


- Yards
- Playgrounds
- Sports fields
- Parks
- Factories
- Construction boundaries

SPECIFICATIONS

Material	Low carbon steel, galvanized wire, aluminium alloy, stainless steel or PVC
Finish	Galvanized or vinyl coated; aluminized and Galfan also available
PVC colours	Dark green, black, brown, red, orange, white, yellow
Height	1.6 ft to 20 ft
Gauges	6 to 16. 9 gauge usual; 11 and 11-1/2 for temporary fence; 6 for heavier security
Mesh	3/8 in up to 3-1/2 in

Need availability or pricing for this product?

Info@kredencesteel.com | +971 56 568 6811



05

FENCE

Sandwich Panels

Roof, wall and cold room panels with PUR and PIR insulation.

WHAT IT IS

A rigid foam core between two metal skins. The core is polyurethane (PUR) or polyisocyanurate (PIR) at 35 to 40 kg/m³. A typical build is a coated aluminium or GI top skin, a foam core, and a foil or shallow-rib liner.

WHY BUYERS CHOOSE IT

One panel forms the weather skin, the insulation and the finished face. Profiled panels are made in 35, 50, 75 and 100 mm; wall and flat panels in 50, 75 and 100 mm.

USED FOR

Roofs


Walls

Prefabricated rooms

Cold stores

SPECIFICATIONS

Profiled panel thickness	35, 50, 75, 100 mm
Wall and flat panel thickness	50, 75, 100 mm
Top skin	Aluminium or GI, polyester coated
Core	PUR or PIR foam, 35 to 40 kg/m ³
Liner	Aluminium foil, or aluminium / GI polyester coated ribbed sheet



Need availability or pricing for this product?

Info@kredencesteel.com | +971 56 568 6811

Corrugated Color Sheets

Single skin corrugated sheets in sinusoidal, trapezoidal and box profiles.

WHAT IT IS

Single skin colour sheets for warehouse roofing and cladding. Light to fix and weather resistant.

WHY BUYERS CHOOSE IT

Made in the colour and length the site needs, in steel, aluminium or plastic, with polyester, PVF2 or plastisol coatings.

USED FOR

Warehouse roofing

Cladding

SPECIFICATIONS

Profiles	Sinusoidal, trapezoidal, box
38/200 sheeting	1023 mm nominal, 1000 mm covering
Materials	Steel, aluminium, plastic
Coatings	Polyester, PVF2, plastisol



Need availability or pricing for this product?

Info@kredencesteel.com | +971 56 568 6811

Decking Sheets

Metal floor deck with ribbed profiles, including 45/150 and 75/305.

WHAT IT IS

Metal decking for composite floors. The ribbed profile, with embossments, locks into the concrete, so the sheet is both permanent formwork and tensile reinforcement.

WHY BUYERS CHOOSE IT

Made from pre-galvanized steel to ASTM A653, Grade D, zinc G90. Other grades can be supplied.

USED FOR

- Multi-storey floors
- Mezzanines
- Walkways
- Platforms

SPECIFICATIONS

45/150	900 mm covering width
75/305	914 mm covering width
Thickness	0.5 mm to 1.5 mm
Steel	Pre-galvanized, Grade D
Zinc	G90 (275 g/m2)
Standard	ASTM A653

Need availability or pricing for this product?

Info@kredencesteel.com | +971 56 568 6811



08

METALS



Z & C Purlins

Z and C purlins in a range of sizes, with punching options and quick-fix anti-sag rods.

WHAT IT IS

Roof and wall framing in structural grade galvanized steel to ASTM A653 Grade 50 G90. Secondary supports for roofing sheets, cladding, sandwich panels and liner trays.

WHY BUYERS CHOOSE IT

Spans up to 10 m. Joints use an overlap or a sleeve, punching can be detailed to your drawing, and quick-fix anti-sag rods are available.

USED FOR

[Roof framing](#)[Wall framing](#)

SPECIFICATIONS

Material	ASTM A653 Grade 50 G90
Also referenced	ASTM A446 Grade D G90, BS EN 10147 S350GD Z275 MAC
Yield strength	350 N/mm ² minimum
Span	Up to 10.0 m
Joints	Overlap or sleeved
Accessories	Quick-fix anti-sag rods
Punching	To the drawing

09

METALS

Need availability or pricing for this product?

Info@kredencesteel.com | +971 56 568 6811

METALS / PRODUCT 10

Drywall Partition Systems

Stud, track, furring channel, main channel and wall angles for metal partition systems.

WHAT IT IS

Drywall partition framing in galvanized steel. The frame takes single or double layers of gypsum board. Profiles comply with EN-BS and ASTM standards.

WHY BUYERS CHOOSE IT

Studs have a knurled face so the board screws in cleanly, and can be boxed for extra strength.

COMPONENTS

Stud

Track

Furring channel

Main channel

Wall angle

SPECIFICATIONS

Components	Stud, track, furring channel, main channel, wall angle
Thickness	0.35 mm to 0.9 mm
Width	50 mm to 123 mm
Length	3 m standard
Standards	EN-BS and ASTM

Need availability or pricing for this product?

Info@kredencesteel.com | +971 56 568 6811

Our Key Projects

Fencing, hoarding and barrier supply for contractors.



01 Fam Contracting

PRODUCT SUPPLIED Fencing Panels & Hoarding



02 BCI Contracting

PRODUCT SUPPLIED Fencing Panels & Hoarding




03 Detech Contracting

PRODUCT SUPPLIED Road Barriers



04 Power Contracting

PRODUCT SUPPLIED Fencing Panels & Hoarding (continuous fence)



05 SRK Steel

PRODUCT SUPPLIED Fencing Panels & Hoarding (continuous fence)



06 Arabs Metal Contracting

PRODUCT SUPPLIED Fencing Panels & Hoarding

Where our products are used

Product applications, as supplied by Kredence to construction, industrial and commercial projects.



Construction sites and enclosures

Temporary and continuous site boundaries, hoarding and perimeter fencing.

Products: Fencing Panels & Hoarding, PVC Eco Fence, Heras Fence, Chain Link Fence



Roofing and cladding

Roof and wall systems for warehouses, industrial and commercial buildings.

Products: Corrugated Color Sheets, Sandwich Panels, PPGI Color Coated Coils, Z & C Purlins



Industrial and warehousing

Structural framing, roofing and secure boundaries for yards and factories.

Products: Z & C Purlins, Corrugated Color Sheets, Chain Link Fence, Heras Fence



Cold stores and prefabricated rooms

Insulated roof, wall and cold room construction.


Products: Sandwich Panels



Floors, mezzanines and platforms

Composite floor systems for multi-storey buildings, walkways and platforms.

Products: Decking Sheets



Interior partitions

Galvanized steel framing for gypsum board partition walls.

Products: Drywall Partition Systems

WHO WE SUPPLY

Contractors, purchasers, fabricators and businesses of all sizes.

Contractors

Purchasers

Fabricators

Project developers

Construction companies

Industrial projects

Commercial enterprises

Institutional clients



KREDENCE
STEEL TRADING

TALK TO US ABOUT YOUR NEXT PROJECT.

Send us your product specifications, required sizes and project timelines. Our trading desk will confirm availability and commercial pricing.

KREDENCE STEEL TRADING

EMAIL	Info@kredencesteel.com
PHONE	+971 56 568 6811
WEBSITE	https://kredencesteel.com
LOCATION	Al Quoz, Dubai, United Arab Emirates

ISO 9001:2015 | ISO 14001:2015 | ISO 45001:2018 (IAF & EIAC ACCREDITED)

ASTM | JIS | EN