

## 8. SYSTEM IMPLEMENTATION

### 8.1 REGISTER.html

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<title>user registration form</title>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<link href="css/style.css" rel="stylesheet" type="text/css" />

<link rel="stylesheet" type="text/css" href="css/coin-slider.css" />

<script type="text/javascript" src="js/cufon-yui.js"></script>

<script type="text/javascript" src="js/cufon-georgia.js"></script>

<script type="text/javascript" src="js/jquery-1.4.2.min.js"></script>

<script type="text/javascript" src="js/script.js"></script>

<script type="text/javascript" src="js/coin-slider.min.js"></script>

<style type="text/css">

<!--

.style4 {color: #FFFFFF}
```

```
.style6 {color: #FFFFFF; font-weight: bold; }

.style7 {

    color: #FF0000;

    font-weight: bold;

}

-->

</style>

</head>

<body>

<div class="main">

    <div class="header">

        <div class="header_resize">

            <div class="logo">

                <h1><a href="index.html">Emotion Recognition on Twitter</a></h1>

            </div>

            <div class="searchform"></div>

            <div class="clr"></div>

            <div class="menu_nav">

                <ul>
```

```
<li><a href="index.html"><span>Home Page</span></a></li>

<li><a href="userlogin.jsp"><span>User</span></a></li>

<li class="active"><a href="register.jsp"><span>Register</span></a></li>

<li><a href="serverlogin.jsp"><span>Tweet Server</span></a></li>

</ul>

</div>

<div class="clr"></div>

<div class="slider">

    <div id="coin-slider"> <a href="#"></a> <a href="#"></a> <a href="#"></a> </div>

    <div class="clr"></div>

</div>

<div class="clr"></div>

</div>

<div class="content">

    <div class="content_resize">

        <div class="mainbar">
```

```
<div class="article">

<h2><span>Welcome to User registration Form </span></h2>

<p align="center" class="infopost"></p>

<div class="img"></div>

<div class="article">

<p align="justify">

<form action="insertdata.jsp" method="post" id="" enctype="multipart/form-data">

<table width="513">

    <tr>

        <td width="181" height="43" bgcolor="#FF0000"><span class="style6">User
Name (required)</span></td>

        <td width="320"><input id="name" name="userid" class="text" /></td>

    </tr>

    <tr>

        <td height="43" bgcolor="#FF0000"><span class="style6">Password
(required)</span></td>

        <td><input type="password" id="password" name="pass" class="text" /></td>

    </tr>
```

```
<tr><td height="43" bgcolor="#FF0000"><span class="style6">Email Address  
(required)</span></td>  
  
<td><input id="email" name="email" class="text" /></td>  
  
</tr>  
  
<tr>  
  
<td height="43" bgcolor="#FF0000"><span class="style6">Mobile Number  
(required)</span></td>  
  
<td><input id="mobile" name="mobile" class="text" /></td>  
  
</tr>  
  
<tr>  
  
<td height="43" bgcolor="#FF0000"><span class="style6">Date of Birth  
(required)</span></td>  
  
<td><input id="dob" name="dob" class="text" /></td>  
  
</tr>  
  
<tr>  
  
<td height="43" bgcolor="#FF0000"><span class="style6">Select Gender  
(required)</span></td>  
  
<td><select id="s1" name="gender" style="width:165px;" class="text">  
  
<option>--Select--</option>  
  
<option>MALE</option>
```

```
<option>FEMALE</option>

</select></td>

</tr>

<tr>

<td height="65" bgcolor="#FF0000"><span
class="style6">Address</span></td>

<td><textarea id="address" name="address" rows="3" cols="25"></textarea></td>

</tr>

<tr>

<td height="43" bgcolor="#FF0000"><span class="style6">Enter Pincode
(required)</span></td>

<td><input id="pincode" name="pincode" class="text" /></td>

</tr>

<tr>

<td height="43" bgcolor="#FF0000"><span class="style6">Select Profile
Picture(required) </span></td>

<td><input type="file" id="pic" name="pic" class="text" /></td>

</tr>

<tr>

<td height="43" rowspan="3">
```

```
<p>&nbsp;</p></td>

<td align="left" valign="middle"> <p>&nbsp;</p>

<p>

<input name="submit" type="submit" value="REGISTER" />

</p>

<div align="right">

<p align="right"><a href="userlogin.jsp" class="style4">Back</a></p>

</div></td>

</tr>

</table>

</form>

</div>

<div class="clr"></div>

</div>

</div>

<div class="sidebar">

<div class="gadget">

<h2 class="star"><span>Sidebar</span> Menu</h2>
```

```
<div class="clr"></div>

<ul class="sb_menu">

  <li class="style7"><a href="index.html">Home</a></li>

  <li class="style7"><a href="#">User</a></li>

  <li><span class="style7"><a href="#">Server</a></span></li>

</ul>

</div>

<div class="gadget">

  <ul class="ex_menu"><li></li>

</ul>

</div>

</div>

<div class="clr"></div>

</div>

</div>

<div class="fbg">

  <div class="fbg_resize">

    <div class="clr"></div>

  </div>

</div>
```



```
</div>

<div class="footer"></div>

</div>

<div align=center></div>

</body>

</html>
```

## 8.2 USER LOGIN SCREEN

### Userlogin.jsp

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<title>user login page</title>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<link href="css/style.css" rel="stylesheet" type="text/css" />

<link rel="stylesheet" type="text/css" href="css/coin-slider.css" />

<script type="text/javascript" src="js/cufon-yui.js"></script>

<script type="text/javascript" src="js/cufon-georgia.js"></script>
```

```
<script type="text/javascript" src="js/jquery-1.4.2.min.js"></script>

<script type="text/javascript" src="js/script.js"></script>

<script type="text/javascript" src="js/coin-slider.min.js"></script>

<style type="text/css">

<!--

.style4 {color: #FF0000}

.style5 {font-weight: bold}

.style6 {color: #FFFFFF}

-->

</style>

</head>

<body>

<div class="main">

<div class="header">

<div class="header_resize">

<div class="logo">

<h1><a href="index.html">Emotion Recognition on Twitter</a></h1>

</div>

<div class="searchform"></div>
```

```
<div class="clr"></div>

<div class="menu_nav">

<ul>

<li ><a href="index.html"><span>Home Page</span></a></li>

<li class="active"><a href="userlogin.jsp"><span>User</span></a></li>

<li><a href="register.jsp"><span>Register</span></a></li>

<li><a href="serverlogin.jsp"><span>Tweet Server</span></a></li>

</ul>

</div>

<div class="clr"></div>

<div class="slider">

<div id="coin-slider"> <a href="#"></a> <a href="#"></a> <a href="#"></a> </div>

<div class="clr"></div>

</div>

<div class="clr"></div>

</div>

</div>
```

```
<div class="content">

<div class="content_resize">

<div class="mainbar">

<div class="article">

<h2 class="style4">Welcome to User Login </h2>

<p class="infopost">&nbsp;</p>

<div class="img"></div>

<div class="post_content">

<p align="justify"><form action="authentication.jsp?type=<%= "user"%>"
method="post">

<table width="418" border="2">

<tr>

<td width="148" height="48" bgcolor="#99FF33"><span class="style7
style6"><em><strong>User Name (required)</strong></em></span></td>

<td width="258"><input id="name" name="userid" class="text" /></td>

</tr>

<tr>

<td height="44" bgcolor="#99FF33"><span class="style7
style6"><em><strong>Password (required)</strong></em></span></td>

<td><input type="password" id="password" name="pass" class="text" /></td>
```

```
</tr>

<tr>

<td height="51"></td>

<td><input name="imageField" type="submit" class="style4" id="imageField"
value="Login" />

<input name="Reset" type="reset" class="style4" value="Reset" />

New user?<a href="register.jsp">Register </a> </td>

</tr>

</table>

</form></p>

<p class="spec">&nbsp;</p>

</div>

<div class="clr"></div>

</div>

</div>

<div class="sidebar">

<div class="gadget">

<h2 class="star"><span>Sidebar</span> Menu</h2>

<div class="clr"></div>
```

```
<ul class="sb_menu style5">

    <li><a href="index.html">Home</a></li>

    <li><a href="userlogin.jsp">User</a></li>

    <li><a href="serverlogin.jsp">Server</a></li>

</ul>

</div>

<div class="gadget">

    <h2 class="star">&nbsp;</h2>

    <ul class="ex_menu"><li></li>

</ul>

</div>

</div>

<div class="clr"></div>

</div>

</div>

<div class="fbg">

    <div class="fbg_resize">

        <div class="clr"></div>

</div>
```

```
</div>

<div class="footer"></div>

</div>

<div align=center></div>

</body>

</html>
```

### 8.3 SERVER LOGIN SCREEN

#### Serverlogin.jsp

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml">

<head>

<title>server login page</title>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<link href="css/style.css" rel="stylesheet" type="text/css" />

<link rel="stylesheet" type="text/css" href="css/coin-slider.css" />

<script type="text/javascript" src="js/cufon-yui.js"></script>

<script type="text/javascript" src="js/cufon-georgia.js"></script>

<script type="text/javascript" src="js/jquery-1.4.2.min.js"></script>
```

```
<script type="text/javascript" src="js/script.js"></script>

<script type="text/javascript" src="js/coin-slider.min.js"></script>

<style type="text/css">

<!--

.style4 {color: #FF0000}

.style5 {color: #FFFFFF}

-->

</style>

</head>

<body>

<div class="main">

<div class="header">

<div class="header_resize">

<div class="logo">

<h1><a href="index.html">Emotion Recognition on Twitter</a></h1>

</div>

<div class="searchform"></div>

<div class="clr"></div>

<div class="menu_nav">
```



```
<ul>

<li><a href="index.html"><span>Home Page</span></a></li>

<li><a href="userlogin.jsp"><span>User</span></a></li>

<li class="active"><a href="serverlogin.jsp"><span>Tweet Server</span></a></li>

</ul>

</div>

<div class="clr"></div>

<div class="slider">

    <div id="coin-slider"> <a href="#"></a> <a href="#"></a> <a href="#"></a> </div>

    <div class="clr"></div>

</div>

<div class="clr"></div>

</div>

<div class="content">

    <div class="content_resize">

        <div class="mainbar">
```

```
<div class="article">

<h2 class="style4">Welcome to Tweet Server Login </h2>

<p class="infopost">&nbsp;</p>

<div class="img"></div>

<div class="post_content">

  <p align="justify"> <form action="authentication.jsp?type=<%= "server"%>"
method="post">

    <table width="418" border="2">

      <tr>

        <td width="148" height="48" bgcolor="#00FF00"><span class="style7
style5"><strong>User Name (required)</strong></span></td>

        <td width="258"><input id="name" name="userid" class="text" /></td>

      </tr>

      <tr>

        <td height="44" bgcolor="#00FF00"><span class="style7 style5"><strong>Password
(required)</strong></span></td>

        <td><input type="password" id="password" name="pass" class="text" /></td>

      </tr>

      <tr>

        <td height="51"></td>
```

```
<td><input name="imageField" type="submit" class="style4" id="imageField"
value="Login" />
```

```
<input name="Reset" type="reset" class="style4" value="Reset" /></td>
```

```
</tr>
```

```
</table>
```

```
</form></p>
```

```
<p class="spec">&nbsp;</p>
```

```
</div>
```

```
<div class="clr"></div>
```

```
</div>
```

```
</div>
```

```
<div class="sidebar">
```

```
<div class="gadget">
```

```
<h2 class="star"><span>Sidebar</span> Menu</h2>
```

```
<div class="clr"></div>
```

```
<ul class="sb_menu">
```

```
<li><a href="index.html">Home</a></li>
```

```
<li><a href="userlogin.jsp">User</a></li>
```

```
<li><a href="serverlogin.jsp">Server</a></li>
```

```
</ul>

</div>

<div class="gadget">

  <h2 class="star">&nbsp;</h2>

</div>

</div>

<div class="clr"></div>

</div>

</div>

<div class="fbg">

  <div class="fbg_resize">

    <div class="clr"></div>

  </div>

</div>

<div class="footer"></div>

</div>

<div align=center></div>

</body>

</html>
```