


2. Fundamentos de Git I


1.



```
C:\Users\aitor>git --version
git version 2.33.0.windows.2

C:\Users\aitor>
```

2.



```
C:\Users\aitor>git --version
git version 2.33.0.windows.2

C:\Users\aitor>git config --global user.name "AitorSDG80"

C:\Users\aitor>git config --global user.email serna20879@iesmarenostrum.com


C:\Users\aitor>git config --global core.editor "'C:\Users\aitor\AppData\Local\Programs\Microsoft VS Code\Code.exe' -multiInst -notabbar -nosession -noPlugin"

C:\Users\aitor>git config --global credential.helper wincred

C:\Users\aitor>
```

3.

a)



```
C:\Users\aitor\Desktop>cd S1R1

C:\Users\aitor\Desktop\S1R1>git init
Initialized empty Git repository in C:/Users/aitor/Desktop/S1R1/.git/

C:\Users\aitor\Desktop\S1R1>
```

b)

```
C:\Users\aitor\Desktop\S1R1>copy con libros.txt
1984
The Witcher
Game of Thrones
      1 archivo(s) copiado(s).
```


c)

```
C:\Users\aitor\Desktop\S1R1>git add libros.txt

C:\Users\aitor\Desktop\S1R1>git commit -m "Primera version"
[master (root-commit) 0cc05ca] Primera version
 1 file changed, 3 insertions(+)
 create mode 100644 libros.txt

C:\Users\aitor\Desktop\S1R1>
```

d)

A screenshot of the Visual Studio Code editor interface. The title bar at the top says "libros.txt - Visual Studio Code". Below the title bar is a menu bar with "File", "Edit", "View", "Run and Debug", "Help", "Manage", and "Learn More". The main editor area shows the file "libros.txt" with the following content:


```
C: > Users > aitor > Desktop > S1R1 > libros.txt
1  1984
2  The Witcher
3  Game of Thrones
4  Rebellion en la granja
5  Dr slump
```

e)

```
C:\Users\aitor\Desktop\S1R1>git add libros.txt

C:\Users\aitor\Desktop\S1R1>git commit -m "Segunda version"
[master 63eeaa4] Segunda version
 1 file changed, 1 insertion(+), 1 deletion(-)
```


f)



The screenshot shows the Visual Studio Code editor with the file 'películas.txt' open. The file path is 'C:\Users\aitor\Desktop\S1R1 > películas.txt'. The content of the file is a numbered list of movies:

```
1  Viernes 13
2  Stars Wars
3  Alien el octavo pasajero
```

g)




The screenshot shows a terminal window with the following output:

```
C:\Users\aitor\Desktop\S1R1>git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        películas.txt

nothing added to commit but untracked files present (use "git add" to track)
C:\Users\aitor\Desktop\S1R1>
```

h)



The screenshot shows the Visual Studio Code editor with the file 'comidas.txt' open. The file path is 'C:\Users\aitor\Desktop\S1R1 > comidas.txt'. The content of the file is a numbered list of food items:

```
1  lentejas
2  asado
3  pizza
```

i)


```
C:\Users\aitor\Desktop\S1R1>git add peliculas.txt

C:\Users\aitor\Desktop\S1R1>git add comidas.txt

C:\Users\aitor\Desktop\S1R1>git commit -m "Tercera version"
[master cca0a8d] Tercera version
 2 files changed, 6 insertions(+)
 create mode 100644 comidas.txt
 create mode 100644 peliculas.txt

C:\Users\aitor\Desktop\S1R1>_
```

j)



k)

```
all features. Manage Learn More
... libros.txt peliculas.txt X
C: > Users > aitor > Desktop > S1R1 > peliculas.txt
1 Viernes 13
2 Stars Wars
3 Alien el octavo pasajero
4 Predator
5 Psicosis
```

l)

```
C:\Users\aitor\Desktop\S1R1>git status
On branch master
Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    deleted:    comidas.txt
    modified:   peliculas.txt

no changes added to commit (use "git add" and/or "git commit -a")
```

m)

```
C:\Users\aitor\Desktop\S1R1>git add peliculas.txt
```

```
C:\Users\aitor\Desktop\S1R1>git add comidas.txt
```

n)


```
C:\Users\aitor\Desktop\S1R1>git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    deleted:    comidas.txt
    modified:   peliculas.txt
```

ñ)

```
C:\Users\aitor\Desktop\S1R1>git commit -m "Cuarta version"
[master d2f9c01] Cuarta version
 2 files changed, 3 insertions(+), 4 deletions(-)
 delete mode 100644 comidas.txt


C:\Users\aitor\Desktop\S1R1>
```

o)




```
libros.txt  peliculas.txt  datos.bak
C: > Users > aitor > Desktop > S1R1 > datos.bak
1 Quijote
2 Un mundo feliz
3 La ciudadela
```

p)



Nombre	Fecha de modificación	Tipo
salida.txt	21/09/2021 19:49	Documento de te..




```
libros.txt  peliculas.txt  datos.bak  salida.txt
C: > Users > aitor > Desktop > S1R1 > output > salida.txt
1 Aitor Dario Serna Gamayo
```

q)

```
C:\Users\aitor\Desktop\S1R1>git add .

C:\Users\aitor\Desktop\S1R1>git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        new file:   datos.bak
        new file:   output/salida.txt
```

r)



```
C:\Users\aitor\Desktop\S1R1> .gitignore
1 *.bak
2 output/
```

s)

```
C:\Users\aitor\Desktop\S1R1>git restore --staged .

C:\Users\aitor\Desktop\S1R1>git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
        .gitignore

nothing added to commit but untracked files present (use "git add" to track)
C:\Users\aitor\Desktop\S1R1>
```

t)

```
C:\Users\aitor\Desktop\S1R1>git add .gitignore

C:\Users\aitor\Desktop\S1R1>git commit -m "Ultima version"
[master c2a462c] Ultima version
 1 file changed, 2 insertions(+)
 create mode 100644 .gitignore

C:\Users\aitor\Desktop\S1R1>
```

u)

```
C:\Users\aitor\Desktop\S1R1>git log
commit c2a462c91cb69df902b991bb50e826b9f899286f (HEAD -> master)
Author: AitorSDG80 <serna20879@iesmarenosttrum.com>
Date: Tue Sep 21 20:06:52 2021 +0200
```

Ultima version

```
commit d2f9c016fa70a174cd945d0bf282e8f57a6e5e62
Author: AitorSDG80 <serna20879@iesmarenosttrum.com>
Date: Tue Sep 21 19:37:52 2021 +0200
```

Cuarta version

```
commit cca0a8d64e7d3ab0d601a64b2d7258eedcd6720a
Author: AitorSDG80 <serna20879@iesmarenosttrum.com>
Date: Tue Sep 21 19:30:56 2021 +0200
```

Tercera version

```
commit 63eeaa45547e95ca003efb136bd823299673e5c0
Author: AitorSDG80 <serna20879@iesmarenosttrum.com>
Date: Tue Sep 21 19:25:15 2021 +0200
```

Segunda version

```
commit f7e297b15f7a0bbecf0f0d14c791f33061433b67
Author: AitorSDG80 <serna20879@iesmarenosttrum.com>
Date: Tue Sep 21 19:24:46 2021 +0200
```

Primera version

3. Fundamentos de Git II

1.

```
C:\Users\aitor\Desktop>mkdir S2R1
```

a)

```
C:\Users\aitor\Desktop>cd S2R1
C:\Users\aitor\Desktop\S2R1>git init
Initialized empty Git repository in C:/Users/aitor/Desktop/S2R1/.git/
```

b)

```
actores.txt X
C: > Users > aitor > Desktop > S2R1 > actores.txt
1 Clint Eastwood
2 Banderas
3 Tarantino
```

c)

```
C:\Users\aitor\Desktop\S2R1>git add actores.txt
C:\Users\aitor\Desktop\S2R1>git commit -m "Primera version"
[master (root-commit) 9bd1196] Primera version
1 file changed, 3 insertions(+)
create mode 100644 actores.txt
```

d)

```
nothing to commit, working tree clean
C:\Users\aitor\Desktop\S2R1>git branch test
C:\Users\aitor\Desktop\S2R1>
```

e)

```
C:\Users\aitor\Desktop\S2R1>git checkout test
Switched to branch 'test'
```

f)

```
≡ actrices.txt X
C: > Users > aitor > Desktop > S2R1 > ≡ actrices.txt
1   Penelope Cruz
2   Silvia Abril
3   Ana Ruiz
```

```
C:\Users\aitor\Desktop\S2R1>git add actrices.txt
C:\Users\aitor\Desktop\S2R1>git commit -m "Primera actualizacion en rama test"
[test ff7fe52] Primera actualizacion en rama test
1 file changed, 3 insertions(+)
create mode 100644 actrices.txt
```

g)

```
C:\Users\aitor\Desktop\S2R1>git log --graph --all
* commit ff7fe52b598eba64bd3df076053c34107a34e8e0 (HEAD -> test)
 | Author: Aitor Serna <serna20879@iesmarenostrum.com>
 | Date:   Wed Sep 22 18:32:07 2021 +0200
 |
 |     Primera actualizacion en rama test
 |
 * commit 9bd1196ee5dd6dd3ef65843010d6fc03fc34b57b (master)
 | Author: AitorSDG80 <serna20879@iesmarenostrum.com>
 | Date:   Tue Sep 21 20:14:50 2021 +0200
 |
 |     Primera version
C:\Users\aitor\Desktop\S2R1>
```

h)

```
C:\Users\aitor\Desktop\S2R1>git checkout master
Switched to branch 'master'
```

i)

```
C:\Users\aitor\Desktop\S2R1>git merge test
Updating 9bd1196..ff7fe52
Fast-forward
 actrices.txt | 3 +++
 1 file changed, 3 insertions(+)
 create mode 100644 actrices.txt
```

j)

```
C:\Users\aitor\Desktop\S2R1>git branch test2
```

k)

```
C: > Users > aitor > Desktop > S2R1 > actrices.txt
1 Penelope Cruz
2 Silvia Abril
3 Ana Ruiz
4 Manuela Carmena
```

```
C:\Users\aitor\Desktop\S2R1>git add actrices.txt
C:\Users\aitor\Desktop\S2R1>git commit -m "Manuela Carmena"
[master 5898063] Manuela Carmena
 1 file changed, 2 insertions(+), 1 deletion(-)
```

l)

```
C:\Users\aitor\Desktop\S2R1>git checkout test2
Switched to branch 'test2'
```

m)

```
C:\Users\aitor\Desktop\S2R1>git add actrices.txt
C:\Users\aitor\Desktop\S2R1>git commit -m "Antonia San Juan"
[test2 1eb7f72] Antonia San Juan
 1 file changed, 2 insertions(+), 1 deletion(-)
```

n)

```
C:\Users\aitor\Desktop\S2R1>git log --graph --all
* commit 1eb7f725cc15a89beebbf5e9a7146615161c6e1 (HEAD -> test2)
 | Author: AitorDSG80 <serna20879@iesmarenostrum.com>
 | Date:   Wed Sep 22 18:52:07 2021 +0200
 |
 |     Antonia San Juan
 |
 | * commit 58980638ebf3ad7099708b7dbcf841370275c8b7 (master)
 | / Author: AitorDSG80 <serna20879@iesmarenostrum.com>
 |   Date:   Wed Sep 22 18:49:58 2021 +0200
 |
 |     Manuela Carmena
 |
 | * commit ff7fe52b598eba64bd3df076053c34107a34e8e0 (test)
 | Author: Aitor Serna <serna20879@iesmarenostrum.com>
 | Date:   Wed Sep 22 18:32:07 2021 +0200
 |
 |     Primera actualizacion en rama test
 |
 | * commit 9bd1196ee5dd6dd3ef65843010d6fc03fc34b57b
 | Author: AitorSDG80 <serna20879@iesmarenostrum.com>
 | Date:   Tue Sep 21 20:14:50 2021 +0200
 |
 |     Primera version
```

ñ)

```
C:\Users\aitor\Desktop\S2R1>git checkout master
Switched to branch 'master'
```

o)

```
C:\Users\aitor\Desktop\S2R1>git merge test2
Auto-merging actrices.txt
CONFLICT (content): Merge conflict in actrices.txt
Automatic merge failed; fix conflicts and then commit the result.
```

```

C:\Users\aitor\Desktop\S2R1>git status
On branch master
You have unmerged paths.
  (fix conflicts and run "git commit")
  (use "git merge --abort" to abort the merge)

Unmerged paths:
  (use "git add <file>..." to mark resolution)
        both modified:   actrices.txt

no changes added to commit (use "git add" and/or "git commit -a")

```

p)

```

≡ actrices.txt X
C: > Users > aitor > Desktop > S2R1 > ≡ actrices.txt
1   Penelope Cruz
2   Silvia Abril
3   Ana Ruiz
4   Manuela Carmena
5   Antonia San Juan

```

```

C:\Users\aitor\Desktop\S2R1>git add actrices.txt

C:\Users\aitor\Desktop\S2R1>git status
On branch master
All conflicts fixed but you are still merging.
  (use "git commit" to conclude merge)

Changes to be committed:
        modified:   actrices.txt

```

```

C:\Users\aitor\Desktop\S2R1>git commit -m "Manuela Carmena y Antonia San Juan"
[master 7ed9fa3] Manuela Carmena y Antonia San Juan

```

q)

```
C:\Users\aitor\Desktop\S2R1>git log --graph --all
*   commit 7ed9fa3b0c766d103d22486777358cc90f1464e0 (HEAD -> master)
  \  Merge: 5898063 1eb7f72
    Author: AitorDSG80 <serna20879@iesmarenostrum.com>
    Date:   Wed Sep 22 19:15:55 2021 +0200

        Manuela Carmena y Antonia San Juan

*   commit 1eb7f725cc15a89beebbf5e9a7146615161c6e1 (test2)
  \  Author: AitorDSG80 <serna20879@iesmarenostrum.com>
    Date:   Wed Sep 22 18:52:07 2021 +0200

        Antonia San Juan

*   commit 58980638ebf3ad7099708b7dbcf841370275c8b7
  \  Author: AitorDSG80 <serna20879@iesmarenostrum.com>
    Date:   Wed Sep 22 18:49:58 2021 +0200

        Manuela Carmena

*   commit ff7fe52b598eba64bd3df076053c34107a34e8e0 (test)
  \  Author: Aitor Serna <serna20879@iesmarenostrum.com>
    Date:   Wed Sep 22 18:32:07 2021 +0200

        Primera actualizacion en rama test

*   commit 9bd1196ee5dd6dd3ef65843010d6fc03fc34b57b
  \  Author: AitorSDG80 <serna20879@iesmarenostrum.com>
    Date:   Tue Sep 21 20:14:50 2021 +0200

        Primera version
```

2.

```
C:\Users\aitor\Desktop\S2R1>cd ..
C:\Users\aitor\Desktop>mkdir S2R2-remoto
C:\Users\aitor\Desktop>cd S2R2-remoto
C:\Users\aitor\Desktop\S2R2-remoto>git init --bare
Initialized empty Git repository in C:/Users/aitor/Desktop/S2R2-remoto/
```

3.

```
C:\Users\aitor\Desktop>git clone S2R2-remoto/ S2R2
Cloning into 'S2R2'...
warning: You appear to have cloned an empty repository.
done.
```

a)

```
C: > Users > aitor > Desktop > S2R2 > ≡ directores.txt
1   Bardem
2   Almenabar
3   Alex de la iglesia
```

b)

```
C:\Users\aitor\Desktop\S2R2>git add directores.txt
C:\Users\aitor\Desktop\S2R2>git commit -m "3 primeros directores"
[master (root-commit) cdb9df0] 3 primeros directores
1 file changed, 3 insertions(+)
create mode 100644 directores.txt
```

c)

```
C:\Users\aitor\Desktop\S2R2>git push
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 266 bytes | 133.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To C:/Users/aitor/Desktop/S2R2-remoto/
* [new branch]      master -> master
```

d)

```
C:\Users\aitor\Desktop\S2R2>git branch version1
```

e)

```
C:\Users\aitor\Desktop\S2R2>git checkout version1
```

f)

```
C: > Users > aitor > Desktop > S2R2 > ≡ directorios.txt
1   Bardem
2   Almenabar
3   Alex de la iglesia
4   Spielberg
5   Tim Burton
```

```
C:\Users\aitor\Desktop\S2R2>git add directorios.txt
```

```
C:\Users\aitor\Desktop\S2R2>git commit -m "Spielberg y Tim Burton"
[version1 b1a6ce2] Spielberg y Tim Burton
1 file changed, 3 insertions(+), 1 deletion(-)
```

g)

```
C:\Users\aitor\Desktop\S2R2>git push -u origin version1
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 324 bytes | 324.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To C:/Users/aitor/Desktop/S2R2-remoto/
 * [new branch]      version1 -> version1
Branch 'version1' set up to track remote branch 'version1' from 'origin'.
```


4.

```
C:\Users\aitor\Desktop>git clone S2R2-remoto/ S2R3
Cloning into 'S2R3'...
done.

C:\Users\aitor\Desktop>cd S2R3
```

a)

```
C:\Users\aitor\Desktop\S2R3>type directores.txt
Bardem
Almenabar
Alex de la iglesia
C:\Users\aitor\Desktop\S2R3>git status
On branch master
Your branch is up to date with 'origin/master'.

nothing to commit, working tree clean
```

b)

```
C:\Users\aitor\Desktop\S2R3>git checkout version1
Switched to a new branch 'version1'
Branch 'version1' set up to track remote branch 'version1' from 'origin'.
```

```
C:\Users\aitor\Desktop\S2R3>git status
On branch version1
Your branch is up to date with 'origin/version1'.

nothing to commit, working tree clean
```

c)

```
C:\Users\aitor\Desktop\S2R3>type directores.txt
Bardem
Almenabar
Alex de la iglesia
Spielberg
Tim Burton
C:\Users\aitor\Desktop\S2R3>
```

d)

```
C:\Users\aitor\Desktop\S2R3>git checkout master
Switched to branch 'master'
Your branch is up to date with 'origin/master'.
```

e)

```
C:\Users\aitor\Desktop\S2R3>git merge version1
Updating cdb9df0..b1a6ce2
Fast-forward
 directorios.txt | 4 +++-
 1 file changed, 3 insertions(+), 1 deletion(-)
```

f)

```
film-burton
C:\Users\aitor\Desktop\S2R3>git push
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0
To C:/Users/aitor/Desktop/S2R2-remoto/
 cdb9df0..b1a6ce2 master -> master
```

5.

a)

```
C:\Users\aitor\Desktop\S2R2>git fetch
From C:/Users/aitor/Desktop/S2R2-remoto
 cdb9df0..b1a6ce2  master    -> origin/master

C:\Users\aitor\Desktop\S2R2>git log
commit cdb9df00613198f82cef6562e79c9f1df69b10ea (HEAD -> master)
Author: AitorDSG80 <serna20879@iesmarenostrum.com>
Date:   Wed Sep 22 19:40:54 2021 +0200

    3 primeros directores

C:\Users\aitor\Desktop\S2R2>git log --graph --all
* commit b1a6ce2eb89c4de9e0824ddd373d634f1e940f37 (origin/version1, origin/master, version1)
 | Author: AitorDSG80 <serna20879@iesmarenostrum.com>
 | Date:   Wed Sep 22 19:47:07 2021 +0200
 |
 |     Spielberg y Tim Burton
 |
 * commit cdb9df00613198f82cef6562e79c9f1df69b10ea (HEAD -> master)
 | Author: AitorDSG80 <serna20879@iesmarenostrum.com>
 | Date:   Wed Sep 22 19:40:54 2021 +0200
 |
 |     3 primeros directores
C:\Users\aitor\Desktop\S2R2>git status
On branch master
Your branch is behind 'origin/master' by 1 commit, and can be fast-forwarded.
(use "git pull" to update your local branch)

nothing to commit, working tree clean
```

b)

```
C:\Users\aitor\Desktop\S2R2>git pull
Updating cdb9df0..b1a6ce2
Fast-forward
 directores.txt | 4 +++-
 1 file changed, 3 insertions(+), 1 deletion(-)
```

c)

```
C:\Users\aitor\Desktop\S2R2>type directores.txt
Bardem
Almenabar
Alex de la iglesia
Spielberg
Tim Burton
```

- 1.
- 2.

AitorDSG80

Your personal account

Go to your personal profile

Account settings

Profile

Account

Appearance

Account security

Billing & plans

Security log

Security & analysis

Sponsorship log

Emails

Notifications

Security log

Filters

Q

Search your security log

Download

Export

Recent events

AitorDSG80 – user.login

Logged in

45.89.40.133

Catral, Valencia, Spain

2 days ago

AitorDSG80 – user.create

Created account with the email serna20879@iesmarenostrum.com

45.89.40.133

Catral, Valencia, Spain

2 days ago


Newer

Older


3.

What e-mail address do you use for school? *

Note: Selecting a school-issued email address gives you the best chance of a speedy review.

 serna20879@iesmarenostrum.com

✓ Secondary School Mare Nostrum

 Add an email address

What is the name of your school? *

Note: If your school is not listed, then enter the full school name and continue. You will be asked to provide further information about your school on the next page.

Secondary School Mare Nostrum


We chose this school based on your email. If this isn't your school, please use a different email.

How do you plan to use GitHub? *


My studies

Please note, your request cannot be edited once it has been submitted, so please verify your details for accuracy before sending them to us.


Continue



4.



a)



```
C:\Users\aitor\Desktop\sesion3-practica>git status
On branch master
Your branch is up to date with 'origin/master'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   README.md

no changes added to commit (use "git add" and/or "git commit -a")

C:\Users\aitor\Desktop\sesion3-practica>git add .

C:\Users\aitor\Desktop\sesion3-practica>git commit -m "Nombre y apellidos"
[master 58f72d2] Nombre y apellidos
 1 file changed, 1 insertion(+), 1 deletion(-)

C:\Users\aitor\Desktop\sesion3-practica>
```

b)

The screenshot shows the GitHub interface for the repository 'AitorDSG80 / sesion3-practica', which is a public fork of 'curso-github-cefire/sesion3-practica'. The 'Issues' tab is selected, showing 3 open issues. The issues are listed as follows:

Issue Title	Status	Author	Time
Añadir 3 discos	Open	AitorDSG80	#3 opened now
Añadir 3 películas	Open	AitorDSG80	#2 opened 17 seconds ago
Añadir 3 libros	Open	AitorDSG80	#1 opened 1 minute ago

c)

AitorDSG80 / sesion3-practica Public

forked from curso-github-cefire/sesion3-practica

<> Code Issues 3 Pull requests Actions Projects Wiki Security Insights Settings

Filters Q is:issue is:open

3 Open 0 Closed

- ☐ **Añadir 3 discos**
#3 opened 21 minutes ago by AitorDSG80 [Tareas sesión 3-2](#)
- ☐ **Añadir 3 películas**
#2 opened 21 minutes ago by AitorDSG80 [Tareas sesión 3-2](#)
- ☐ **Añadir 3 libros**
#1 opened 22 minutes ago by AitorDSG80 [Tareas sesión 3-2](#)

ProTip! Exclude your own issues

d) y e)

```
libros.txt x
C: > Users > aitor > Desktop > sesion3-practica > libros.txt
1 Juego de Tronos
2 El Juego de Ender
3 La Historia Interminable
4 1984
5 Payasos asesinos
6 Un mundo feliz
```

```
C:\Users\aitor\Desktop\sesion3-practica>git add libros.txt
C:\Users\aitor\Desktop\sesion3-practica>git commit -m "Añado 3 libros. Close #1"
[master 1737484] Añado 3 libros. Close #1
1 file changed, 3 insertions(+)
```

```
libros.txt  peliculas.txt X
C: > Users > aitor > Desktop > sesion3-practica > peliculas.txt
1  Orgullo y Prejuicio
2  La boda de mi mejor amiga
3  Alta Fidelidad
4  Psicosis
5  Viernes 13
6  Alien
```

```
C:\Users\aitor\Desktop\sesion3-practica>git add peliculas.txt
C:\Users\aitor\Desktop\sesion3-practica>git commit -m "Añado 3 peliculas. Close #2"
[master c5a7a23] Añado 3 peliculas. Close #2
1 file changed, 3 insertions(+)
```

```
libros.txt  peliculas.txt  discos.txt X
C: > Users > aitor > Desktop > sesion3-practica > discos.txt
1  The Beatles
2  Ella & Louis
3  Jagged Little Pill
4  The phantom of the opera
5  Algazara
6  Azken guda dantza
7
```

```
C:\Users\aitor\Desktop\sesion3-practica>git add discos.txt
C:\Users\aitor\Desktop\sesion3-practica>git commit -m "Añado 3 discos. Close #3"
[master 86bf568] Añado 3 discos. Close #3
1 file changed, 3 insertions(+)
```



```

C:\Users\aitor\Desktop\sesion3-practica>git push
Everything up-to-date

C:\Users\aitor\Desktop\sesion3-practica>git status
On branch master
Your branch is up to date with 'origin/master'.

nothing to commit, working tree clean

C:\Users\aitor\Desktop\sesion3-practica>git log --graph --all
* commit 86bf568782f82ef4a5023aeaf1955c732bbe4f91 (HEAD -> master, origin/master, origin/HEAD)
  Author: AitorDSG80 <serna20879@iesmarenostrum.com>
  Date: Thu Sep 23 19:13:41 2021 +0200

    Añado 3 discos. Close #3

* commit c5a7a2304c5bb1f4526275c31321c337f2e2b0f9
  Author: AitorDSG80 <serna20879@iesmarenostrum.com>
  Date: Thu Sep 23 19:11:05 2021 +0200

    Añado 3 películas. Close #2

* commit 173748492ba3342419731ef9f417f25b940eb21a
  Author: AitorDSG80 <serna20879@iesmarenostrum.com>
  Date: Thu Sep 23 19:08:03 2021 +0200

    Añado 3 libros. Close #1

* commit 58f72d203d7c9463ecf2ee93e3d414db759380f1
  Author: AitorDSG80 <serna20879@iesmarenostrum.com>
  Date: Thu Sep 23 18:25:39 2021 +0200

    Nombre y apellidos

* commit a692f8f70fdab13fea8cf162da5f2672ecc54087
  Author: Pedro Prieto <pedpral@gmail.com>
  Date: Thu Oct 4 20:32:07 2018 +0200

    Añado ficheros y modifíco README

* commit d81bc6bc53bafa44222bca387955a9cfdefdec59
  Author: Pedro Prieto <pedpral@gmail.com>
  Date: Thu Oct 4 20:00:59 2018 +0200

    Initial commit

```

AitorDSG80 / sesion3-practica
Public
forked from curso-github-cefire/sesion3-practica

Code
Issues
Pull requests
Actions
Projects
Wiki
Security
Insights
Settings

master
1 branch
0 tags
Go to file
Add file
Code

This branch is 4 commits ahead of curso-github-cefire:master.
Contribute
Fetch upstream

AitorDSG80 Añado 3 discos. Close #3
86bf568 29 minutes ago 6 commits

LICENSE	Initial commit	3 years ago
README.md	Nombre y apellidos	1 hour ago
discos.txt	Añado 3 discos. Close #3	29 minutes ago
libros.txt	Añado 3 libros. Close #1	34 minutes ago
peliculas.txt	Añado 3 películas. Close #2	31 minutes ago

README.md

f) y g)

Realizo un pdf de este Word, creo una carpeta Capturas en el repositorio y haremos pull Request