

HTML Chapter 2

Tables



Contents

Basic Structure of Table

Table Elements

TableAttributes



Basic Structure Of Table

This is the main tag used to define the start and end of the table. Everything related to the table structure and content should be placed inside this tag.

→ `<table>`

It stands for "table row" and it is used to group together a set of cells that belong together in the same row

→ `<tr>`

Th tag is used define a header cell in the table

→ `<th>`

Td tag is used define a standard data cell in the table

→ `<td>`



Basic Structure Of Table

<thead> stands for "table header" and defines the heading row(s) of the table. This element typically contains column labels or titles that summarize the information in each column.

→ <thead>

<tbody> stands for "table body" and encompasses the main content of the table, excluding the header and footer. This element contains the actual data rows, including data cells (<td>) for each entry.

→ <tbody>

<tfoot> stands for "table footer" and defines the footer row(s) of the table. This element is typically used for displaying summary information, additional notes, or legends relevant to the entire table.

→ <tfoot>



Table – Sample code

```
<body>
  <table>
    <tr>
      <th>Destination</th>
      <th>Package</th>
    </tr>
    <tr>
      <td>Bali</td>
      <td>$699</td>
    </tr>
    <tr>
      <td>Duabi</td>
      <td>$599</td>
    </tr>
  </table>
</body>
```



Destination Package

Bali	\$699
Duabi	\$599

Main Attributes

Border

This attribute is used to specify the width of the border around the table.

Destination	Package
Bali	\$699
Duabi	\$599

```
<body>
  <table border="1">
    <tr>
      <th>Destination</th>
      <th>Package</th>
    </tr>
    <tr>
      <td>Bali</td>
      <td>$699</td>
    </tr>
    <tr>
      <td>Duabi</td>
      <td>$599</td>
    </tr>
  </table>
</body>
```



Main Attributes

Rowspan

This attribute is used to specify the number of rows that a cell should span

Destination	Package
Bali	\$699
Duabi	

```
<body>
  <table border="1">
    <tr>
      <th>Destination</th>
      <th>Package</th>
    </tr>
    <tr>
      <td rowspan="2">Bali</td>
      <td>$699</td>
    </tr>
    <tr>
      <td>Duabi</td>
    </tr>
  </table>
</body>
```



Main Attributes

Colspan

This attribute is used to specify the number of columns that a cell should span

Destination	Package
Bali	
Duabi	\$599

```
<body>
  <table border="1">
    <tr>
      <th>Destination</th>
      <th>Package</th>
    </tr>
    <tr>
      <td colspan="2">Bali</td>
    </tr>
    <tr>
      <td>Duabi</td>
      <td>$599</td>
    </tr>
  </table>
</body>
```



Main Attributes

Align

This attribute is used to align content horizontally within a table. It can be set to values like "left," "center," or "right."

Destination	Package
Bali	
Duabi	\$599

```
<body>
  <table border="1">
    <tr>
      <th>Destination</th>
      <th>Package</th>
    </tr>
    <tr>
      <td colspan="2" align="center">Bali</td>
    </tr>
    <tr>
      <td>Duabi</td>
      <td>$599</td>
    </tr>
  </table>
</body>
```



Main Attributes

Valign

This attribute is used to align content vertically within a table. It can be set to values like "top," "center," or "bottom".

Destination	Package
Bali	\$699
Duabi	

```
<body>
  <table border="1">
    <tr>
      <th>Destination</th>
      <th>Package</th>
    </tr>
    <tr>
      <td rowspan="2" valign="center">Bali</td>
      <td>$699</td>
    </tr>
    <tr>
      <td>Duabi</td>
    </tr>
  </table>
</body>
```



Main Attributes

Cellpadding

The cellpadding attribute controls the space between the content of a cell and the cell border.

Destination	Package
Bali	\$699
Duabi	\$599

```
<body>
  <table border="1" cellpadding="20">
    <tr>
      <th>Destination</th>
      <th>Package</th>
    </tr>
    <tr>
      <td>Bali</td>
      <td>$699</td>
    </tr>
    <tr>
      <td>Duabi</td>
      <td>$599</td>
    </tr>
  </table>
</body>
```



Main Attributes

Cellspacing

This attribute controls the space between cells in a table. It defines the gap or padding between adjacent cells of the table.

Destination	Package
Bali	\$699
Duabi	\$599

```
<body>
  <table border="1" cellspacing="20">
    <tr>
      <th>Destination</th>
      <th>Package</th>
    </tr>
    <tr>
      <td>Bali</td>
      <td>$699</td>
    </tr>
    <tr>
      <td>Duabi</td>
      <td>$599</td>
    </tr>
  </table>
</body>
```



What We Discussed ?



Questions?

