Exception Handling Fundamentals

MODULE 5 CHAPTER 2

Introduction

What Are Exceptions?

- An exception is an **unexpected problem** that stops normal program flow.
  Example: wrong user input, file not found, no internet, etc.

- Exception handling helps the program **continue running without crashing**.

- It makes applications more **stable and user-friendly**.

Why is Exception Handling Important?

- Prevents the program from stopping suddenly.
- Shows clear error messages instead of crashing.
- Helps developers find and fix problems easily.
- Makes your program reliable.

Fundamentals – Terminology & Types

Key Terms

try → code that may cause an error

catch → code that handles the error

finally → code that runs whether there is an error or not

throw → manually create an error

throws → tells the method that it may cause an error

Types of Exceptions

1. **Checked Exception**
    - Must be handled using try-catch.
2. **Unchecked Exception**
    - Happens at runtime.
    - Example: divide by zero, null pointer.

Handling Exceptions

Specific vs General Exceptions

- **Specific exception**: Handles one particular known error. Example: catching only FileNotFoundException.
- **General exception**: Catches any type of error using `Exception`.

Custom Exceptions

- You can create your own exception class.
- Useful when you need special error messages.

Rethrowing Exceptions

- A caught exception can be thrown again.
- Useful when the **main part of the program** should handle it.



Advanced Techniques

Nested try-catch

- Putting one try-catch inside another.
- Useful when different parts of the code need different error handling.

Chained Exceptions

- One exception contains another exception’s information.
- Helps understand the **root cause** of the problem.

Exception Handling in Multithreading

- When multiple threads run, they may try to access the same resource.
- You must use **synchronization** to avoid errors.
- Handle exceptions carefully to make threads safe.

Exercise 1

```
PS D:\Flutter-Batch-6\Module 5 - Exception\Chapter 2\student\Rahul\exercise\student_reg_1> dart run student_reg_1
Building package executable...
Built student_reg_1:student_reg_1.

Enter the Number of Students register:
2
Enter Student 1 details:

Enter the ID:100
Enter the Name:ram
Enter the Address:kunnamkulam
Enter the Phone Number:8976545682
Enter the Father name:raaman
Enter the Mother name:seetha

Enter Student 2 details:

Enter the ID:101
Enter the Name:anu
Enter the Address:choodel
Enter the Phone Number:9544998720
Enter the Father name:krishnan
Enter the Mother name:raatha

----------REGISTERED STUDENTS----------

ID : 100
NAME : ram
ADDRESS : kunnamkulam
MOBILE NO : 8976545682
FATHER NAME: raaman
MOTHER NAME :seetha
----------------------------------------

ID : 101
NAME : anu
ADDRESS : choodel
MOBILE NO : 9544998720
FATHER NAME: krishnan
MOTHER NAME :raatha
```

bin > student_reg_1.dart > main

```dart
import 'dart:io';
class Student{
  String? id;
  String? name;
  String? address;
  String? phno;
  String? fname;
  String? mname;
  Student(this.id,this.name,this.address,this.phno,this.fname,this.mname);
  void stdlist(){
    print('');
    print('ID : $id');
    print('NAME : $name');
    print('ADDRESS : $address');
    print('MOBILE NO : $phno');
    print('FATHER NAME: $fname');
    print('MOTHER NAME :$mname');
    print('----------------------------------------');
  }
}
Run | Debug
void main(){
  List<Student> student=[];
  print('');
  stdout.write("Enter the Number of Students register:");
  print('');
  String? nn=stdin.readLineSync();
  int n = int.parse(nn!);

  for (int i = 0; i < n; i++){

    print('Enter Student ${i+1} details:');
    print('');
    stdout.write("Enter the ID:");
    String? id =stdin.readLineSync();
    stdout.write("Enter the Name:");
    String? name =stdin.readLineSync();
    stdout.write("Enter the Address:");
    String? address =stdin.readLineSync();
    stdout.write("Enter the Phone Number:");
    String? phno =stdin.readLineSync();
    stdout.write("Enter the Father name:");
    String? fname =stdin.readLineSync();
    stdout.write("Enter the Mother name:");
    String? mname =stdin.readLineSync();
    print('');

    student.add(Student(id, name, address, phno, fname, mname));

  }

  print('----------REGISTERED STUDENTS----------');
  for (var s in student){
        s.stdlist();
      }
  print('----------------------------------------');
```

```
----------------------------------------
OPTIONS
1. VIEW ALL STUDENTS
2. VIEW STUDENT BY ID
3. DELETE STUDENT BY ID
4. EXIT
Choose an Option : 1
----------ALL STUDENTS DETAILS------------

ID : 100
NAME : ram
ADDRESS : kunnamkulam
MOBILE NO : 8976545682
FATHER NAME: raaman
MOTHER NAME :seetha
----------------------------------------

ID : 101
NAME : anu
ADDRESS : choodel
MOBILE NO : 9544998720
FATHER NAME: krishnan
MOTHER NAME :raatha
----------------------------------------
```

```dart
while (true){
  print('OPTIONS');
  print('1. VIEW ALL STUDENTS');
  print('2. VIEW STUDENT BY ID');
  print('3. DELETE STUDENT BY ID');
  print('4. EXIT');
  stdout.write('Choose an Option : ');
  String? op = stdin.readLineSync();
  int option = int.parse(op!);
  switch(option){

    case 1:
      print('----------ALL STUDENTS DETAILS------------');
        if(student.isEmpty){
          print("no students found");
        }
        else{
            for (var s in student){
          s.stdlist();
        }
        }
      print('----------------------------------------');
    break;
```

```dart
case 2:
  stdout.write('Enter student Id : ');
  String? stidview = stdin.readLineSync();

  if(student.isEmpty){
    print('No students available!');
  }
  else{
    try{
    Student vstd = student.firstWhere(
      (s) => s.id == stidview,
    );
  print('------------STUDENT DETAILS---------------');
    vstd.stdlist();
  print('------------------------------------------');
  }catch(e){
    print('Incorrect ID');
  }
  }

break;
```

```
----------------------------------------
OPTIONS
1. VIEW ALL STUDENTS
2. VIEW STUDENT BY ID
3. DELETE STUDENT BY ID
4. EXIT
Choose an Option : 2
Enter student Id : 101
------------STUDENT DETAILS---------------

ID : 101
NAME : anu
ADDRESS : choodel
MOBILE NO : 9544998720
FATHER NAME: krishnan
MOTHER NAME :raatha
----------------------------------------
```

```dart
        case 3:
          stdout.write('Enter student Id : ');
          print('');
          String? stidremove = stdin.readLineSync();
          int before =student.length;
          int rid = int.parse(stidremove!);
          student.removeWhere(
            (sa) => sa.id == rid.toString()
          );
          if (student.length<before)
          {
            print('Student deleted Sucessfuly');
          }
          else{
            print('Incorrect ID');
          }

          break;
      case 4:

        print('Exiting');
        return;
      default:
        print('');
        print('Invalid choice - Enter (1-4).');
    }
  }
}
```

```
----------------------------------------
OPTIONS
1. VIEW ALL STUDENTS
2. VIEW STUDENT BY ID
3. DELETE STUDENT BY ID
4. EXIT
Choose an Option : 3
Enter student Id :
100
Student deleted Sucessfuly
OPTIONS
1. VIEW ALL STUDENTS
2. VIEW STUDENT BY ID
3. DELETE STUDENT BY ID
4. EXIT
Choose an Option : 1
----------ALL STUDENTS DETAILS------------

ID : 101
NAME : anu
ADDRESS : choodel
MOBILE NO : 9544998720
FATHER NAME: krishnan
MOTHER NAME :raatha
----------------------------------------
 ----------------------------------------
 OPTIONS
 1. VIEW ALL STUDENTS
 2. VIEW STUDENT BY ID
 3. DELETE STUDENT BY ID
 4. EXIT
 Choose an Option : 4
 1. VIEW ALL STUDENTS
 2. VIEW STUDENT BY ID
 3. DELETE STUDENT BY ID
 4. EXIT
 Choose an Option : 4
 Exiting
```

Exercise 2







FLEXIBLE

THANK YOU !