🔬 Lab 5

Step 1:

- Show the status of the listener.

```
[oracle@oraclevm ~]$ lsnrctl status

LSNRCTL for Linux: Version 19.0.0.0.0 - Production on 13-JUN-2026 16:40:00

Copyright (c) 1991, 2019, Oracle.  All rights reserved.

Connecting to (ADDRESS=(PROTOCOL=tcp)(HOST=)(PORT=1521))
TNS-12541: TNS:no listener
 TNS-12560: TNS:protocol adapter error
  TNS-00511: No listener
   Linux Error: 111: Connection refused
```

Step 2:

- Start up your listener if not started.

```
[oracle@oraclevm ~]$ lsnrctl start

LSNRCTL for Linux: Version 19.0.0.0.0 - Production on 13-JUN-2026 16:40:13

Copyright (c) 1991, 2019, Oracle.  All rights reserved.

Starting /u01/app/oracle/product/19.0/dbhome_1/bin/tnslsnr: please wait...

TNSLSNR for Linux: Version 19.0.0.0.0 - Production
System parameter file is /u01/app/oracle/product/19.0/dbhome_1/network/admin/listener.or
a
Log messages written to /u01/app/oracle/diag/tnslsnr/oraclevm/listener/alert/log.xml
Listening on: (DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=oraclevm)(PORT=1521)))

Connecting to (ADDRESS=(PROTOCOL=tcp)(HOST=)(PORT=1521))
STATUS of the LISTENER
------------------------
Alias                     LISTENER
Version                   TNSLSNR for Linux: Version 19.0.0.0.0 - Production
Start Date                13-JUN-2026 16:40:14
Uptime                    0 days 0 hr. 0 min. 0 sec
Trace Level               off
Security                  ON: Local OS Authentication
SNMP                      OFF
Listener Parameter File   /u01/app/oracle/product/19.0/dbhome_1/network/admin/listener.o
ra
Listener Log File         /u01/app/oracle/diag/tnslsnr/oraclevm/listener/alert/log.xml
Listening Endpoints Summary...
  (DESCRIPTION=(ADDRESS=(PROTOCOL=tcp)(HOST=oraclevm)(PORT=1521)))
The listener supports no services
The command completed successfully
```

Step 3:

- view your tnsnames file configuration.

```
[oracle@oraclevm ~]$ cat $ORACLE_HOME/network/admin/tnsnames.ora
# tnsnames.ora Network Configuration File: /u01/app/oracle/product/19.0/dbhome_1/network
/admin/tnsnames.ora
# Generated by Oracle configuration tools.

LISTENER_SADB =
  (ADDRESS = (PROTOCOL = TCP)(HOST = 127.0.0.1)(PORT = 1521))


SADB =
  (DESCRIPTION =
    (ADDRESS = (PROTOCOL = TCP)(HOST = 127.0.0.1)(PORT = 1521))
    (CONNECT_DATA =
      (SERVER = DEDICATED)
      (SERVICE_NAME = SADB)
    )
  )

[oracle@oraclevm ~]$
```

Step 4:

- If your database is not configured in your tnsnames file then add it to the file and try to understand what is the contents of this file.

To make a connection, Oracle Net requires the client to know four specific details: The protocol the listener is using.
The host where the listener is running.
The port the listener is monitoring.
The service name the listener is handling.

Step 5:

- test the connection to your database using "tnsping" command.

```
[oracle@oraclevm ~]$ tnsping SADB

TNS Ping Utility for Linux: Version 19.0.0.0.0 - Production on 13-JUN-2026 16:43:37

Copyright (c) 1997, 2019, Oracle.  All rights reserved.

Used parameter files:
/u01/app/oracle/product/19.0/dbhome_1/network/admin/sqlnet.ora


Used TNSNAMES adapter to resolve the alias
Attempting to contact (DESCRIPTION = (ADDRESS = (PROTOCOL = TCP)(HOST = 127.0.0.1)(PORT
= 1521)) (CONNECT_DATA = (SERVER = DEDICATED) (SERVICE_NAME = SADB)))
OK (10 msec)
[oracle@oraclevm ~]$
```

Step 6:

- connect to your database through network using system user.

```
SQL> conn system/123@SADB
Connected.
SQL> 
```

Step 7:

- Do the necessary steps to let sys user connect to the database instance through network.

```
SQL> conn sys/123@SADB as sysdba
Connected.
SQL> 
```

Step 8:

- Connect with your user "myuser" as sysdba through netwok.

```
SQL> conn myuser/123@SADB as sysdba
Connected.
SQL> 
```