

 Isacdiazb@gmail.co... 

Ctrl K

 Account home

 Recents >

 Domains >

Observe

 Investigate >

 Analytics >

Build

 Compute >

 AI >

 Storage & databases >

R2 Object Storage

R2 Data Catalog Beta

Postgres & MySQL (Hyperd...

Workers KV

D1 SQLite Database

Analytics Engine

Pipelines Beta >

Secrets Store New

 Media >

Protect & connect

 Application security >

 Zero Trust



R2 Object Storage > agency-media

[Objects](#) [Metrics](#) [Settings](#)

General

Name: agency-media

Created: Aug 22, 2026

Location: Eastern North America (ENAM)

S3 API: <https://19a8d0522883df318005ecdb0a44fe04.r2.cloud> 

Custom Domains

Expose the contents of this R2 bucket to the internet through a custom domain. Recommended for production use.

[+ Add](#)

There is no custom domain assigned to this bucket.

Public Development URL

Expose the contents of this R2 bucket to the internet through the Public Development URL when enabled.

[Enable](#)

The public development URL is disabled for this bucket.

R2 Data Catalog Beta

Add an Apache Iceberg REST catalog, to allow query engines to manage and query Iceberg tables stored in R2.

[Enable](#)

The R2 Data Catalog is disabled for this bucket.

CORS Policy

Configure CORS headers that R2 will set when accessing this bucket's contents from a browser.

[+ Add](#)

There is no CORS Policy defined for this bucket.

Object Lifecycle Rules na

Specify rules to automatically manage objects after a specified time. [+ Add](#)

☐	Rule Name	Prefix	Actions	Status
☐	Default Multipart Abort Rule	--	Abort uploads after 7 day(s)	Enabled na

Bucket Lock Rules na

Set a retention policy to prevent object overwrites and deletions until the specified period ends. [+ Add](#)

There are no bucket lock rules defined for this bucket.

Event Notifications na

Automatically trigger Workers and take action when data in your R2 bucket changes by using Cloudflare Queues.

Using event notifications requires you to purchase a Workers Paid plan.

Explore what's offered.

[Blog post](#) 

Read our blog post to learn more about what's new and how event notifications can be used to create automated functions.

[Documentation](#) 

Read our documentation to learn more about functionality and how to use event notifications.

Pay-as-you-go

Workers Paid Plan required

Purchase Workers Paid

On Demand Migration na

Continuously migrate data from an Amazon S3, Google Cloud, or Azure Blob Storage bucket to this bucket only as read requests are made. [Enable](#)

On Demand Migration is not enabled for this bucket.

Local Uploads Beta na

Improve performance for cross-region uploads. Check your [Request Distribution](#) metrics to see where your requests originate [Enable](#)

requests originate.

Local Uploads

Disabled

Default Storage Class

Specify which storage class new objects will automatically be placed in.

Class:

[Edit](#)

Standard

Empty Bucket

Delete all objects and folders in this bucket. The bucket and its configurations will remain.

Empty

Delete Bucket

Permanently delete this bucket and all configurations associated with it.

Delete

[Support](#)

[System Status](#)

[Careers](#)

[Terms of Use](#)

[Report Security Issues](#)

[Privacy Policy](#)



[Cookie Preferences](#)

© 2026 Cloudflare, Inc.