# Lab Assignments Data Communication and Networks



Submitted by: Ajay Singh (20U03058) Submitted to: Dr. Vishakha Chourasia (Professor)

Indian Institute of Information Technology, Bhopal

# **Department of Information Technology**

Data Communiction and Network (IT-311)

Bachelor of Technology 3<sup>rd</sup> Year, 5<sup>th</sup> Semster

# **Index: Table of Content**

S.No	Assignment Name	Performance Date	Submission Date	Page No
1.	Know the Basics of Cisco Packet Tracer. Download and work with CPT.	27/07/2022	27/07/2022	1
2.	Establish pair to pair communication and show that delivery of packets is successful check MAC and PHY address of systems.	03/08/2022	03/08/2022	11
3.	Simulate LAN using HUB after setting show packet movement through simulation.	03/08/2022	03/08/2022	12
4.	Demonstrate the use of the switch and show through stimulation the working of the same.	10/08/2022	10/08/2022	14
5.	Demonstrate static routing with the use of the router to establish communication between two different LANs.	10/08/2022	10/08/2022	16
6.	Demonstrate Dynamic routing with the use of the router to establish communication between two different LANs.	17/08/2022	17/08/2022	18

- 1) Know the Basics of Cisco Packet Tracer.
- 2) Download and work with CPT.

#### **Solution:**


#### **Cisco Packet Tracer:**

#### Introduction –


- The leaders in Networking.
- It is a cross-platform visual simulation tool designed by Cisco System that allows users to create network topologies and imitate modern computer networks.
- The software allows users to simulate the configuration of Cisco routers and switches using a simulated command line interface.
- Platforms: Windows, Linux, Android, MacOS.
- An innovative and powerful networking simulation tool used for practice, discovery and, troubleshooting.
- Helps to understand network practically.

#### How To Download Cisco Packet Tracer...


Step 1 –



#### Step 2 -



**Step 3** –



Step 4 -




This course is now improved and available on a new website. Making it more engaging and efficient for you.

You will be redirected to the <u>Skills For All</u> with Cisco website. Once there, enroll in a Cisco Packet Tracer course to download the so tware and get started.

Click on Skills For All

If the window hasn't opened, select this link: Skills For All

*Step 5 –* 



Practice Real Skills. Virtually.

Deepen your understanding of how a network works, and step into the virtual lab to build your own! With Cisco Packet Tracer, you can watch how data travels across your network using Simulation Mode, or practice setting up your own device rack and cables in Physical Mode. Once you are ready, expands your simulations to analyze network traffic, add Internet of Things (IoT) devices, integrate Python code, or practice network automation skills. New to networking? No problem. Cisco Packet Tracer enables a suite of tutored activities that give you hints along the way, if you want them. Packet Tracer Tutored Activities are currently available for select courses.

With over a million users across the globe, you will find a vibrant community to share network designs, ideas, and more. Best of all, it's


Cisco Packet Tracer is a powerful tool – let us help you be successful with updated features, tips, and best practices. Enroll in our short Getting Star with Cisco Packet Tracer course to download the latest version.

#### Step 7-




Step 8 -





# Step 9 –



Meet our innovative network simulation and visualization tool, Cisco Packet Tracer. This virtual lab is an interactive way to practice networking, IoT, and cybersecurity – no hardware required! This course introduces you to the Cisco Packet Tracer simulation environment. Learn how to use Cisco Packet Tracer to visualize and simulate a network using everyday examples. Practice your skills with interactive virtual lab activities, and hone your problem-solving skills, too. Get valuable tips and best practices and gain confidence to use this powerful tool in later courses or for your own practice.

Enroll to download Cisco Packet Tracer for free and get started today!

Achievements





No purchase required, anytime.




2 Hours

Estimated time to complete - but finish it in your time.







**4 Languages** English, Español, Português, Français



Step 11 –




Step 12 -




## Step 13 –


## Learning Resources



Step 14 –



#### Step 15 -



Step 16 –




You have successfully logged in to Cisco Packet Tracer. You may close this tab.


Establish pair to pair communication and show that delivery of packets is successful check MAC and PHY address of systems.




```
C:\>ipconfig
FastEthernet0 Connection: (default port)
   Connection-specific DNS Suffix..:
   Link-local IPv6 Address.....: FE80::20A:41FF:FE5C:9360
   IPv6 Address....: ::
   IPv4 Address..... 10.10.10.1
   Subnet Mask..... 255.0.0.0
   Default Gateway....:::
                                   0.0.0.0
Bluetooth Connection:
   Connection-specific DNS Suffix..:
  Link-local IPv6 Address....: ::
   IPv6 Address....:::
   IPv4 Address..... 0.0.0.0
   Subnet Mask..... 0.0.0.0
  Default Gateway....:::
                                   0.0.0.0
C:\>ping 10.10.10.2
Pinging 10.10.10.2 with 32 bytes of data:
Reply from 10.10.10.2: bytes=32 time=1ms TTL=128
Reply from 10.10.10.2: bytes=32 time<1ms TTL=128
Reply from 10.10.10.2: bytes=32 time<1ms TTL=128
Reply from 10.10.10.2: bytes=32 time<1ms TTL=128
Ping statistics for 10.10.10.2:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
   Minimum = 0ms, Maximum = 1ms, Average = 0ms
C:\>
```




Simulate LAN using HUB after setting show packet movement through simulation.




```
Cisco Packet Tracer PC Command Line 1.0
C:\>ipconfig
FastEthernet0 Connection: (default port)
  Connection-specific DNS Suffix..:
  Link-local IPv6 Address..... FE80::202:16FF:FE80:797A
  IPv6 Address....:::
  IPv4 Address..... 10.10.10.3
   Subnet Mask..... 255.0.0.0
  Default Gateway....:::
                                   0.0.0.0
Bluetooth Connection:
  Connection-specific DNS Suffix..:
  Link-local IPv6 Address....:::
  IPv6 Address....: ::
   IPv4 Address..... 0.0.0.0
   Subnet Mask..... 0.0.0.0
  Default Gateway....:::
                                   0.0.0.0
C:\>ping 10.10.10.6
Pinging 10.10.10.6 with 32 bytes of data:
Reply from 10.10.10.6: bytes=32 time<1ms TTL=128
Reply from 10.10.10.6: bytes=32 time<1ms TTL=128 Reply from 10.10.10.6: bytes=32 time<1ms TTL=128
Reply from 10.10.10.6: bytes=32 time<1ms TTL=128
Ping statistics for 10.10.10.6:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
   Minimum = Oms, Maximum = Oms, Average = Oms
C:\>
```




Question: Demonstrate the use of the switch and show through stimulation the working of the same.




```
Cisco Packet Tracer PC Command Line 1.0
C:\>ipconfig
FastEthernet0 Connection: (default port)
   Connection-specific DNS Suffix..:
Link-local IPv6 Address......: FE80::210:11FF:FEAC:C73D
   IPv6 Address....: ::
IPv4 Address....: 10.10.10.0
    Subnet Mask..... 255.0.0.0
    Default Gateway....::::
                                           0.0.0.0
Bluetooth Connection:
   Connection-specific DNS Suffix..:
   Link-local IPv6 Address....::
   IPv6 Address....: ::
    IPv4 Address..... 0.0.0.0
   Subnet Mask..... 0.0.0.0
   Default Gateway....::::
                                           0.0.0.0
C:\>ping 10.10.10.2
Pinging 10.10.10.2 with 32 bytes of data:
Reply from 10.10.10.2: bytes=32 time<1ms TTL=128 Reply from 10.10.10.2: bytes=32 time<1ms TTL=128 Reply from 10.10.10.2: bytes=32 time<1ms TTL=128 Reply from 10.10.10.2: bytes=32 time<1ms TTL=128
Ping statistics for 10.10.10.2:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss), Approximate round trip times in milli-seconds:
     Minimum = 0ms, Maximum = 0ms, Average = 0ms
C:\>
```




Question: Demonstrate static routing with the use of the router to establish communication between two different LANs.








```
Cisco Packet Tracer PC Command Line 1.0
C:\>ipconfig
FastEthernet0 Connection: (default port)
  Connection-specific DNS Suffix..:
  Link-local IPv6 Address.....: FE80::210:11FF:FEAC:C73D
  IPv6 Address....::::
  IPv4 Address..... 10.10.10.0
  Subnet Mask..... 255.0.0.0
  Default Gateway....::::
                                0.0.0.0
Bluetooth Connection:
  Connection-specific DNS Suffix..:
  Link-local IPv6 Address....:::
  IPv6 Address....: ::
  IPv4 Address..... 0.0.0.0
  Subnet Mask..... 0.0.0.0
  Default Gateway....:::
                                0.0.0.0
C:\>ping 10.10.10.2
Pinging 10.10.10.2 with 32 bytes of data:
Reply from 10.10.10.2: bytes=32 time<1ms TTL=128
Ping statistics for 10.10.10.2:
   Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
   Minimum = 0ms, Maximum = 0ms, Average = 0ms
C:\>
```


Question: Demonstrate Dynamic routing with the use of the router to establish communication between two different LANs.











```
Cisco Packet Tracer PC Command Line 1.0
C:\>ipconfig
FastEthernet0 Connection: (default port)
  Connection-specific DNS Suffix..:
  Link-local IPv6 Address.....: FE80::210:11FF:FEAC:C73D
  IPv6 Address....: ::
  IPv4 Address..... 10.10.10.0
  Subnet Mask..... 255.0.0.0
  Default Gateway....:::
                                0.0.0.0
Bluetooth Connection:
  Connection-specific DNS Suffix..:
  Link-local IPv6 Address....:::
  IPv6 Address....: ::
  IPv4 Address..... 0.0.0.0
  Subnet Mask..... 0.0.0.0
  Default Gateway....::::
                                0.0.0.0
C:\>ping 10.10.10.2
Pinging 10.10.10.2 with 32 bytes of data:
Reply from 10.10.10.2: bytes=32 time<1ms TTL=128
Ping statistics for 10.10.10.2:
   Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
   Minimum = 0ms, Maximum = 0ms, Average = 0ms
C:\>
```