

**A TECHNICAL REPORT ON
STUDENT INDUSTRIAL WORK EXPERIENCE SCHEME (SIWES)**

BY

ABDURAHMAN NUHU

20U/360048

**TECHNICAL REPORT (SIWES) SUBMITTED TO THE DEPARTMENT OF
COMPUTER SCIENCE, FACULTY OF SCIENCE.**

ADAMAWA STATE UNIVERSITY, MUBI (ADSU)

SEPTEMBER, 2024

**A TECHNICAL REPORT ON
STUDENT INDUSTRIAL WORK EXPERIENCE SCHEME (SIWES)**

UNDERTAKEN AT

**AMJAD INTEGRATED SERVICES NIG LTD MUBI
ADAMAWA STATE**

BY

ABDURAHMAN NUHU

20U/360048

**TECHNICAL REPORT (SIWES) SUBMITTED TO THE DEPARTMENT OF
COMPUTER SCIENCE FACULTY OF SCIENCE**

ADAMAWA STATE UNIVERSITY, MUBI (ADSU)

**IN PARTIAL FULFILMENT OF THE REQUIREMENT FOR THE AWARD OF
BACHELOR OF SCIENCE DEGREE (B.Sc.) IN COMPUTER SCIENCE**

SEPTEMBER, 2024

DECLARATION

I hereby declare that this report was written by me and it is a record my own work. It has not been presented before in any previewed application for any degree. All reference cited has been duly acknowledged

.

APPROVAL PAGE

This report work has been read and approved as having met the requirement of the Department of Computer Science, Faculty of Science, Adamawa State University Mubi (ADSU), and Nigeria for the award of Bachelor of Science.

Dr. Nachandiya Nathan
(SIWES Coordinator)

Date

DEDICATION

This report is dedicated to the Almighty God, who is my source of strength, and has remained my sustenance and my keeper, and to my lovely family for their prayers, love, unwavering support and encouragement.

ACKNOWLEDGEMENTS

I appreciate God Almighty for His unfailing love, mercies and sufficient grace to me. God has been so faithful to me, He has been my sustenance throughout the period of this Industrial attachment, glory be to His Holy name.

I appreciate all those who have tutored me both directly and indirectly, and also support me in many different ways. I am grateful for your love. My profound gratitude goes to all the members of AMJAD, for the vast knowledge impacted.

Furthermore, I recognize the efforts of Dr. Yusufu Gaambo, Mr. Hamidu Mohammed, Salm Innuwa Gella the Chief Operating officer (COO), Mr. Mahmud Saleh they have been very supportive to me, God bless you richly. I also acknowledge and salute the team spirit exhibited by my colleagues here, some are my course mates from ADSU, and coincidentally we got industrial placement in the same place. To all those too numerous to mention and have been very supportive, I say thank you all.

TABLE OF CONTENT

Table of Contents

DECLARATION	iii
APPROVAL PAGE	iv
DEDICATION	v
ACKNOWLEDGEMENTS	vi
TABLE OF CONTENT	vii
LIST OF FIGURE	ix
CHAPTER ONE:	1
INTRODUCTION	1
1.1 BRIEF HISTORY OF SIWES	1
1.2 AIMS AND OBJECTIVES OF SIWES	2
1.3 ROLES OF STUDENT	2
1.4 OBJECTIVES OF THE REPORT	2
CHAPTER TWO:	4
HISTORY OF ORGANIZATION	4
2.1 ORGANIZATIONAL CHART	4
2.2 BRIEF HISTORY OF THE ORGANIZATION	5
CHAPTER THREE:	6
WORK EXPERIENCE I	6
3.0 EXPERIENCE OBTAINED FROM AMJAD INTEGRATED SERVICES NIG LTD DURING MY PERIOD OF INDUSTRIAL TRAINING	6
3.1 A BRIEF DESCRIPTION OF NETWORKING	6
3.1 DEFINATION OF NETWORKING	6
3.2 BENEFIT OF COMPUTER NETWORKING	6
3.2.1 Peer-to-peer networks	7
3.2.2 Client/server networks	7
3.3 COMPONENT OF NETWORK	7
3.4 TYPES OF NETWORKING	8
3.5 NETWORKING DEVICES	8
2.5.1 Network Interface Card	8

3.5.2 MODEM:.....	9
2.5.3 Router	9
2.5.4 Switch.....	10
3.5.5 Bridge	10
3.5.6 Hub.....	10
3.5.7 Repeater.....	11
3.5.8 Crimping tools	11
3.5.9 Cable Tester	12
3.6 ETHERNET STANDARD CABLING	12
3.6.1 TYPES OF ETHERNET CABLE	12
3.7 REGISTERED JACK 45 (RJ 45) CONNECTORS.....	14
3.8 HOW TO CRIMP AN ETHERNET CABLE	15
3.9 NETWORK CABLE ARRANGEMENT.....	15
CHAPTER FOUR:	17
WORK EXPERIENCE II	17
4.0 INTRODUCTION TO UI-UX DESGN (PRODUCT DESGN) USNG FIGMA	17
CHAPTER FIVE	23
5.0 SUMMARY RECOMMENDATIONS AND CONCLUSION	23
5.1 SUMMARY	23
5.2 RECOMMENDATIONS AND CONCLUSION.....	23

LIST OF FIGURE

Figure 1 Organizational Chart	4
Figure 2 Peer-to-peer networks.....	7
Figure 3 Network Interface Card	9
Figure 4 MODEM.....	9
Figure 5 Router:	9
Figure 6 Switch	10
Figure 7 Bridge	10
Figure 8 Hub	11
Figure 9 Repeater:	11
Figure 10 Crimping tools	11
Figure 11 Cable Tester.....	12
Figure 12 Register Jack 45.....	15
Figure 13 layout	19
Figure 14 Figma layout view	20
Figure 15 Paper wireframes	20
Figure 16 Low-Fidelity prototypes	21
Figure 17 High-Fidelity Prototypes	22

CHAPTER ONE:

INTRODUCTION

1.1 BRIEF HISTORY OF SIWES

SIWES was founded in 1973 by ITF (Industrial Training Funds) to address the problem of tertiary institution graduates' lack of appropriate skills for employment in Nigerian industries. The Students' Industrial Work Experience Scheme (SIWES) was founded to be a skill training program to help expose and prepare students of universities, Polytechnics and colleges of education for the industrial work situation to be met after graduation.

This system facilitates the transfer from the classroom to the workplace and aids in the application of knowledge. The program allows students to become acquainted with and exposed to the experience required in handling and operating equipment and machinery that are typically not available at their schools.

Prior to the establishment of this scheme, there was a rising concern and trend among industrialists that graduates from higher education institutions lacked appropriate practical experience for employment. Students who entered Nigerian universities to study science and technology were not previously trained in the practical aspects of their chosen fields. As a result of their lack of work experience, they had difficulty finding work.

As a result, employers believed that theoretical education in higher education was unresponsive to the needs of labor employers. Thousands of Nigerians faced this difficulty till 1973. The fund's main motivation for establishing and designing the scheme in 1973/74 was launched against this context.

The ITF (Industrial Training Fund) organization decided to aid all interested Nigerian students and created the SIWES program. The federal government officially approved and presented it in 1974. During its early years, the scheme was entirely supported by the ITF, but as the financial commitment became too much for the fund, it withdrew in 1978. The National Universities Commission (NUC) and the National Board for Technical Education (NBTE) were given control of the scheme by the federal government in 1979. The federal government handed over supervision and implementation of the scheme to ITF in November 1984. It was taken over by

the Industrial Training Fund (ITF) in July 1985, with the federal government bearing entire responsibility for funding.

1.2 AIMS AND OBJECTIVES OF SIWES

The Industrial Training Fund's Policy Document No. 1 of 1973 which established SIWES outlined the objectives of the scheme as:

- i. Provide an avenue for students in Institutions of higher learning to acquire industrial skills and experience in their respective courses of study.
- ii. Prepare students for the Industrial Work situation they are likely to experience after graduation.
- iii. Expose students to work methods and techniques of handling equipment and machinery that may not be available in their Institutions.
- iv. Make the transition from school to the world of work easier; and enhance students' networks for later job placements.
- v. Provide students with an opportunity to apply their knowledge to real work situations, thereby bridging the gap between theory and practice; and
- vi. Enlist and strengthen Employers' involvement in the entire educational process; thereby preparing the students for employment in Industry and Commerce.

1.3 ROLES OF STUDENT

- i. Attend SIWES orientation program before going on attachment.
- ii. Comply with the establishment's rule and regulation.
- iii. Arrange living accommodation during the period of attachment.
- iv. Record all training activity done and other assignment in the log book.
- v. Complete SPEI from ITF, FORM 8 and get it endorsed by the employer for submission to the ITF.

1.4 OBJECTIVES OF THE REPORT

The objectives of the SIWES report are;

- i. To make thorough explanation of the work done during my four-month industrial training.
- ii. To fulfill the requirement for national diploma in computer science.
- iii. To contribute to the body of knowledge and to enhance the understanding of the writer about a similar or same job.

1.5 Role of ITF in SIWES

In 1990 Gideon spelt out the role played by the industrial training fund (ITF) on (SIWES) to include:

- 1. To direct, co-ordinate and finance (SIWES) Program in Nigerian institution of higher learning.
- 2. To provide funds for payment of student allowance.
- 3. To supervise students during the period of attachment in different organizations.
- 4. To ensure the submission of materials to the ITF office.

1.6 The Roles of Students during SIWES

The roles of students on Students Industrial Work Experience Scheme are:

- i) To attend SIWES orientation program organized in their various institutions before leaving for their respective places of attachment.
- ii) To obey the authorities as well as yield to the rules and regulations of the establishment or organization where they are attached to.
- iii) To be regular and punctual at the various organizations they are attached to.

CHAPTER TWO:

HISTORY OF THE ORGANIZATION

2.1 ORGANIZATIONAL CHART OF AMJAD




Figure 1 Organizational Chart

2.2 BRIEF HISTORY OF THE ORGANIZATION

Amjad Integrated Services Nig Ltd was established as a private company limited by shares in Nigeria on June 17, 2020. It was founded by Alhaji Mahmud Jatau. The company operates under the registration number RC-1676565.

This Company has 165 Desktops Computers and 3 laptops with 7 numbers of staff; this company is located at Lokuwa near Emir Palace GSS junction.

Services offered include JAMB Registration and Jamb CBT (computer Base test) and is a center in Nigeria that approved by jamb for the registration of UTME examination. Other services include computer training and offering of SEWES Training to students of various institutions



CHAPTER THREE:

WORK EXPERIENCE

3.0 EXPERIENCE OBTAINED FROM AMJAD INTEGRATED SERVICES NIG LTD DURING MY PERIOD OF INDUSTRIAL TRAINING.

3.1 A BRIEF DESCRIPTION OF NETWORKING

3.1 DEFINATION OF NETWORKING

A computer network or data network is a digital telecommunication network, which allows nodes to share resources. In computer networks, networked computing devices exchange data with each other using a data link. The connections between nodes are established using either cable media or wireless media (Pal, 2013)

A computer networking can be defined as a collection of two or more computers that have some sort of communication path between them. It can also be the practice of linking two or more computer devices together for the purpose of sharing information. Networking is built with a mix of computer hardware and software.

3.2 BENEFIT OF COMPUTER NETWORKING

The benefits of networking are improving the efficiency and effectiveness of work by allowing you to: Dini, etal (2023).

- i. Store commonly used files on a shared drive for easier access
- ii. Share files in electronic form to reduce printing cost and paper waste
- iii. Share resources, such as hard drives, printings, scanners etc.
- iv. Share software with multi-user licenses
- v. Send files to individual co-workers with intra-office email
- vi. Perform data backup quicker and easier with files and share derive
- vii. Give co-workers access to view files on your hard disk from their computers
- viii. Connect your entire office to the internet through one line

A computer network consists of a collection of computers, printers and other Equipment's below diagram gives an example of a network in a school comprising of a Local area network or LAN connecting computers with each other, the Internet, and various servers.

Broadly speaking, there are two types of network configuration,

- i. Peer-to-peer network
- ii. Client/server network

3.2.1 Peer-to-peer networks: - are more commonly implemented where less than ten computers are involved and where strictly security is not necessary. All computers have the same status, hence the term 'peer', and they communicate with each other on an equal footing. Files, such as word Processing or spreadsheet documents, can be shared across the network and all the computers on the network can share devices, such as printers or Scanners, which are connected to any one computer.




Figure 2 Peer-to-peer networks

2.2.2 Client/server networks: - are more suitable for larger networks. A central computer, or 'server', acts as the storage location for files and applications shared on the network. Usually the server is a higher than average performance computer. The server also controls the network access of the other computers which are referred to as the 'client' computers. Typically, teachers and students in a school will use the client computers for their work and only the network administrator (usually a designated staff member) will have access rights to the server.

3.3 COMPONENT OF NETWORK

Components of Network also known as network equipment or computer networking devices are physical devices which are required for communication and interaction between devices on a computer network.

- i. A minimum of at least two computers
- ii. A cable that connect the computers to each other
- iii. A network interface card on each computer
- iv. A switch used to switch data from one point to another
- v. A Network operating system software

3.4 TYPES OF NETWORKING

We have about five types of network but in course of these report, I will concentrate on LAN those networks include.

- i. Personal Area Network (PAN)
- ii. Local Area Network (LAN)
- iii. Campus Area Network (CAN)
- iv. Metropolitan Area Network (MAN)
- v. Wide Area Network (WAN)

3.5 NETWORKING DEVICES

Network device (networking hardware) is unit that mediate data in a computer network and that they are known as network equipment. Some network equipment's are;

2.5.1 Network Interface Card: The network interface card is a physical card which provides a connection for the physical network. The card comes in different sort or adapter: ISA, PCI, PCMCIA, USB and lots more. Each computer in a network has a special expansion card called a network interface card (NIC). The NIC prepares (formats) and sends data, receives data, and controls data flow between the computer and the network.

On the transmit side, the NIC passes frames of data on to the physical layer, which transmits the data to the physical link. On the receiver's side, the NIC processes bits received from the physical layer and processes the message based on its contents.



Figure 3 Network Interface Card

3.5.2 MODEM: Modems (Modulator-Demodulator) are used to connect network node via wire not originally designed for digital network traffic, or for wireless. To do this more carrier signals are modulated by the digital signal to produce an analog signal that can be tailored to give the required properties for transmission.



Figure 4 MODEM

Gateway: This device is placed at a network node and interface with another network that uses different protocols. It works on OSI layer 4 to 7.

2.5.3 Router: A specialized network device that determine the next network point to which it can forward a data packet. Unlike a gateway, it cannot interface different protocol. It works on OSI layer 3.



Figure 5 Router:

2.5.4 Switch: a device that allocates traffic from one network segment to certain lines (intended destination(s)) which connect the segment to another network segment. Unlike a hub, a switch splits the network traffic and sends it to different destinations rather than to all system on the network. It works on OSI layer 2. Switch is a telecommunication device grouped as one of computer network components. Switch is like a Hub but built in with advanced features. It uses physical device addresses in each incoming message so that it can deliver the message to the right destination or port. Like a hub, switch doesn't broadcast the received message to entire network; rather before sending it checks to which system or port should the message be sent. In other words, switch connects the source and destination directly which increases the speed of the network. Both switch and hub have common features: Multiple RJ-45 ports, power supply and connection lights.



Figure 6 Switch

3.5.5 Bridge: A device that connect multiple network segment along the data link layer. It works on ISO layer 2.



Figure 7 Bridge

3.5.6 Hub: A device that connects multiple Ethernet segments, when using a hub, every attached device shares the same broadcast domain and the same collision domain. Therefore, only one computer connected to hub is able to transmit at a time. Depending on the network topology, the hub provides a basic level 1 OSI model connection among the network objects (workstations,

server etc.). It provides bandwidth, which is shared among the entire object, in contrast to switches, which provide a connection between individual nodes. It works on OSI layer 1.



Figure 8 Hub

3.5.7 Repeater: A device which amplifies or regenerate digital signals received while send them from one part of a network into another. It works on OSI layer.



Figure 9 Repeater:

3.5.8 Crimping tools: is a device used to conjoin two pieces of metal by deforming one both of the in a way that causes them to hold each other. The result of the tool's work is called a crimp. A good example of crimping is the process of affixing a connector to the end of a cable, for instance, network cables and phone cables are created using a crimping tool.



Figure 10 Crimping tools

3.5.9 Cable Tester: is a device that is used to test the strength and connectively of a particular type of a cable or other wired assemblies. There are a number of different types of cable testers, each able to test a specific type of cable or wire (some may be able to test different types of cable or wire). A cable tester can test whether cable or wire is set up properly, connected correctly, and the communication strength between the source and destination.



Figure 11 Cable Tester

3.6 ETHERNET STANDARD CABLING

Ethernet is a network through which a twisted cable is used. There are two standards of cabling according to Ethernet, which are:


- i. T568B: This implies WG, G, WO, B, WB, O, WBr, and Br as white green, green, white orange, blue, white blue, orange, white brown, brown respectively.
- ii. T568B: This implies the code WO, O, WG, B, WB, G, WBr, and Br as white orange, orange, white green, blue, white blue, green, white brown, brown respectively. Straight through cable as T568B at both end while crossover has T568B at one end, and has T568B at the other end.

3.6.1 TYPES OF ETHERNET CABLE

1. Straight through cable
2. Crossover cable
3. Rolled cable

3.6.2 STRAIGHT THROUGH CABLE


Four wires are used in straight-through cable to connect Ethernet devices. It is relatively simple to create this type.



- i. *Pc to Router*
- ii. *Switch to Router*
- iii. *Switch to Pc*

3.6.3 CROSS OVER CABLE

The same four wires are used in this cable as in the straight-through cable; we just connect different pins together.




- i. *Pc to Pc*
- ii. *Switch to Switch*

iii. Router to Router

3.6.3 ROLLED CABLE

Rolled cable isn't used to connect any Ethernet connections together, you can use a rolled Ethernet cable to connect a host to a router console serial communication (com) port.



3.7 REGISTERED JACK 45 (RJ 45) CONNECTORS

Registered Jack 45 (RJ45) is a standard type of physical connector for network cables. RJ45 connectors are most commonly seen with Ethernet cables and networks.

Modern Ethernet cable feature small plastic plugs on each end that are inserted into the RJ45 jacks of Ethernet devices. The term “plug” refers to the cable or “male” end of the connection while the term “jack” refers to the port or “female” end.

RJ45 plugs feature eight pins to which the wire strands of a cable interface electricity. Each plug has eight locations spaced about 1mm apart into which individual wires are inserted using special cable crimping tools. The industry calls these types of connector 8P8C, shorthand for Eight Position, Eight Contact.

Ethernet cables and 8P8C connectors must be crimped into the RJ45 wiring pattern to function properly. Technically 8P8C can be used with other types of connections besides Ethernet; for example, However, because RJ45 is by far the predominant usage of 8P8C, industry professional often use the two terms interchangeably.



Figure 12 Register Jack 45

3.8 HOW TO CRIMP AN ETHERNET CABLE

Step 1: Outer Sheathe Stripping

Step 2: Wire Untwisting and 568B Scheme Arrangement

Step 3: Wire Preparation for RJ-45 Connector

Step 4: Inserting Wires into RJ-45 Connector

Step 5: Crimping and Testing Proper Crimp

3.9 NETWORK CABLE ARRANGEMENT

Hard wired network comes in handy when two or more computer systems are to share resources in a location. The wireless option comes with cost attachments which leaves the wired network an indispensable option since the cost could be manageable when the devices to be connected are very few and located within a single building. To connect two or more computers in a simple way, we need the category 5 twisted pair cable, RJ45 connectors, crimping tools, and a cable tester. The crimping tool is used for cutting the cable and to crimp the cable into the connectors. The cable tester is used to test authenticity of the connectivity.

There are two basic kinds of connectivity; straight through and cross-over. The straight through connection is used to connect a unit to other units through the interception of a router while the cross over connects from unit to unit. The unit has to be same kind of device though e.g. a computer to a computer. The cable arrangement for the connections differs slightly. The following cable color arrangements are used.

Type A arrangement.

White orange - Orange

White green - Blue

White blue - Green

White brown - Brown

Type B arrangement.

White green - Green

White orange - blue

White blue - Orange

White brown - Brown

CHAPTER FOUR:

WORK EXPERIENCE

4.0 INTRODUCTION TO UI-UX DESGN (PRODUCT DESGN) USNG FIGMA

4.1 INTRODUCTION

It has been more than 2 (two) decades that technology trends have developed very rapidly, especially the internet with various sites or better known as websites that are available as promotional media, communications and information centers, which has encouraged a web designer to create a website interface design which makes the user feel comfortable and provide convenience when using it. The modern interface design paradigm does not only prioritize the appearance of the User Interface (UI) which is more inclined to layout design, but the level of comfort, satisfaction and enjoyment and experience of the user is an important point in designing a modern website interface or better known as the User Experience (UX) (Sutcliffe, 2022).

The development of the digital world, internet and mobile has brought big changes, everything runs faster and more efficiently, because existing information can be transferred in a short time, can be accessed anywhere (mobile) more personal and segmented. This requires that an application designer not only focus on the technology, functionality and aesthetics of the application interface design, but rather on understanding and the process of how a design becomes integrated in its daily use (Javaid, et al 2024). In previous research, a web layout design is required to be adaptable or have responsive features so that the layout design can follow the screen size based on the device. In the development of application layout designs in the current era, it is highly recommended that an interface design (Sutcliffe, 2022).

Implement the user interface (UI) and User Experience (UX) method into its design. User Interface (UI) Focuses more on layout color play, typography, hierarchy, components and features contained in the application, while User Experience (UX) is more on user experience, whether the application created is easy to use or difficult for the user. Study how users interact, perform wireframe and prototyping technique and methods (Sharma & Tiwari, 2021).

The internet and the purpose of implementing UI/UX concept and techniques into the application interface design(layout) design, aims to create alignments of system requirement with business flows so as to produce an attractive user interface and user experience display, with the end result of the interface design being easy to understand in used. The user experience is determined by how easy and difficult it is for the user to interact with interface elements, features and components that the UI designer has created.

In this study, to implement UI/UX concepts and methods into interface software designs, software such as Figma will be used as the main tool for making initial designs in form of sketches or wireframes, also known as low-fidelity to the prototyping or high-fidelity stage. The other supporting tool will be the used by the Chrome and Mozilla Firefox engines to render pages, test and simulate prototypes that have been made.

The expected results of the web design interface design or application that made can meet the needs of the user (user). The application is easy to use, the placement of the objects is aligned, the harmonization of color affects the emotions of the user, and the easy of accessing the application, the design of the application provides the value for stakeholders or sponsor such as increasing user satisfaction, so that it will increase or advance company profits.

4.2 FIGMA

Figma is a collaborative web application for interface design, with additional offline features enabled by desktop applications for macOS and Windows. The feature set of Figma focuses on user interface and user experience design, with an emphasis on real-time collaboration, (Gonzalez and Robbie, 2017). Utilizing a variety of vector graphics editor and prototyping tools. The Figma mobile app for Android and iOS allows viewing and interacting with Figma prototypes in real-time on mobile and tablet devices.

4.2.1 How To Set Up Your Figma Account And Environment

1. Set up your Figma account

. Initial setup

- i. Go to <https://www.figma.com> and create an account

- ii. Create a new project using the + icon in the upper left corner and create a new project
- iii. The new project screen will appear, like so:

The blank project screen looks like the image on the left. There are 4 parts to the Figma UI:





Figure 13 layout

1. The toolbar (top), containing different design manipulation tools;
2. The layer list (left);
3. The inspector (right); and
4. The canvas (middle).

Notice that the inspector has 3 tabs: design, prototype, and code. We'll spend most of our time in the design tab.

Click the arrow in the top-middle of your screen to rename your project to **"FOOD APP DESIGN"**

1. Frame



Select the "Frame" tool:

Create a frame for the Food App screen by dragging on the canvas to draw a rectangle. This frame is the main background for our Food App onto which all the elements will be placed. Don't worry about the exact size or position yet; we'll set that in the next step.

(General note: if you make a mistake, control-Z (Windows) / command-Z (macOS) works. Add a shift modifier to redo something you undid.)

2. Using the inspector

Verify that the default “Move” tool is selected. If the frame that you created isn’t already selected, click on it to select it. In the inspector (right side), ensure that the “Design” tab is selected. Using the inspector, change the width of the frame to 283 and the height to 324. Also change the background color to #B2B2B2.

Finally, set the X and Y each to 0, and scroll the canvas to find your frame again if necessary.




Figure 14 Figma layout view

ANNUR EYE CLINIC APP DESIGN IN FIGMA

Paper wireframes

Taking the time to draft iterations of each screen of the app on paper ensured that the elements that made it to digital wireframes would be well-suited to address user pain points. For the search screen, I prioritized a quick access and search to help users save time.




Figure 15 Paper wireframes

Low-Fidelity prototype

As the initial design phase continued, I made sure to base screen designs on feedback and findings from the user research.






Figure 16 Low-Fidelity prototypes

Easy navigation was a key user need to address in the designs in addition to equipping the app to work with assistive technologies.



Low-fidelity prototype

Using the completed set of digital wireframes, I created a lowfidelity prototype. The primary user flow I connected was searching and scheduling apppointment, so the prototype could be used in a usability study. View the Annur Eye Clinic App



High-Fidelity Prototype

The final high-fidelity prototype presented cleaner user flows for scheduling appointment and checkout. It also met user needs for a appointment options. View the Annur app high-fidelity prototype




Figure 17 High-Fidelity Prototypes

CHAPTER FIVE

5.0 SUMMARY RECOMMENDATIONS AND CONCLUSION

5.1 SUMMARY

This work is a summary of my report work experience programme carried out at Amjad ICT Mubi. It explains the practical works I carried out in the organization during my attachment. The background of SIWES is covered in the chapter one of this work as well as the aims and objectives. The chapter one also has a summary of roles of ITF and students during SIWES. The chapter two has a summary of the brief history of the organization, as well as detailed Organstructure of the organization. Chapter three has a summary of the work experience (practical knowledge in the field) I gained during the course of the exercise. The projects I built and. Finally, the chapter four contains the summary, conclusion and recommendations made to further make this programme better.

5.2 RECOMMENDATIONS AND CONCLUSION

- I. Supervisors from different institutions should make sure that their students are attached to the department relevant to their course of studies.
- II. There should be a company policy for Industrial Training Attachment (ITA) students attached to the firm.

5.3 CONCLUSION

Undertaking my six (6) months of industrial training at Amjad has been a transformative and invaluable experience. Throughout this journey, I had the privilege of immersing myself in the dynamic world of technology, learning from seasoned professionals, and gaining hands-on experience in cutting-edge projects. This training has not only deepened my technical expertise but has also fostered personal growth and a greater understanding of the demands and opportunities in the technology industry.

In summary the experience I gained during my IT at AMJAD integrated services Nig Ltd has great value, as I was exposed to various programming language such as the developing program in Microsoft Visual Studio, networking, and database.

REFERENCES

Chukwurah, C (2007) “Implement of student work experience Scheme (SIWES) in Nigeria

University’’. In Retrieved from September 26, 2012.

Dini, P., Elhanashi, A., Begni, A., Saponara, S., Zheng, Q., & Gasmi, K. (2023). Overview on

intrusion detection systems design exploiting machine learning for networking cybersecurity. *Applied Sciences*, 13(13), 7507.

Gonzalez, Robbie (July 25, 2017). "[Figma Wants Designers to Collaborate Google-Docs Style](#)". *WIRED*. WIRED. [Archived](#) from the original on October 20, 2020. Retrieved June 1, 2020.

Malik, A., Burney, A., & Ahmed, F. (2020). A comparative study of unstructured data with SQL and NO-SQL database management systems. *Journal of Computer and Communications*, 8(4), 59-71.

Miller, M. (2008). *Cloud computing: Web-based applications that change the way you work and collaborate online*. Que publishing.

Pal, A. (2013). *Data communication and computer networks*. PHI Learning Pvt. Ltd..

Sharma, V., & Tiwari, A. K. (2021). A study on user interface and user experience designs and

its tools. *World Journal of Research and Review (WJRR)*, 12(6), 41-45.