2040. Kth Smallest Product of Two Sorted Arrays

Description

Given two **sorted 0-indexed** integer arrays `nums1` and `nums2` as well as an integer `k`, return *the* `k^th` *(**1-based**) smallest product of* `nums1[i] * nums2[j]` *where* `0 <= i < nums1.length` *and* `0 <= j < nums2.length`.

Example 1:

```
Input: nums1 = [2,5], nums2 = [3,4], k = 2
Output: 8
Explanation: The 2 smallest products are:
- nums1[0] * nums2[0] = 2 * 3 = 6
- nums1[0] * nums2[1] = 2 * 4 = 8
The 2nd smallest product is 8.
```

Example 2:

```
Input: nums1 = [-4,-2,0,3], nums2 = [2,4], k = 6
Output: 0
Explanation: The 6 smallest products are:
- nums1[0] * nums2[1] = (-4) * 4 = -16
- nums1[0] * nums2[0] = (-4) * 2 = -8
- nums1[1] * nums2[1] = (-2) * 4 = -8
- nums1[1] * nums2[0] = (-2) * 2 = -4
- nums1[2] * nums2[0] = 0 * 2 = 0
- nums1[2] * nums2[1] = 0 * 4 = 0
The 6th smallest product is 0.
```

Example 3:

```
Input: nums1 = [-2,-1,0,1,2], nums2 = [-3,-1,2,4,5], k = 3
Output: -6
Explanation: The 3 smallest products are:
- nums1[0] * nums2[4] = (-2) * 5 = -10
- nums1[0] * nums2[3] = (-2) * 4 = -8
- nums1[4] * nums2[0] = 2 * (-3) = -6
The 3rd smallest product is -6.
```

Constraints:

- `1 <= nums1.length, nums2.length <= 5 * 10^4`
- `-10^5 <= nums1[i], nums2[j] <= 10^5`
- `1 <= k <= nums1.length * nums2.length`
- `nums1` and `nums2` are sorted.