1436. Destination City

Description

You are given the array [paths], where $[paths[i] = [cityA_i]$, $[cityB_i]$ means there exists a direct path going from $[cityA_i]$ to $[cityB_i]$. Return the destination city, that is, the city without any path outgoing to another city.

It is guaranteed that the graph of paths forms a line without any loop, therefore, there will be exactly one destination city.

Example 1:

```
Input: paths = [["London","New York"],["New York","Lima"],["Lima","Sao Paulo"]]
Output: "Sao Paulo"
Explanation: Starting at "London" city you will reach "Sao Paulo" city which is the destination city. Your trip consist of: "London" -> "New York"
-> "Lima" -> "Sao Paulo".
```

Example 2:

```
Input: paths = [["B","C"],["D","B"],["C","A"]]
Output: "A"
Explanation: All possible trips are:
"D" -> "B" -> "C" -> "A".
"B" -> "C" -> "A".
"C" -> "A".
"A".
Clearly the destination city is "A".
```

Example 3:

```
Input: paths = [["A","Z"]]
Output: "Z"
```

Constraints:

- 1 <= paths.length <= 100
- paths[i].length == 2
- 1 <= cityA i .length, cityB i .length <= 10
- cityA i != cityB i
- All strings consist of lowercase and uppercase English letters and the space character.