980. Unique Paths III

Description

You are given an `m x n` integer array `grid` where `grid[i][j]` could be:

- `1` representing the starting square. There is exactly one starting square.
- `2` representing the ending square. There is exactly one ending square.
- `0` representing empty squares we can walk over.
- `-1` representing obstacles that we cannot walk over.

Return *the number of 4-directional walks from the starting square to the ending square, that walk over every non-obstacle square exactly once*.

Example 1:



```
Input: grid = [[1,0,0,0],[0,0,0,0],[0,0,2,-1]]
Output: 2
Explanation: We have the following two paths:
1. (0,0),(0,1),(0,2),(0,3),(1,3),(1,2),(1,1),(1,0),(2,0),(2,1),(2,2)
2. (0,0),(1,0),(2,0),(2,1),(1,1),(0,1),(0,2),(0,3),(1,3),(1,2),(2,2)
```

Example 2:



```
Input: grid = [[1,0,0,0],[0,0,0,0],[0,0,0,2]]
Output: 4
Explanation: We have the following four paths:
1. (0,0),(0,1),(0,2),(0,3),(1,3),(1,2),(1,1),(1,0),(2,0),(2,1),(2,2),(2,3)
2. (0,0),(0,1),(1,1),(1,0),(2,0),(2,1),(2,2),(1,2),(0,2),(0,3),(1,3),(2,3)
3. (0,0),(1,0),(2,0),(2,1),(2,2),(1,2),(1,1),(0,1),(0,2),(0,3),(1,3),(2,3)
4. (0,0),(1,0),(2,0),(2,1),(1,1),(0,1),(0,2),(0,3),(1,3),(1,2),(2,2),(2,3)
```

Example 3:



```
Input: grid = [[0,1],[2,0]]
Output: 0
Explanation: There is no path that walks over every empty square exactly once.
Note that the starting and ending square can be anywhere in the grid.
```

Constraints:

- `m == grid.length`
- `n == grid[i].length`
- `1 <= m, n <= 20`
- `1 <= m * n <= 20`
- `-1 <= grid[i][j] <= 2`
- There is exactly one starting cell and one ending cell.