2714. Find Shortest Path with K Hops

Description

You are given a positive integer `n` which is the number of nodes of a **0-indexed undirected weighted connected** graph and a **0-indexed 2D array** `edges` where `edges[i] = [u_i, v_i, w_i]` indicates that there is an edge between nodes `u_i` and `v_i` with weight `w_i`.

You are also given two nodes `s` and `d`, and a positive integer `k`, your task is to find the **shortest** path from `s` to `d`, but you can hop over **at most** `k` edges. In other words, make the weight of **at most** `k` edges `0` and then find the **shortest** path from `s` to `d`.

Return *the length of the* ***shortest*** *path from* `s` *to* `d` *with the given condition*.

Example 1:

```
Input: n = 4, edges = [[0,1,4],[0,2,2],[2,3,6]], s = 1, d = 3, k = 2
Output: 2
Explanation: In this example there is only one path from node 1 (the green node) to node 3 (the red node), which is (1->0->2->3) and the length of it is 4 + 2 + 6 = 12. Now we can make weight of two edges 0, we make weight of the blue edges 0, then we have 0 + 2 + 0 = 2. It can be shown that 2 is the minimum length of a path we can achieve with the given condition.
```



Example 2:

```
Input: n = 7, edges = [[3,1,9],[3,2,4],[4,0,9],[0,5,6],[3,6,2],[6,0,4],[1,2,4]], s = 4, d = 1, k = 2
Output: 6
Explanation: In this example there are 2 paths from node 4 (the green node) to node 1 (the red node), which are (4->0->6->3->2->1) and (4->0->6->3->1). The first one has the length 9 + 4 + 2 + 4 + 4 = 23, and the second one has the length 9 + 4 + 2 + 9 = 24. Now if we make weight of the blue edges 0, we get the shortest path with the length 0 + 4 + 2 + 0 = 6. It can be shown that 6 is the minimum length of a path we can achieve with the given condition.
```



Example 3:

```
Input: n = 5, edges = [[0,4,2],[0,1,3],[0,2,1],[2,1,4],[1,3,4],[3,4,7]], s = 2, d = 3, k = 1
Output: 3
Explanation: In this example there are 4 paths from node 2 (the green node) to node 3 (the red node), which are (2->1->3), (2->0->1->3), (2->1->0->4->3) and (2->0->4->3). The first two have the length 4 + 4 = 1 + 3 + 4 = 8, the third one has the length 4 + 3 + 2 + 7 = 16 and the last one has the length 1 + 2 + 7 = 10. Now if we make weight of the blue edge 0, we get the shortest path with the length 1 + 2 + 0 = 3. It can be shown that 3 is the minimum length of a path we can achieve with the given condition.
```



Constraints:

- `2 <= n <= 500`
- `n - 1 <= edges.length <= min(10^4, n * (n - 1) / 2)`
- `edges[i].length = 3`
- `0 <= edges[i][0], edges[i][1] <= n - 1`
- `1 <= edges[i][2] <= 10^6`
- `0 <= s, d, k <= n - 1`
- `s != d`
- The input is generated such that the graph is **connected** and has **no repeated edges** or **self-loops**