













NSLAB CLIENT FOR ADAPTER 1



ICDFA-NSLAB - Settings

Basic

Expert

Search settings

General

System

Display

Storage

Audio

Network

Serial Ports

USB

Shared Folders

User Interface

Network

Adapter 1

Adapter 2

Adapter 3

Adapter 4

☐ Enable Network Adapter

Attached to *Not attached*

Name

Adapter Type *Intel PRO/1000 MT Desktop (82540EM)*

Promiscuous Mode *Deny*

MAC Address

☒ Virtual Cable Connected

Serial Ports

Port 1

Port 2

Port 3

Port 4

☐ Enable Serial Port

Port Number *COM1*

IRQ *4*

I/O Port *0x3F8*

OK

Cancel

Help

ICDFA-NSLAB - Settings

Basic

Expert

Search settings

General

System

Display

Storage

Audio

Network

Serial Ports

USB

Shared Folders

User Interface

Network

Adapter 1

Adapter 2

Adapter 3

Adapter 4

☐ Enable Network Adapter

Attached to *Not attached*

Name

Adapter Type *Intel PRO/1000 MT Desktop (82540EM)*

Promiscuous Mode *Deny*

MAC Address

☒ Virtual Cable Connected

Serial Ports

Port 1

Port 2

Port 3

Port 4

☐ Enable Serial Port

Port Number *COM1*


IRQ *4*

I/O Port *0x3F8*

OK

Cancel

Help



```

Forums: https://forum.opnsense.org/
Code: https://github.com/opnsense
Reddit: https://reddit.com/r/opnsense

*** icdfa-nslab-firewall-v1.icdfa.test: OPNsense 26.7 (amd64) ***

LAN (em0) -> v4: 10.10.10.1/24
WAN (em1) ->

HTTPS: SHA256 E8 0B 30 3E D5 89 EB 63 A0 D8 83 2F E6 38 4C 22
SSH: SHA256 82 2C 5A A4 39 D5 45 54 57 50 A0 73 58 E0 46 90
SSH: SHA256 K10LtdmW484dUmuPy37tD714RA0De5LKjSU/+bKB1Tw (ECDSA)
SSH: SHA256 5wvyP8AD885sP0fHz7CgfNStFMhPwXX42x23cBxc04 (ED25519)
SSH: SHA256 6e/0XrjSdfL/Hsy8atZw0IPQGsb1P6zFfuJ/FZ50d+A (RSA)

0) Logout
1) Assign interfaces
2) Set interface IP address
3) Reset the root password
4) Reset to factory defaults
5) Power off system
6) Reboot system
7) Ping host
8) Shell
9) pfTop
10) Firewall log
11) Reload all services
12) Update from console
13) Restore a backup

Enter an option:

```

```
HTTPS: SHA256 E8 0B 30 3E D5 89 EB 63 A0 D8 83 2F E6 38 4C 22
          82 2C 5A A4 39 D5 45 54 57 50 A0 73 58 E0 46 90
SSH:      SHA256 K10LtdmW484dUmuPy37tD714RA0De5LKjSU/+bKB1Tw (ECDSA)
SSH:      SHA256 5wvyP8AD885sP0fHz7CgfNStFMhPwXXX42x23cBxco4 (ED25519)
SSH:      SHA256 6e/0XrjSdfL/Hsy8atZw0IPQGsb1P6zFfuJ/FZ50d+A (RSA)
```

- | | |
|------------------------------|-------------------------|
| 0) Logout | 7) Ping host |
| 1) Assign interfaces | 8) Shell |
| 2) Set interface IP address | 9) pfTop |
| 3) Reset the root password | 10) Firewall log |
| 4) Reset to factory defaults | 11) Reload all services |
| 5) Power off system | 12) Update from console |
| 6) Reboot system | 13) Restore a backup |

Enter an option: 1

Do you want to configure LAGGs now? [y/N]: y

LAGG-capable interfaces:

```
em0      08:00:27:ac:29:a5 Intel(R) Legacy PRO/1000 MT 82540EM
em1      08:00:27:69:d0:a6 Intel(R) Legacy PRO/1000 MT 82540EM
```

Enter the LAGG members to aggregate (or nothing if finished):

Valid interfaces are:

```
em0      08:00:27:ac:29:a5 Intel(R) Legacy PRO/1000 MT 82540EM
em1      08:00:27:69:d0:a6 Intel(R) Legacy PRO/1000 MT 82540EM
```

If you do not know the names of your interfaces, you may choose to use auto-detection. In that case, disconnect all interfaces now before hitting 'a' to initiate auto detection.

Enter the WAN interface name or 'a' for auto-detection: em1

Enter the LAN interface name or 'a' for auto-detection

NOTE: this enables full Firewalling/NAT mode.

(or nothing if finished): em0

Enter the Optional interface 1 name or 'a' for auto-detection

(or nothing if finished):

The interfaces will be assigned as follows:

WAN -> em1

LAN -> em0

Do you want to proceed? [y/N]:

```
| Code:      https://github.com/opnsense |      :
| Reddit:    https://reddit.com/r/opnsense |      :
|-----|
```

*** icdfa-nslab-firewall-v1.icdfa.test: OPNsense 26.7 (amd64) ***

```
LAN (em0)    -> v4: 10.10.10.1/24
WAN (em1)    -> v4/DHCP4: 10.0.3.15/24
              v6/DHCP6: fd17:625c:f037:3:a00:27ff:fe69:d0a6/64
```

```
HTTPS: SHA256 E8 0B 30 3E D5 89 EB 63 A0 D8 83 2F E6 38 4C 22
          82 2C 5A A4 39 D5 45 54 57 50 A0 73 58 E0 46 90
SSH:      SHA256 K10LtdmW484dUmuPy37tD714RA0De5LKjSU/+bKB1Tw (ECDSA)
SSH:      SHA256 5wvyP8AD885sP0fHz7CgfNStFMhPwXXX42x23cBxco4 (ED25519)
SSH:      SHA256 6e/0XrjSdfL/Hsy8atZw0IPQGsb1P6zFfuJ/FZ50d+A (RSA)
```

- | | |
|------------------------------|-------------------------|
| 0) Logout | 7) Ping host |
| 1) Assign interfaces | 8) Shell |
| 2) Set interface IP address | 9) pfTop |
| 3) Reset the root password | 10) Firewall log |
| 4) Reset to factory defaults | 11) Reload all services |
| 5) Power off system | 12) Update from console |
| 6) Reboot system | 13) Restore a backup |

Enter an option:

```
icdfa@icdfa-nslab-client-v1:~  
icdfa@icdfa-nslab-client-v1:~$ ping -c 4 10.10.10.1  
PING 10.10.10.1 (10.10.10.1) 56(84) bytes of data.  
64 bytes from 10.10.10.1: icmp_seq=1 ttl=64 time=0.491 ms  
64 bytes from 10.10.10.1: icmp_seq=2 ttl=64 time=0.689 ms  
64 bytes from 10.10.10.1: icmp_seq=3 ttl=64 time=0.793 ms  
64 bytes from 10.10.10.1: icmp_seq=4 ttl=64 time=0.649 ms  
  
--- 10.10.10.1 ping statistics ---  
4 packets transmitted, 4 received, 0% packet loss, time 3010ms  
rtt min/avg/max/mdev = 0.491/0.655/0.793/0.108 ms  
icdfa@icdfa-nslab-client-v1:~$
```

```
File Machine View Input Devices Help  
icdfa@icdfa-nslab-client-v1:~  
icdfa@icdfa-nslab-client-v1:~$ ping -c 4 10.10.10.1  
PING 10.10.10.1 (10.10.10.1) 56(84) bytes of data.  
64 bytes from 10.10.10.1: icmp_seq=1 ttl=64 time=0.491 ms  
64 bytes from 10.10.10.1: icmp_seq=2 ttl=64 time=0.689 ms  
64 bytes from 10.10.10.1: icmp_seq=3 ttl=64 time=0.793 ms  
64 bytes from 10.10.10.1: icmp_seq=4 ttl=64 time=0.649 ms  
  
--- 10.10.10.1 ping statistics ---  
4 packets transmitted, 4 received, 0% packet loss, time 3010ms  
rtt min/avg/max/mdev = 0.491/0.655/0.793/0.108 ms  
icdfa@icdfa-nslab-client-v1:~$ ip addr  
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000  
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00  
    inet 127.0.0.1/8 scope host lo  
        valid_lft forever preferred_lft forever  
    inet6 ::1/128 scope host noprefixroute  
        valid_lft forever preferred_lft forever  
2: enp0s3: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000  
    link/ether 08:00:27:4c:f6:e5 brd ff:ff:ff:ff:ff:ff  
    inet 10.10.10.81/24 brd 10.10.10.255 scope global dynamic noprefixroute enp0s3  
        valid_lft 85163sec preferred_lft 85163sec
```

```
File Machine View Input Devices Help

icdfa@icdfa-nsfab-client-v1:~
64 bytes from 10.10.10.1: icmp_seq=2 ttl=64 time=0.689 ms
64 bytes from 10.10.10.1: icmp_seq=3 ttl=64 time=0.793 ms
64 bytes from 10.10.10.1: icmp_seq=4 ttl=64 time=0.649 ms

--- 10.10.10.1 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3010ms
rtt min/avg/max/mdev = 0.491/0.655/0.793/0.108 ms
icdfa@icdfa-nsfab-client-v1:~$ ip addr
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: enp0s3: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 08:00:27:4c:f6:e5 brd ff:ff:ff:ff:ff:ff
    inet 10.10.10.81/24 brd 10.10.10.255 scope global dynamic noprefixroute enp0s3
        valid_lft 85163sec preferred_lft 85163sec
    inet6 fe80::a00:27ff:fe4c:f6e5/64 scope link
        valid_lft forever preferred_lft forever
icdfa@icdfa-nsfab-client-v1:~$
```

ICDFA-NSLAB (BEFORE TASKS) [Running] - Oracle VirtualBox

File Machine View Input Devices Help

Oct 5 14:36

10.10.10.1/u/dnsmasq/settings#dhcpranges

root@icdfa-nsfab-firewall-v1.icdfa.test

Services: Dnsmasq DNS & DHCP

General Domains Hosts DHCP ranges DHCP options DHCP boot DHCP tags

Interface	Start address	End address	Domain	Description	Commands
LAN	10.10.10.100	10.10.10.200			

Showing 1 to 1 of 1 entries

Apply After changing settings, please remember to apply them.

OPNsense (c) 2014-2026 DevOps B.V.

Right Ctrl

ICDFA-NSLAB (BEFORE TASKS) [Running] - Oracle VirtualBox

File Machine View Input Devices Help

Oct 5 14:38

Dnsmasq DNS & DHCP | 5 x

10.10.10.1/1/dnsmasq/settings#dhcpranges

root@icdfa-nsiab-firewall-v1.icdfa.test

OPNsense

- Firewall
- VPN
- Services
 - Captive Portal
 - DHCRelay
 - Dnsmasq DNS & DHCP
 - General
 - Domains
 - Hosts
 - DHCP ranges
 - DHCP options
 - DHCP boot
 - DHCP tags
 - Leases
 - Log File
 - Intrusion Detection
 - Kea DHCP
 - Monit
 - Network Time
 - OpenDNS
 - Router Advertisements
 - Unbound DNS
- Power
- Help

Services: Dnsmasq DNS & DHCP

General Domains Hosts DHCP ranges DHCP options DHCP boot DHCP tags

Search

Tags & Interfaces 50

Interface	Start address	End address	Domain	Description	Commands
LAN	10.10.10.100	10.10.10.200			

Showing 1 to 1 of 1 entries

Apply

OPNsense (c) 2014-2026 Deciso B.V.

```
icdfa@icdfa-nslab-client-v1:~$ ip addr
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: enp0s3: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 08:00:27:4c:f6:e5 brd ff:ff:ff:ff:ff:ff
    inet 10.10.10.167/24 brd 10.10.10.255 scope global dynamic noprefixroute enp0s3
        valid_lft 86328sec preferred_lft 86328sec
    inet6 fe80::a00:27ff:fe4c:f6e5/64 scope link
        valid_lft forever preferred_lft forever
icdfa@icdfa-nslab-client-v1:~$ ip -4 -br address
lo                UNKNOWN          127.0.0.1/8
enp0s3            UP                10.10.10.167/24
icdfa@icdfa-nslab-client-v1:~$ ping -c 4 10.10.10.1
PING 10.10.10.1 (10.10.10.1) 56(84) bytes of data.
64 bytes from 10.10.10.1: icmp_seq=1 ttl=64 time=0.660 ms
64 bytes from 10.10.10.1: icmp_seq=2 ttl=64 time=2.03 ms
64 bytes from 10.10.10.1: icmp_seq=3 ttl=64 time=1.62 ms
```

```
icdfa@icdfa-nslab-client-v1:~$ ping -c 4 10.10.10.1
PING 10.10.10.1 (10.10.10.1) 56(84) bytes of data.
64 bytes from 10.10.10.1: icmp_seq=1 ttl=64 time=0.660 ms
64 bytes from 10.10.10.1: icmp_seq=2 ttl=64 time=2.03 ms
64 bytes from 10.10.10.1: icmp_seq=3 ttl=64 time=1.62 ms
64 bytes from 10.10.10.1: icmp_seq=4 ttl=64 time=0.775 ms

--- 10.10.10.1 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3036ms
rtt min/avg/max/mdev = 0.660/1.269/2.028/0.572 ms
icdfa@icdfa-nslab-client-v1:~$
```

```
icdfa@icdfa-nsrab-client-v1: ~  
64 bytes from 10.10.10.1: icmp_seq=3 ttl=64 time=1.62 ms  
64 bytes from 10.10.10.1: icmp_seq=4 ttl=64 time=0.775 ms  
--- 10.10.10.1 ping statistics ---  
4 packets transmitted, 4 received, 0% packet loss, time 3036ms  
rtt min/avg/max/mdev = 0.660/1.269/2.028/0.572 ms  
icdfa@icdfa-nsrab-client-v1:~$ ip -4 -br address  
lo                UNKNOWN          127.0.0.1/8  
enp0s3            UP                10.10.10.167/24  
icdfa@icdfa-nsrab-client-v1:~$ ip route  
default via 10.10.10.1 dev enp0s3 proto dhcp src 10.10.10.167 metric 20100  
10.10.10.0/24 dev enp0s3 proto kernel scope link src 10.10.10.167 metric 100  
icdfa@icdfa-nsrab-client-v1:~$ resolvectl status  
Global  
    Protocols: -LLMNR -mDNS -DNSOverTLS DNSSEC=no/unsupported  
    resolv.conf mode: stub  
  
Link 2 (enp0s3)  
    Current Scopes: DNS  
        Protocols: +DefaultRoute -LLMNR -mDNS -DNSOverTLS DNSSEC=no/unsupported  
Current DNS Server: 10.10.10.1  
    DNS Servers: 10.10.10.1  
    DNS Domain: icdfa.test  
icdfa@icdfa-nsrab-client-v1:~$
```

```
File Machine View Input Devices Help

icdfa@icdfa-nslab-client-v1: ~
default via 10.10.10.1 dev enp0s3 proto dhcp src 10.10.10.167 metric 20100
10.10.10.0/24 dev enp0s3 proto kernel scope link src 10.10.10.167 metric 100
icdfa@icdfa-nslab-client-v1:~$ resolvectl status
Global
    Protocols: -LLMNR -mDNS -DNSOverTLS DNSSEC=no/unsupported
    resolv.conf mode: stub

Link 2 (enp0s3)
    Current Scopes: DNS
    Protocols: +DefaultRoute -LLMNR -mDNS -DNSOverTLS DNSSEC=no/unsupported
Current DNS Server: 10.10.10.1
    DNS Servers: 10.10.10.1
    DNS Domain: icdfa.test
icdfa@icdfa-nslab-client-v1:~$ ping -c 4 10.10.10.1
PING 10.10.10.1 (10.10.10.1) 56(84) bytes of data:
64 bytes from 10.10.10.1: icmp_seq=1 ttl=64 time=0.982 ms
64 bytes from 10.10.10.1: icmp_seq=2 ttl=64 time=1.48 ms
64 bytes from 10.10.10.1: icmp_seq=3 ttl=64 time=1.63 ms
64 bytes from 10.10.10.1: icmp_seq=4 ttl=64 time=1.63 ms

--- 10.10.10.1 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3012ms
rtt min/avg/max/mdev = 0.982/1.428/1.628/0.264 ms
icdfa@icdfa-nslab-client-v1:~$
```

ICDFA-NSLAB (BEFORE TASKS) [Running] - Oracle VirtualBox

File Machine View Input Devices Help

```
icdfa@icdfa-nslab-client-v1:~$ ping -c 4 10.10.10.1
PING 10.10.10.1 (10.10.10.1) 56(84) bytes of data.
64 bytes from 10.10.10.1: icmp_seq=1 ttl=64 time=0.751 ms
64 bytes from 10.10.10.1: icmp_seq=2 ttl=64 time=1.38 ms
64 bytes from 10.10.10.1: icmp_seq=3 ttl=64 time=1.20 ms
64 bytes from 10.10.10.1: icmp_seq=4 ttl=64 time=1.30 ms

--- 10.10.10.1 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3078ms
rtt min/avg/max/mdev = 0.751/1.158/1.381/0.244 ms
icdfa@icdfa-nslab-client-v1:~$ ping -c 4 1.1.1.1
PING 1.1.1.1 (1.1.1.1) 56(84) bytes of data.
From 10.10.10.1 icmp_seq=1 Destination Host Unreachable
From 10.10.10.1 icmp_seq=2 Destination Host Unreachable
From 10.10.10.1 icmp_seq=3 Destination Host Unreachable
From 10.10.10.1 icmp_seq=4 Destination Host Unreachable

--- 1.1.1.1 ping statistics ---
4 packets transmitted, 0 received, +4 errors, 100% packet loss, time 3031ms

icdfa@icdfa-nslab-client-v1:~$ ping host
ping: host: Temporary failure in name resolution
icdfa@icdfa-nslab-client-v1:~$ Ping host
Command 'Ping' not found, did you mean:
```

Configuration | Gateway: x

10.10.10.1/a/routing/configuration

root@icdfa-nslab-firewall-v1.icdfa.test


System: Gateways: Configuration

Disabled	Name	Interface	Address Fa...	Priority	IP Address	Monitor IP	Disable HA s...	RTT	RTTd	Loss	Status	Description	Commands
▶	WAN_DHCP (active)	WAN	IPv4	254 (upstream)	10.0.3.2		0	~	~	~	🟢	Interface WAN_DHCP Gateway	✎ 🔄 🗑
▶	VRROUTER_GW	WAN	IPv4	255 (upstream)	172.16.100.1	172.16.100.1	0	0.0 ms	0.0 ms	100.0 %	🔴	ICDFA VRrouter Gateway	✎ 🔄 🗑
▶	WAN_DHCPG (active)	WAN	IPv6	254	fe80::2			~	~	~	🟢	Interface WAN_DHCPG Gateway	✎ 🔄 🗑

Showing 1 to 3 of 3 entries

Apply

OPNsense (c) 2014-2024 Deciso B.V.



The image shows a terminal window titled "icdfa@icdfa-nslab-client-v1:~". The window has a dark purple background and a sidebar on the left with icons for file manager, application store, help, and a terminal. The terminal output shows the following:

```
--- 10.10.10.1 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3031ms
rtt min/avg/max/mdev = 0.596/0.687/0.845/0.094 ms
icdfa@icdfa-nslab-client-v1:~$ ping -c 4 1.1.1.1
PING 1.1.1.1 (1.1.1.1) 56(84) bytes of data.
From 10.10.10.1 icmp_seq=1 Destination Host Unreachable
From 10.10.10.1 icmp_seq=2 Destination Host Unreachable
From 10.10.10.1 icmp_seq=3 Destination Host Unreachable
From 10.10.10.1 icmp_seq=4 Destination Host Unreachable

--- 1.1.1.1 ping statistics ---
4 packets transmitted, 0 received, +4 errors, 100% packet loss, time 3089ms

icdfa@icdfa-nslab-client-v1:~$ ping -c 4 1.1.1.1
PING 1.1.1.1 (1.1.1.1) 56(84) bytes of data.
64 bytes from 1.1.1.1: icmp_seq=1 ttl=62 time=394 ms
64 bytes from 1.1.1.1: icmp_seq=2 ttl=62 time=179 ms
64 bytes from 1.1.1.1: icmp_seq=3 ttl=62 time=188 ms
64 bytes from 1.1.1.1: icmp_seq=4 ttl=62 time=203 ms


--- 1.1.1.1 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3004ms
rtt min/avg/max/mdev = 178.559/240.976/394.401/88.991 ms
icdfa@icdfa-nslab-client-v1:~$
```



```
ICDFA-NSLAB (BEFORE TASKS) [Running] - Oracle VirtualBox
File Machine View Input Devices Help

icdfa@icdfa-ns-lab-client-v1: ~
icdfa@icdfa-ns-lab-client-v1:~$ ping -c 4 1.1.1.1
PING 1.1.1.1 (1.1.1.1) 56(84) bytes of data.
64 bytes from 1.1.1.1: icmp_seq=1 ttl=62 time=394 ms
64 bytes from 1.1.1.1: icmp_seq=2 ttl=62 time=179 ms
64 bytes from 1.1.1.1: icmp_seq=3 ttl=62 time=188 ms
64 bytes from 1.1.1.1: icmp_seq=4 ttl=62 time=203 ms

--- 1.1.1.1 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3004ms
rtt min/avg/max/mdev = 178.559/240.976/394.401/88.991 ms
icdfa@icdfa-ns-lab-client-v1:~$ getent hosts opnsense.org
89.149.225.137 opnsense.org
icdfa@icdfa-ns-lab-client-v1:~$ curl -I https://opnsense.org
HTTP/1.1 200 OK
Date: Mon, 05 Oct 2026 21:20:36 GMT
Server: Apache
Link: <https://opnsense.org/wp-json/>; rel="https://api.w.org/", <https://opnsense.org/wp-json/wp/v2/pages/199>; rel="alternate"; title="JSON"; type="application/json", <https://opnsense.org/>; rel=shortlink
Strict-Transport-Security: max-age=15552000; includeSubDomains; preload
Content-Type: text/html; charset=UTF-8

icdfa@icdfa-ns-lab-client-v1:~$
```





```
icdfa@icdfa-nslab-client-v1: ~  
icdfa@icdfa-nslab-client-v1:~$ ping -c 4 10.10.10.1  
PING 10.10.10.1 (10.10.10.1) 56(84) bytes of data.  
64 bytes from 10.10.10.1: icmp_seq=1 ttl=64 time=0.600 ms  
64 bytes from 10.10.10.1: icmp_seq=2 ttl=64 time=1.27 ms  
64 bytes from 10.10.10.1: icmp_seq=3 ttl=64 time=1.89 ms  
64 bytes from 10.10.10.1: icmp_seq=4 ttl=64 time=1.71 ms  
  
--- 10.10.10.1 ping statistics ---  
4 packets transmitted, 4 received, 0% packet loss, time 3041ms  
rtt min/avg/max/mdev = 0.600/1.368/1.893/0.498 ms  
icdfa@icdfa-nslab-client-v1:~$ getent hosts opnsense.org  
2001:1af8:2050:a001:1::1 opnsense.org  
icdfa@icdfa-nslab-client-v1:~$
```

File Machine View Input Devices Help

App Center < Wireshark

*enp0s3

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

Apply a display filter ... <Ctrl-/>


No.	Time	Source	Destination	Protocol	Length	Info
3661	584.593698104	10.10.10.1	10.10.10.167	TLSv1.2	1463	Applicati
3662	584.593731965	10.10.10.167	10.10.10.1	TCP	66	44732 → 4
3663	584.593806913	10.10.10.1	10.10.10.167	TLSv1.2	97	Applicati
3664	584.593813354	10.10.10.167	10.10.10.1	TCP	66	44732 → 4
3665	590.427838765	10.10.10.167	10.10.10.1	TLSv1.2	156	Applicati
3666	590.428244099	10.10.10.1	10.10.10.167	TCP	66	443 → 447
3667	590.491928787	10.10.10.1	10.10.10.167	TLSv1.2	1581	Applicati
3668	590.491929239	10.10.10.1	10.10.10.167	TLSv1.2	97	Applicati
3669	590.491971585	10.10.10.167	10.10.10.1	TCP	66	44732 → 4
3670	590.491993524	10.10.10.167	10.10.10.1	TCP	66	44732 → 4

Frame 83: 1463 bytes on wire (11704 bits), 1
Ethernet II, Src: PCSSystemtec_ac:29:a5 (08:
Internet Protocol Version 4, Src: 10.10.10.1
Transmission Control Protocol, Src Port: 443
Transport Layer Security

0000 08 00 27 4c f6 e5 08 00 27 ac 29 a5 0
0010 05 a9 00 00 40 00 40 06 0c 94 0a 0a 0
0020 0a a7 01 bb ae bc 65 af c9 cc fd 35 7
0030 02 02 b5 04 00 00 01 01 08 0a a7 d1 5
0040 a5 5a 17 03 03 05 70 e4 18 7d 32 15 c
0050 f1 43 bc 32 85 a5 b1 e4 be 8a 83 d4 7
0060 94 05 e1 ba dd 83 86 91 f4 ec 3d f5 8
0070 31 b6 f5 4f 44 34 fa 1b 74 f7 41 02 8
0080 23 0d 5e 2f 2d fb 23 77 b3 60 c3 71 a
0090 89 6e 35 80 b4 ea 97 17 eb ad 43 25 0
00a0 1b 30 ff 63 de f7 d6 db 55 81 b0 94 8
00b0 95 dc 6e 6d fa 84 1a de 77 3d ea 69 3

wireshark_en...2TLW3.pcapng Packets: 3670 · Displayed: 3670 (100.0%) · Dropped: 0 (0.0%) Profile: Default

```
icdfa@icdfa-nslab-client-v1: ~  
64 bytes from 10.10.10.1: icmp_seq=4 ttl=64 time=1.71 ms  
  
--- 10.10.10.1 ping statistics ---  
4 packets transmitted, 4 received, 0% packet loss, time 3041ms  
rtt min/avg/max/mdev = 0.600/1.368/1.893/0.498 ms  
icdfa@icdfa-nslab-client-v1:~$ getent hosts opnsense.org  
2001:1af8:2050:a001:1::1 opnsense.org  
icdfa@icdfa-nslab-client-v1:~$ ip neigh show  
10.10.10.1 dev enp0s3 lladdr 08:00:27:ac:29:a5 REACHABLE  
icdfa@icdfa-nslab-client-v1:~$ sudo ip neigh del 10.10.10.1 dev enp0s3  
[sudo] password for icdfa:  
icdfa@icdfa-nslab-client-v1:~$ ip neigh show  
10.10.10.1 dev enp0s3 lladdr 08:00:27:ac:29:a5 REACHABLE  
icdfa@icdfa-nslab-client-v1:~$ ping -c 4 10.10.10.1  
PING 10.10.10.1 (10.10.10.1) 56(84) bytes of data.  
64 bytes from 10.10.10.1: icmp_seq=1 ttl=64 time=0.644 ms  
64 bytes from 10.10.10.1: icmp_seq=2 ttl=64 time=2.91 ms  
64 bytes from 10.10.10.1: icmp_seq=3 ttl=64 time=0.535 ms  
64 bytes from 10.10.10.1: icmp_seq=4 ttl=64 time=1.68 ms  
  
--- 10.10.10.1 ping statistics ---  
4 packets transmitted, 4 received, 0% packet loss, time 3076ms  
rtt min/avg/max/mdev = 0.535/1.443/2.913/0.959 ms  
icdfa@icdfa-nslab-client-v1:~$
```



```
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
icdfa@icdfa-nslab-client-v1: ~
10.10.10.1 dev enp0s3 lladdr 08:00:27:ac:29:a5 REACHABLE
icdfa@icdfa-nslab-client-v1:~$ ping -c 4 10.10.10.1
PING 10.10.10.1 (10.10.10.1) 56(84) bytes of data.
64 bytes from 10.10.10.1: icmp_seq=1 ttl=64 time=0.644 ms
64 bytes from 10.10.10.1: icmp_seq=2 ttl=64 time=2.91 ms
64 bytes from 10.10.10.1: icmp_seq=3 ttl=64 time=0.535 ms
64 bytes from 10.10.10.1: icmp_seq=4 ttl=64 time=1.68 ms

--- 10.10.10.1 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3076ms
rtt min/avg/max/mdev = 0.535/1.443/2.913/0.959 ms
icdfa@icdfa-nslab-client-v1:~$ ping -c 4 10.10.10.1
PING 10.10.10.1 (10.10.10.1) 56(84) bytes of data.
64 bytes from 10.10.10.1: icmp_seq=1 ttl=64 time=0.582 ms
64 bytes from 10.10.10.1: icmp_seq=2 ttl=64 time=1.23 ms
64 bytes from 10.10.10.1: icmp_seq=3 ttl=64 time=1.84 ms
64 bytes from 10.10.10.1: icmp_seq=4 ttl=64 time=0.576 ms

--- 10.10.10.1 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3071ms
rtt min/avg/max/mdev = 0.576/1.058/1.843/0.525 ms
icdfa@icdfa-nslab-client-v1:~$ getent hosts opnsense.org
89.149.225.137 opnsense.org
icdfa@icdfa-nslab-client-v1:~$
```

File Machine View Input Devices Help

App Center

*enp0s3

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

icmp

No.	Time	Source	Destination	Protocol	Length	Info
117	46.114631615	10.10.10.167	10.10.10.1	ICMP	98	Echo (ping) rep
118	46.115198122	10.10.10.1	10.10.10.167	ICMP	98	Echo (ping) rep
119	47.135721060	10.10.10.167	10.10.10.1	ICMP	98	Echo (ping) rep
120	47.136898341	10.10.10.1	10.10.10.167	ICMP	98	Echo (ping) rep
133	48.184911752	10.10.10.167	10.10.10.1	ICMP	98	Echo (ping) rep
134	48.186695137	10.10.10.1	10.10.10.167	ICMP	98	Echo (ping) rep
149	49.187534658	10.10.10.167	10.10.10.1	ICMP	98	Echo (ping) rep
150	49.188084205	10.10.10.1	10.10.10.167	ICMP	98	Echo (ping) rep

Frame 117: 98 bytes on wire (784 bits), 98 b
Ethernet II, Src: PCSSystemtec_4c:f6:e5 (08:
Internet Protocol Version 4, Src: 10.10.10.1
Internet Control Message Protocol

0000 08 00 27 ac 29 a5 08 00 27 4c f6 e5 08
0010 00 54 44 a9 40 00 40 01 cd 44 0a 0a 0a
0020 0a 01 08 00 3b 2e 19 bc 00 01 98 29 c4
0030 00 00 79 ad 0e 00 00 00 00 00 10 11 12
0040 16 17 18 19 1a 1b 1c 1d 1e 1f 20 21 22
0050 26 27 28 29 2a 2b 2c 2d 2e 2f 30 31 32
0060 36 37

Internet Control M...Protocol: Protoco Packets: 417 · Displayed: 8 (1.9%) · Dropped: 0 (0.0%) Profile: Default

App Center

Search

*enp0s3

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

icmp

No.	Time	Source	Destination	Protocol	Length	Info
117	46.114631615	10.10.10.167	10.10.10.1	ICMP	98	Echo (ping) req
118	46.115198122	10.10.10.1	10.10.10.167	ICMP	98	Echo (ping) rep
119	47.135721060	10.10.10.167	10.10.10.1	ICMP	98	Echo (ping) req
120	47.136898341	10.10.10.1	10.10.10.167	ICMP	98	Echo (ping) rep
133	48.184911752	10.10.10.167	10.10.10.1	ICMP	98	Echo (ping) req
134	48.186695137	10.10.10.1	10.10.10.167	ICMP	98	Echo (ping) rep
149	49.187534658	10.10.10.167	10.10.10.1	ICMP	98	Echo (ping) req
150	49.188084205	10.10.10.1	10.10.10.167	ICMP	98	Echo (ping) rep

Frame 117: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface enp0s3

Ethernet II, Src: PCSSystemtec_4c:f6:e5 (08:00:0c:00:00:00), Dst: 01:00:00:00:00:00

Internet Protocol Version 4, Src: 10.10.10.167, Dst: 10.10.10.1

Internet Control Message Protocol

00 27 ac 29 a5 08 00 27 4c f6 e5 08 00 45 00
 54 44 a9 40 00 40 01 cd 44 0a 0a 0a a7 0a 0a
 01 08 00 3b 2e 19 bc 00 01 98 29 c4 6a 00 00
 00 79 ad 0e 00 00 00 00 00 10 11 12 13 14 15
 17 18 19 1a 1b 1c 1d 1e 1f 20 21 22 23 24 25
 27 28 29 2a 2b 2c 2d 2e 2f 30 31 32 33 34 35
 37

```
icdfa@icdfa-nslab-client-v1: ~
PING 10.10.10.1 (10.10.10.1) 56(84) bytes of data.
64 bytes from 10.10.10.1: icmp_seq=1 ttl=64 time=0.582 ms
64 bytes from 10.10.10.1: icmp_seq=2 ttl=64 time=1.23 ms
64 bytes from 10.10.10.1: icmp_seq=3 ttl=64 time=1.84 ms
64 bytes from 10.10.10.1: icmp_seq=4 ttl=64 time=0.576 ms

--- 10.10.10.1 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3071ms
rtt min/avg/max/mdev = 0.576/1.058/1.843/0.525 ms
icdfa@icdfa-nslab-client-v1:~$ getent hosts opnsense.org
89.149.225.137 opnsense.org
icdfa@icdfa-nslab-client-v1:~$ ping -c 4 10.10.10.1
PING 10.10.10.1 (10.10.10.1) 56(84) bytes of data.
64 bytes from 10.10.10.1: icmp_seq=1 ttl=64 time=0.572 ms
64 bytes from 10.10.10.1: icmp_seq=2 ttl=64 time=1.76 ms
64 bytes from 10.10.10.1: icmp_seq=3 ttl=64 time=2.29 ms
64 bytes from 10.10.10.1: icmp_seq=4 ttl=64 time=0.882 ms

--- 10.10.10.1 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3032ms
rtt min/avg/max/mdev = 0.572/1.376/2.291/0.684 ms
icdfa@icdfa-nslab-client-v1:~$ getent hosts opnsense.org
2001:1af8:2050:a001:1::1 opnsense.org
icdfa@icdfa-nslab-client-v1:~$
```

Domain Name System: Protocol Packets: 528 · Displayed: 4 (0.8%) · Dropped: 0 (0.0%) Profile: Default