


LAB 2



The screenshot shows a terminal window within a virtual machine environment. The window has a title bar with the text "icdfa@icdfa-nslab-client-v1: ~" and standard window controls. The terminal output shows the execution of two commands: "ip -4 -br address" and "ip route". The first command lists the loopback interface "lo" and the ethernet interface "enp0s3". The second command shows the default route and a specific route for the 10.10.10.0/24 network.

```
icdfa@icdfa-nslab-client-v1:~$ ip -4 -br address
lo                UNKNOWN      127.0.0.1/8
enp0s3            UP              10.10.10.167/24
icdfa@icdfa-nslab-client-v1:~$ ip route
default via 10.10.10.1 dev enp0s3 proto dhcp src 10.10.10.167 metric 100
10.10.10.0/24 dev enp0s3 proto kernel scope link src 10.10.10.167 metric 100
icdfa@icdfa-nslab-client-v1:~$
```

ICDFA-NSLAB (BEFORE TASKS) [Running] - Oracle VirtualBox

File Machine View Input Devices Help

```
icdfa@icdfa-nslab-client-v1:~$ ip -4 -br address
lo                UNKNOWN      127.0.0.1/8
enp0s3            UP            10.10.10.167/24
icdfa@icdfa-nslab-client-v1:~$ ip route
default via 10.10.10.1 dev enp0s3 proto dhcp src 10.10.10.167 metric 100
10.10.10.0/24 dev enp0s3 proto kernel scope link src 10.10.10.167 metric 100
icdfa@icdfa-nslab-client-v1:~$ ping -c 4 1.1.1.1
PING 1.1.1.1 (1.1.1.1) 56(84) bytes of data.
64 bytes from 1.1.1.1: icmp_seq=1 ttl=62 time=526 ms
64 bytes from 1.1.1.1: icmp_seq=2 ttl=62 time=748 ms
64 bytes from 1.1.1.1: icmp_seq=3 ttl=62 time=512 ms
64 bytes from 1.1.1.1: icmp_seq=4 ttl=62 time=385 ms

--- 1.1.1.1 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3001ms
rtt min/avg/max/mdev = 384.951/542.628/747.590/130.459 ms
icdfa@icdfa-nslab-client-v1:~$
```

ICDFA-NSLAB (BEFORE TASKS) [Running] - Oracle VirtualBox

File Machine View Input Devices Help

```
icdfa@icdfa-nslab-client-v1:~$ ip -4 -br address
lo                UNKNOWN      127.0.0.1/8
enp0s3            UP            10.10.10.167/24
icdfa@icdfa-nslab-client-v1:~$ ip route
default via 10.10.10.1 dev enp0s3 proto dhcp src 10.10.10.167 metric 100
10.10.10.0/24 dev enp0s3 proto kernel scope link src 10.10.10.167 metric 100
icdfa@icdfa-nslab-client-v1:~$ ping -c 4 1.1.1.1
PING 1.1.1.1 (1.1.1.1) 56(84) bytes of data.
64 bytes from 1.1.1.1: icmp_seq=1 ttl=62 time=526 ms
64 bytes from 1.1.1.1: icmp_seq=2 ttl=62 time=748 ms
64 bytes from 1.1.1.1: icmp_seq=3 ttl=62 time=512 ms
64 bytes from 1.1.1.1: icmp_seq=4 ttl=62 time=385 ms

--- 1.1.1.1 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3001ms
rtt min/avg/max/mdev = 384.951/542.628/747.590/130.459 ms
icdfa@icdfa-nslab-client-v1:~$ getent hosts example.com
2606:4700:10::6814:179a example.com
2606:4700:10::ac42:93f3 example.com
icdfa@icdfa-nslab-client-v1:~$
```

```
File Machine View Input Devices Help



icdfa@icdfa-nslab-client-v1:~
64 bytes from 1.1.1.1: icmp_seq=3 ttl=62 time=512 ms
64 bytes from 1.1.1.1: icmp_seq=4 ttl=62 time=385 ms

--- 1.1.1.1 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3001ms
rtt min/avg/max/mdev = 384.951/542.628/747.590/130.459 ms
icdfa@icdfa-nslab-client-v1:~$ getent hosts example.com
2606:4700:10::6814:179a example.com
2606:4700:10::ac42:93f3 example.com
icdfa@icdfa-nslab-client-v1:~$ curl -I http://example.com
HTTP/1.1 200 OK
Date: Mon, 05 Oct 2026 23:36:13 GMT
Content-Type: text/html; charset=utf-8
Connection: keep-alive
Server: cloudflare
Last-Modified: Sun, 04 Oct 2026 20:44:03 GMT
Allow: GET, HEAD
Accept-Ranges: bytes
Age: 12262
cf-cache-status: HIT
CF-RAY: a4603f4f2ff332fc-AMS
alt-svc: h3=":443"; ma=86400

icdfa@icdfa-nslab-client-v1:~$
```

```
icdfa@icdfa-nslab-client-v1:~$ curl -I https://example.com
HTTP/2 200
date: Mon, 05 Oct 2026 23:39:10 GMT
content-type: text/html; charset=utf-8
server: cloudflare
last-modified: Sun, 04 Oct 2026 20:44:03 GMT
allow: GET, HEAD
accept-ranges: bytes
age: 12437
cf-cache-status: HIT
cf-ray: a46043a0ebb2666d-AMS
alt-svc: h3=":443"; ma=86400

icdfa@icdfa-nslab-client-v1:~$
```



Edit rule

advanced mode

full help

Organisation

Enabled

☒

Categories

Nothing selected

Clear All

Select All

Description

LAB2 BLOCK ICMP TO 1.1.1.1

Interface

Invert Interface

☐

Interface

LAN

Clear All

Select All

Filter

Quick

☒

Action

Block

Direction

In

Version

Cancel

Save

FileMachineViewInputDevicesHelp

Oct 6 01:46

Rules | Firewall | icdfa-nsi

10.10.10.1/ui/firewall/filter

Power Just now
Low Battery
20% battery remaining

root@icdfa-nsi-lab-fire

LobbyReportingSystemInterfacesFirewallAliasesCategoriesGroupsNATRulesShaperSettingsLog FilesDiagnosticsVPNServicesPowerHelp

Firewall: Rules

All rules

Automated

Interface

Apply

Edit rule

Protocol

ICMP

ICMP type

Echo Request

Clear All

Select All

Invert Source

☐

Source

LAN network

Source Port

any

Invert Destination

☐

Destination

Single host or Network

1.1.1.1/32

Destination Port

any

Log

☒


Source Routing

Gateway

None

Cancel

Save







NO 9

```
icdfa@icdfa-nslab-client-v1:~$ curl -I https://example.com
HTTP/2 200
date: Mon, 05 Oct 2026 23:39:10 GMT
content-type: text/html; charset=utf-8
server: cloudflare
last-modified: Sun, 04 Oct 2026 20:44:03 GMT
allow: GET, HEAD
accept-ranges: bytes
age: 12437
cf-cache-status: HIT
cf-ray: a46043a0ebb2666d-AMS
alt-svc: h3=":443"; ma=86400



icdfa@icdfa-nslab-client-v1:~$ ping -c 4 1.1.1.1
PING 1.1.1.1 (1.1.1.1) 56(84) bytes of data.
64 bytes from 1.1.1.1: icmp_seq=1 ttl=62 time=665 ms
64 bytes from 1.1.1.1: icmp_seq=2 ttl=62 time=254 ms
64 bytes from 1.1.1.1: icmp_seq=3 ttl=62 time=301 ms
64 bytes from 1.1.1.1: icmp_seq=4 ttl=62 time=325 ms

--- 1.1.1.1 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3004ms
rtt min/avg/max/mdev = 254.260/386.366/665.444/163.118 ms
icdfa@icdfa-nslab-client-v1:~$
```






I applied changes.



```
icdfa@icdfa-nslab-client-v1:~$ curl --max-time 10 -I http://example.com
curl: (28) Connection timed out after 10002 milliseconds
icdfa@icdfa-nslab-client-v1:~$ curl --max-time 10 -I https://example.com
HTTP/2 200
date: Tue, 06 Oct 2026 09:08:23 GMT
content-type: text/html; charset=utf-8
server: cloudflare
last-modified: Fri, 02 Oct 2026 16:11:02 GMT
allow: GET, HEAD
accept-ranges: bytes
age: 3389
cf-cache-status: HIT
cf-ray: a4638571a94466cc-AMS
alt-svc: h3=":443"; ma=86400

icdfa@icdfa-nslab-client-v1:~$
```



The image shows a terminal window titled "icdfa@icdfa-nslab-client-v1: ~". The terminal output shows a ping command being executed: "ping -c 4 1.1.1.1". The response indicates a 100% packet loss. The ping statistics are displayed as follows:

```
icdfa@icdfa-nslab-client-v1:~$ ping -c 4 1.1.1.1
PING 1.1.1.1 (1.1.1.1) 56(84) bytes of data.

--- 1.1.1.1 ping statistics ---
4 packets transmitted, 0 received, 100% packet loss, time 3048ms

icdfa@icdfa-nslab-client-v1:~$
```

The terminal window is part of a desktop environment, with a sidebar on the left containing icons for a web browser, a file manager, an application store, a help icon, a terminal, and a trash can. The terminal window has a search bar and standard window controls (minimize, maximize, close) in the top right corner.

OPNsense Firewall: Log Files: Live View

Filters: Quick search (all fields)...
action contains Search... Apply

Templates: Choose template

Options: ☒ Auto-refresh ☐ Lookup hostnames ☐ Select any of given criteria (or)
25 Table size
10000 History size

Interface	Time	Protocol	Source	Destination	Action	Label
WAN	Out	2026-10-06T10:17:52	UDP	10.0.3.15:123	pass	let out anything from firewall host itself (force gw)
LAN	In	2026-10-06T10:17:51	TCP	10.10.10.167:56930	block	LAB2 BLOCK OUTBOUND HTTP
LAN	In	2026-10-06T10:17:47	TCP	10.10.10.167:56930	block	LAB2 BLOCK OUTBOUND HTTP
LAN	In	2026-10-06T10:17:45	TCP	10.10.10.167:56930	block	LAB2 BLOCK OUTBOUND HTTP
LAN	In	2026-10-06T10:17:44	TCP	10.10.10.167:56930	block	LAB2 BLOCK OUTBOUND HTTP
LAN	In	2026-10-06T10:17:43	TCP	10.10.10.167:56930	block	LAB2 BLOCK OUTBOUND HTTP
LAN	In	2026-10-06T10:17:42	TCP	10.10.10.167:56930	block	LAB2 BLOCK OUTBOUND HTTP
LAN	In	2026-10-06T10:17:41	TCP	10.10.10.167:56930	block	LAB2 BLOCK OUTBOUND HTTP
LAN	In	2026-10-06T10:17:40	TCP	10.10.10.167:56930	block	LAB2 BLOCK OUTBOUND HTTP
WAN	Out	2026-10-06T10:17:32	UDP	10.0.3.15:123	pass	let out anything from firewall host itself (force gw)
WAN	Out	2026-10-06T10:17:16	ICMP	10.0.3.15	pass	let out anything from firewall host itself (force gw)

WAN	Out	2026-10-06T10:22:23	IPv6-ICMP	fe80::a00:27ff:fe69:d0a6	fe80::2	pass	IPv6 RFC4890 requirements (ICMP)
WAN	Out	2026-10-06T10:22:20	UDP	10.0.3.15:46248	185.125.190.66:53	pass	let out anything from firewall host itself (force gw)
WAN	Out	2026-10-06T10:22:20	UDP	10.0.3.15:21264	185.125.190.66:53	pass	let out anything from firewall host itself (force gw)
WAN	Out	2026-10-06T10:22:19	UDP	[fd17:625c:f037:3:a00:27ff:fe69:d0a6]:65216	[2620:2d:4000:1::43]:53	pass	let out anything from firewall host itself (force gw)
WAN	Out	2026-10-06T10:22:19	UDP	10.0.3.15:63195	185.125.190.65:53	pass	let out anything from firewall host itself (force gw)
WAN	Out	2026-10-06T10:22:18	UDP	[fd17:625c:f037:3:a00:27ff:fe69:d0a6]:29404	[2620:2d:4000:1::43]:53	pass	let out anything from firewall host itself (force gw)
WAN	Out	2026-10-06T10:22:18	UDP	10.0.3.15:37495	185.125.190.65:53	pass	let out anything from firewall host itself (force gw)
LAN	In	2026-10-06T10:22:17	TCP	10.10.10.167:40602	104.20.23.154:80	block	LAB2 BLOCK OUTBOUND HTTP
LAN	In	2026-10-06T10:22:16	TCP	10.10.10.167:40602	104.20.23.154:80	block	LAB2 BLOCK OUTBOUND HTTP
LAN	In	2026-10-06T10:22:15	TCP	10.10.10.167:40602	104.20.23.154:80	block	LAB2 BLOCK OUTBOUND HTTP

```
icdfa@icdfa-nslab-client-v1: ~  
icdfa@icdfa-nslab-client-v1:~$ ping -c 4 1.1.1.1  
PING 1.1.1.1 (1.1.1.1) 56(84) bytes of data:  
  
--- 1.1.1.1 ping statistics ---  
4 packets transmitted, 0 received, 100% packet loss, time 3048ms  
  
icdfa@icdfa-nslab-client-v1:~$ ping -c 4 1.1.1.1  
PING 1.1.1.1 (1.1.1.1) 56(84) bytes of data:  
  
--- 1.1.1.1 ping statistics ---  
4 packets transmitted, 0 received, 100% packet loss, time 3063ms  
  
icdfa@icdfa-nslab-client-v1:~$ curl --max-time 10 -I http://example.com  
curl: (28) Connection timed out after 10007 milliseconds  
icdfa@icdfa-nslab-client-v1:~$
```

Firewall: Log Files: Live View

Filters

Quick search (all fields)...

action

contains

Search...

Apply

Active filters:

Templates

>>

Choose template

Options

☒ Auto-refresh
 ☐ Lookup hostnames
 ☐ Select any of given criteria (or)

25

Table size

10000

History size

Interface		Time	Protocol	Source	Destination	Action	Label	
LAN	In	2026-10-06T10:28:00	TCP	10.10.10.167:49680	185.125.190.99:80	block	LAB2 BLOCK OUTBOUND HTTP	0
LAN	In	2026-10-06T10:27:52	TCP	10.10.10.167:49680	185.125.190.99:80	block	LAB2 BLOCK OUTBOUND HTTP	0
LAN	In	2026-10-06T10:27:47	TCP	10.10.10.167:49680	185.125.190.99:80	block	LAB2 BLOCK OUTBOUND HTTP	0
LAN	In	2026-10-06T10:27:45	TCP	10.10.10.167:49680	185.125.190.99:80	block	LAB2 BLOCK OUTBOUND HTTP	0
LAN	In	2026-10-06T10:27:44	TCP	10.10.10.167:49680	185.125.190.99:80	block	LAB2 BLOCK OUTBOUND HTTP	0
LAN	In	2026-10-06T10:27:43	TCP	10.10.10.167:49680	185.125.190.99:80	block	LAB2 BLOCK OUTBOUND HTTP	0
LAN	In	2026-10-06T10:27:42	TCP	10.10.10.167:49680	185.125.190.99:80	block	LAB2 BLOCK OUTBOUND HTTP	0
LAN	In	2026-10-06T10:27:41	TCP	10.10.10.167:49680	185.125.190.99:80	block	LAB2 BLOCK OUTBOUND HTTP	0
LAN	In	2026-10-06T10:27:40	TCP	10.10.10.167:49680	185.125.190.99:80	block	LAB2 BLOCK OUTBOUND HTTP	0
WAN	Out	2026-10-06T10:27:40	UDP	10.0.3.15:56415	185.125.190.65:53	pass	let out anything from firewall host itself (force gw)	0
WAN	Out	2026-10-06T10:27:21	ICMP	10.0.3.15	1.1.1.1	pass	let out anything from firewall host itself (force gw)	0

Firewall: Log Files: Live View

Filters

1.1.1.1

action

contains

Search...

Apply

Active filters:

Templates

>>

Choose template

Options

☒ Auto-refresh
 ☐ Lookup hostnames
 ☐ Select any of given criteria (or)

25

Table size

10000

History size

Interface		Time	Protocol	Source	Destination	Action	Label	
WAN	Out	2026-10-06T10:30:14	ICMP	10.0.3.15	1.1.1.1	pass	let out anything from firewall host itself (force gw)	0
WAN	Out	2026-10-06T10:27:21	ICMP	10.0.3.15	1.1.1.1	pass	let out anything from firewall host itself (force gw)	0
WAN	Out	2026-10-06T10:21:16	ICMP	10.0.3.15	1.1.1.1	pass	let out anything from firewall host itself (force gw)	0
WAN	Out	2026-10-06T10:17:16	ICMP	10.0.3.15	1.1.1.1	pass	let out anything from firewall host itself (force gw)	0
LAN	In	2026-10-06T09:29:22	ICMP	10.10.10.167	1.1.1.1	block	LAB2 BLOCK ICMP TO 1.1.1.1	0
LAN	In	2026-10-06T09:29:21	ICMP	10.10.10.167	1.1.1.1	block	LAB2 BLOCK ICMP TO 1.1.1.1	0
LAN	In	2026-10-06T09:29:20	ICMP	10.10.10.167	1.1.1.1	block	LAB2 BLOCK ICMP TO 1.1.1.1	0
LAN	In	2026-10-06T09:29:19	ICMP	10.10.10.167	1.1.1.1	block	LAB2 BLOCK ICMP TO 1.1.1.1	0
WAN	Out	2026-10-06T02:11:04	ICMP	10.0.3.15	1.1.1.1	pass	let out anything from firewall host itself (force gw)	0
WAN	Out	2026-10-06T02:07:19	ICMP	10.0.3.15	1.1.1.1	pass	let out anything from firewall host itself (force gw)	0
WAN	Out	2026-10-06T02:06:16	ICMP	10.0.3.15	1.1.1.1	pass	let out anything from firewall host itself (force gw)	0

icdfa@icdfa-nslab-client-v1: ~

Capturing from 6 interfaces

File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help

Apply a display filter ... <Ctrl-/>

No.	Time	Source	Destination	Protocol	Length	Info
34	72.980745534	10.10.10.167	172.66.147.243	TCP	76	[TCP Retransm
35	74.005251416	10.10.10.167	172.66.147.243	TCP	76	[TCP Retransm
36	74.005251416	10.10.10.167	172.66.147.243	TCP	74	[TCP Retransm
37	75.055186013	10.10.10.167	172.66.147.243	TCP	74	[TCP Retransm
38	75.055186013	10.10.10.167	172.66.147.243	TCP	76	[TCP Retransm
39	76.125197522	10.10.10.167	172.66.147.243	TCP	74	[TCP Retransm
40	76.125197522	10.10.10.167	172.66.147.243	TCP	76	[TCP Retransm
41	77.140820569	10.10.10.167	172.66.147.243	TCP	76	[TCP Retransm
42	77.140820569	10.10.10.167	172.66.147.243	TCP	74	[TCP Retransm

Frame 1: 41 bytes on wire (328 bits), 41 byte captured on interface enp0s3 (328 bits) capture time 0.000000000 on interface enp0s3

Bluetooth


Bluetooth Linux Monitor Transport

6 interfaces: <live capture in progress>



Packets: 42 - Displayed: 42 (100.0%)

Profile: Default

```
icdfa@icdfa-nslab-client-v1: ~  
icdfa@icdfa-nslab-client-v1:~$ ping -c 4 1.1.1.1  
PING 1.1.1.1 (1.1.1.1) 56(84) bytes of data.  
  
--- 1.1.1.1 ping statistics ---  
4 packets transmitted, 0 received, 100% packet loss, time 3090ms  
  
icdfa@icdfa-nslab-client-v1:~$ ping -c 4 1.1.1.1  
PING 1.1.1.1 (1.1.1.1) 56(84) bytes of data.  
  
--- 1.1.1.1 ping statistics ---  
4 packets transmitted, 0 received, 100% packet loss, time 3066ms  
  
icdfa@icdfa-nslab-client-v1:~$ curl --max-time 10 -I http://example.com  
curl: (28) Connection timed out after 10003 milliseconds  
icdfa@icdfa-nslab-client-v1:~$
```



```
icdfa@icdfa-nslab-client-v1:~$ curl --max-time 10 -I https://example.com  
HTTP/2 200  
date: Tue, 06 Oct 2026 09:49:47 GMT  
content-type: text/html; charset=utf-8  
server: cloudflare  
last-modified: Fri, 02 Oct 2026 16:11:02 GMT  
allow: GET, HEAD  
accept-ranges: bytes  
age: 5873  
cf-cache-status: HIT  
cf-ray: a463c2139e0a6712-AMS  
alt-svc: h3=":443"; ma=86400  
icdfa@icdfa-nslab-client-v1:~$
```



OPNsense Firewall: Diagnostics: States

Search: 10.10.10.167

Int	Dir	Proto	Source	Nat	Destination	Gateway	State	Rule	Commands
all	→	tcp	10.10.10.167:40006		34.107.243.93:443		ESTABLISHED:ESTABLISH...	Default allow LAN to any ...	
all	←	tcp	10.0.3.15:60589	10.10.10.167:40006	34.107.243.93:443		ESTABLISHED:ESTABLISH...	let out anything from fire...	
all	→	udp	10.10.10.167:50368		10.10.10.1:53		SINGLE/MULTIPLE	Default allow LAN to any ...	
all	→	tcp	10.10.10.167:44222		10.10.10.1:443		ESTABLISHED:ESTABLISH...	anti-lockout rule	

Showing 1 to 4 of 4 entries

OPNsense Firewall: Rules

Search: 500

	Icons	Version	Protocol	Source	Port	Destination	Port	Gateway	Commands
Automatically generated rules									
Interface rules									
☐	☒	LAN	IPv4	TCP	LAN network	*	*	http	
☐	☒	LAN	IPv4	*	LAN network	*	*	*	
☐	☒	LAN	IPv4	ICMP	LAN network	*	1.1.1.1/32	*	
☐	☒	LAN	IPv6	*	LAN network	*	*	*	

Showing 1 to 37 of 37 entries

Apply After changing settings, please remember to apply them.

Rules | Firewall | icdfa-nsi

10.10.10.1/ui/firewall/filter

root@icdfa-nsi-lab-firewall-v1.icdfa.test

OPNsense

Securing networks made easy

Lobby

Reporting

System

Interfaces

Firewall

Aliases

Categories

Groups

NAT

Rules

Shaper

Settings

Log Files

Diagnostics

VPN

Services

Power

Help

Firewall: Rules

All rulesCategories

Search

500

		Icons		Version	Protocol	Source	Port	Destination	Port	Gateway	Commands
Automatically generated rules											
Interface rules											
☐	L	☒		LAN	IPv4	TCP	LAN network	*	*	http	
☐	L	☒		LAN	IPv4	*	LAN network	*	*	*	
☐	L	☒		LAN	IPv4	ICMP	LAN network	*	1.1.1.1/32	*	
☐	L	☒		LAN	IPv6	*	LAN network	*	*	*	

Showing 1 to 37 of 37 entries

Apply

Rules | Firewall | icdfa-nsi

10.10.10.1/ui/firewall/filter

root@icdfa-nsi-lab-firewall-v1.icdfa.test

OPNsense

Securing networks made easy

Lobby

Reporting

System

Interfaces

Firewall

Aliases

Categories

Groups

NAT

Rules

Shaper

Settings

Log Files

Diagnostics

VPN

Services

Power

Help

Firewall: Rules

All rulesCategories

Search

500

		Icons		Version	Protocol	Source	Port	Destination	Port	Gateway	Commands
Automatically generated rules											
Interface rules											
☐	L	☒		LAN	IPv6	*	LAN network	*	*	*	
☐	L	☒		LAN	IPv4	*	LAN network	*	*	*	
☐	L	☒		LAN	IPv4	TCP	LAN network	*	*	http	
☐	L	☒		LAN	IPv4	ICMP	LAN network	*	1.1.1.1/32	*	

Showing 1 to 37 of 37 entries

Apply