```
Dt: 24/5/2022
*imp
"attribute" in Servlet Programming:
 =>'attribute' is a variable in Servlet programming which can be added to
ServletContext object,ServletRequest object and HttpSession object.
 =>The following are the methods related to 'attribute':
  (i)setAttribute()
  (ii)getAttribute()
  (iii)removeAttribute()
  (iv)getAttributeNames()
(i)setAttribute():
 =>setAttribute() method is used to add 'attribute' to the objects.
Method Signature:
public abstract void setAttribute(java.lang.String,java.lang.Object);
(ii)getAttribute():
 =>This getAttribute() method is used to get the attribute from the Objects.
Method Signature:
public abstract java.lang.Object getAttribute(java.lang.String);
(iii)removeAttribute():
  =>removeAttribute() method is used to delete the attribute from the objects.
Method Signature:
```

public abstract void removeAttribute(java.lang.String);

(iv)getAttributeNames():


=>getAttributeNames() method is used to get all the attribute names from the objects.

Method Signature:

public abstract java.util.Enumeration<java.lang.String> getAttributeNames();

Scope of 'attribute':

- =>'attribute' in ServletContext object can be used by all the Servlet programs of WebApplication.
- =>'attribute' in ServletRequest object can be accessed by Second Servlet program in forward communication process.
- =>'attribute' in HttpSession object is available from user Login to Logout.




faq:

define DAO?

=>DAO stands for 'Data Access Object' and which is separate layer in MVC(Model View Controller) to hold DataBase related codes.(Persistent Logics)

Diagram:



DAO(Data Access Object) Layer

Note:

=>In the process of establishing communication b/w Servlet Program and DataBase product, the DB-Jar file must be copied into 'lib' folder of 'WEB-INF'.
