


Common Emitter Amplifier

Native LTspice application screenshot of the exported ASC



Visual acceptance: **BLOCKED** - image-capable review unavailable; no visual pass claimed.


Real LTspice electrical partition: **PASS** | 13 pins | 6 groups | 36 wire segments | 2 nonconductive crossings

Visual checks: exact pin ends; orthogonal wires; body clearance; bends and detours; junctions; labels and spacing.

Electrical connectivity is checked independently by netlisting; visual review must still assess presentation quality.

RC Low-pass Filter

Native LTspice application screenshot of the exported ASC



Visual acceptance: **BLOCKED** - image-capable review unavailable; no visual pass claimed.


Real LTspice electrical partition: **PASS** | 4 pins | 3 groups | 7 wire segments | 0 nonconductive crossings

Visual checks: exact pin ends; orthogonal wires; body clearance; bends and detours; junctions; labels and spacing.

Electrical connectivity is checked independently by netlisting; visual review must still assess presentation quality.

RC High-pass Filter

Native LTspice application screenshot of the exported ASC



Visual acceptance: **BLOCKED** - image-capable review unavailable; no visual pass claimed.


Real LTspice electrical partition: **PASS** | 4 pins | 3 groups | 7 wire segments | 0 nonconductive crossings

Visual checks: exact pin ends; orthogonal wires; body clearance; bends and detours; junctions; labels and spacing.

Electrical connectivity is checked independently by netlisting; visual review must still assess presentation quality.

Voltage Divider

Native LTspice application screenshot of the exported ASC



Visual acceptance: **BLOCKED** - image-capable review unavailable; no visual pass claimed.


Real LTspice electrical partition: **PASS** | 4 pins | 3 groups | 7 wire segments | 0 nonconductive crossings

Visual checks: exact pin ends; orthogonal wires; body clearance; bends and detours; junctions; labels and spacing.

Electrical connectivity is checked independently by netlisting; visual review must still assess presentation quality.

Bridge Rectifier

Native LTspice application screenshot of the exported ASC



Visual acceptance: **BLOCKED** - image-capable review unavailable; no visual pass claimed.


Real LTspice electrical partition: **PASS** | 10 pins | 4 groups | 24 wire segments | 0 nonconductive crossings

Visual checks: exact pin ends; orthogonal wires; body clearance; bends and detours; junctions; labels and spacing.

Electrical connectivity is checked independently by netlisting; visual review must still assess presentation quality.

NE555 Astable Multivibrator

Native LTspice application screenshot of the exported ASC



Visual acceptance: **BLOCKED** - image-capable review unavailable; no visual pass claimed.


Real LTspice electrical partition: **PASS** | 14 pins | 7 groups | 36 wire segments | 3 nonconductive crossings

Visual checks: exact pin ends; orthogonal wires; body clearance; bends and detours; junctions; labels and spacing.

Electrical connectivity is checked independently by netlisting; visual review must still assess presentation quality.

LED Blinker

Native LTspice application screenshot of the exported ASC



Visual acceptance: **BLOCKED** - image-capable review unavailable; no visual pass claimed.

Real LTspice electrical partition: **PASS** | 11 pins | 6 groups | 24 wire segments | 0 nonconductive crossings

Visual checks: exact pin ends; orthogonal wires; body clearance; bends and detours; junctions; labels and spacing.

Electrical connectivity is checked independently by netlisting; visual review must still assess presentation quality.