

09:47




NEHRA CLASSES

```
[root@rhel8 ~]# cat /etc/redhat-release
Red Hat Enterprise Linux release 8.5 (Ootpa)
[root@rhel8 ~]# clear
```

please like & share it with others also..... Please subscribe our channel for such more videos,

11:44



Managing Containers on RHEL 8:

Introduction to Linux Containers on RHEL 8:

Linux containers can be thought of as a lightweight alternative to virtualization. Containers work by using a concept referred to as *kernel sharing* which takes advantage of the architectural design of Linux and UNIX-based operating systems.

Containers are isolated, but share OS and, where appropriate, bins/libraries

In order to understand how kernel sharing and containers work it helps to first understand the two main components of Linux or UNIX operating systems. At the core of the operating system is the kernel. The kernel, in simple terms, handles all the interactions between the operating system and the physical hardware. The second key component is the root file system which contains all the libraries, files and utilities necessary for the operating system to function. Taking advantage of this structure, containers each have their own root file system but share the kernel of the host operating system.

!!!!!! Thanks for watching this video, please like & share it with others also..... Please sub


13:09

Managing Containers on RHEL 8:



Difference Between Container & Virtual Machine:

Virtual Machine:
It runs on top of an emulating software called the hypervisor which sits between the hardware and the virtual machine. The hypervisor is the key to enable virtualization. It manages the sharing of physical resources into virtual machines. Each virtual machine runs its own guest operating system. They are less agile and have low portability than containers.



Virtual Machines Containers

membership to avail additional benefits like, on demand tutorials, exclusive training program

14:44




Managing Containers on RHEL 8:



Difference Between Container & Virtual Machine:

Container:
It sits on the top of a physical server and its host operating system. They share a common operating system that requires care and feeding for bug fixes and patches. They are more agile and have high portability than virtual machines.



Virtual Machines Containers

.. @NehraClasses..... !!!!! Thanks for watching this video, please like & share it with oth

15:05



Managing Containers on RHEL 8:



Difference Between Container & Virtual Machine:

S. No.	Virtual Machines (VMs)	Containers
1.	VM is piece of software that allows you to install other software inside of it so you basically control it virtually as opposed to installing the software directly on the computer.	While a container is a software that allows different functionalities of an application independently.
2.	Applications running on VM system can run different OS.	While applications running in a container environment share a single OS.
3.	VM virtualizes the computer system.	While containers virtualize the operating system only.
4.	VMs are generally very large in size.	While the size of containers are very light, generally in few Megabytes.
5.	VM takes minutes to run, due to large size.	While containers take a few seconds to run.
6.	VM uses a lot of system memory.	While containers require very less memory.
7.	VMs are much more secured as compared to containers.	While containers are less secured as compared to VMs.
8.	VMs are useful when we require all of OS resources to run various applications.	While containers are useful when we are required to maximize the running applications using minimal servers.
9.	Examples of VMs are: KVM, Xen, VMware.	While examples of containers are: Podman & Docker.

With more videos, you can also join our channel membership to avail additional benefits like, on d

18:26



Managing Containers on RHEL 8:



RHEL 8 Container Tools:

RHEL 8 provides a number of tools for creating, inspecting and managing containers. The main tools are as follows:

buildah – A command-line tool for building container images.

podman – A command-line based container runtime and management tool. Performs tasks such as downloading container images from remote registries and inspecting, starting and stopping images.

skopeo – A command-line utility used to convert container images, copy images between registries and inspect images stored in registries without the need to download them.

runc – A lightweight container runtime for launching and running containers from the command-line.

OpenShift – An enterprise level container application management platform consisting of command-line and web-based tools.

All of the above tools are compliant with the Open Container Initiative (OCI), a set of specifications designed to ensure that containers conform to the same

With training program videos, access latest technology tutorials & many more..... You can also follow

21:16



Managing Containers on RHEL 8:



Container Catalogues, Repositories and Registries:

The Red Hat Container Catalog (RHCC) provides a set of pre-built images that have been tested by Red Hat and can be downloaded and used as the basis for your own container images. The RHCC can be accessed at the following URL and allows searches to be performed for specific images:

<https://access.redhat.com/containers/>

After a search has completed, the catalog will display a list of matching repositories. A repository in this context is a collection of associated images.

In addition to downloading (referred to as "pulling" in container terminology) container images from Red Hat and other third party hosts registries, you can also use registries to store your own images. This can be achieved either by hosting your own registry, or by making use of existing services such as those provided by Amazon AWS, Google Cloud and IBM Cloud to name a few of the many options.



Nehra Classes



Managing Containers on RHEL 8:



Install and Use Podman on CentOS 8 / RHEL 8:

RHEL 8 / CentOS 8 has dropped official support for Docker as container runtime. Instead, Red Hat has been working on libpod (Podman's container management library) which provides a library for applications to use the Container Pod concept available in the world of Kubernetes. One of the tools provided as part of libpod project is podman – Used for managing Pods, Containers, and Container Images.

Podman can be defined as a tool designed for managing containers and pods without requiring a container daemon. All the containers and Pods are created as child processes of the Podman tool. The Podman's CLI is based on the Docker CLI.

It is easy to install Podman on CentOS 8 or RHEL 8 Linux machine. Most container related tools on CentOS 8 are available on the module called container-tools.

```
# dnf install -y @container-tools
```

```
# podman version
```

If you like this video, please like & share it with others also..... Please subscribe our channel for such n

22:00



Managing Containers on RHEL 8:



Install and Use Podman on CentOS 8 / RHEL 8:

RHEL 8 / CentOS 8 has dropped official support for Docker as container runtime. Instead, Red Hat has been working on libpod (Podman's container management library) which provides a library for applications to use the Container Pod concept available in the world of Kubernetes. One of the tools provided as part of libpod project is podman – Used for managing Pods, Containers, and Container Images.

Podman can be defined as a tool designed for managing containers and pods without requiring a container daemon. All the containers and Pods are created as child processes of the Podman tool. The Podman's CLI is based on the Docker CLI.

It is easy to install Podman on CentOS 8 or RHEL 8 Linux machine. Most container related tools on CentOS 8 are available on the module called container-tools.

```
# dnf install -y @container-tools
```

```
# podman version
```



Nehra Classes



Managing Containers on RHEL 8:



Install and Use Podman on CentOS 8 / RHEL 8:

RHEL 8 / CentOS 8 has dropped official support for Docker as container runtime. Instead, Red Hat has been working on libpod (Podman's container management library) which provides a library for applications to use the Container Pod concept available in the world of Kubernetes. One of the tools provided as part of libpod project is podman – Used for managing Pods, Containers, and Container Images.

Podman can be defined as a tool designed for managing containers and pods without requiring a container daemon. All the containers and Pods are created as child processes of the Podman tool. The Podman's CLI is based on the Docker CLI.

It is easy to install Podman on CentOS 8 or RHEL 8 Linux machine. Most container related tools on CentOS 8 are available on the module called container-tools.

```
# dnf install -y @container-tools
```


```
# podman version
```

If you like this video, please like & share it with others also..... Please subscribe our channel for such n

22:34



[23:05](#)



[26:39](#)

The screenshot shows a video player interface. At the top, there's a header with 'Nehra Classes' and 'NEHRA CLASSES'. Below the header is a terminal window displaying the output of the 'podman version' command. The output shows the client, version, API version, and Go version, along with the build date and OS/architecture. A video feed of a man in a yellow shirt is visible in the bottom right corner of the terminal window. At the bottom of the video player, there's a caption: 'ccess latest technology tutorials & many more..... You can also follow us on other social media'.

```
[root@rhel8 ~]# podman version
Client:      Podman Engine
Version:     4.0.2
API Version: 4.0.2
Go Version:  go1.17.7

Built:       Tue Apr 19 15:46:32 2022
OS/Arch:     linux/amd64
[root@rhel8 ~]#
```

ccess latest technology tutorials & many more..... You can also follow us on other social media

[27:31](#)


The screenshot shows a video player interface. At the top, there's a header with 'Nehra Classes' and 'NEHRA CLASSES'. Below the header is a terminal window displaying the command 'podman search registry.redhat.io/redis'. A video feed of a man in a yellow shirt is visible in the bottom right corner of the terminal window. At the bottom of the video player, there's a caption: 'fits like, on demand tutorials, exclusive training program videos, access latest technology tutor'.

```
[root@rhel8 ~]# podman search registry.redhat.io/redis
```

fits like, on demand tutorials, exclusive training program videos, access latest technology tutor

[29:05](#)

NEHRA CLASSES




```
[root@rhel8 ~]# podman search --no-trunc registry.redhat.io/rhel8/mariadb103
[root@rhel8 ~]# podman search registry.redhat.io/mariadb
```

Thanks for watching this video, please like & share it with others also..... Please subscribe

[29:50](#)

NEHRA CLASSES




```
[root@rhel8 ~]# podman search --no-trunc registry.redhat.io/rhosp12/openstack-mariadb
NAME                                DESCRIPTION
registry.redhat.io/rhosp12/openstack-mariadb  Red Hat OpenStack Container image for openstack-mariadb
[root@rhel8 ~]#
```

You can also follow us on other social media platforms for regular updates & offers..... @

[30:23](#)




[30:55](#)




[31:50](#)




[32:32](#)



[34:06](#)



[34:31](#)



[35:21](#)

NEHRA CLASSES

```
[root@rhel8 ~]# podman images
```

REPOSITORY	TAG	IMAGE ID	CREATED	SIZE
registry.centos.org/centos/httpd	latest	3539eed1f25d	18 months ago	436 MB

```
[root@rhel8 ~]# podman inspect 3539eed1f25d
```

hers also..... Please subscribe our channel for such more videos, you can also join our channel

[36:50](#)

NEHRA CLASSES

```
[root@rhel8 ~]# podman images
```

REPOSITORY	TAG	IMAGE ID	CREATED	SIZE
registry.centos.org/centos/httpd	latest	3539eed1f25d	18 months ago	436 MB

```
[root@rhel8 ~]# podman tag 3539eed1f25d myhttp
```

```
[root@rhel8 ~]# podman images
```

REPOSITORY	TAG	IMAGE ID	CREATED	SIZE
registry.centos.org/centos/httpd	latest	3539eed1f25d	18 months ago	436 MB
localhost/myhttp	latest	3539eed1f25d	18 months ago	436 MB

```
[root@rhel8 ~]#
```

videos, access latest technology tutorials & many more..... You can also follow us on other s

[37:23](#)

NEHRA CLASSES

```
[root@rhel8 ~]# podman images
```

REPOSITORY	TAG	IMAGE ID	CREATED	SIZE
registry.centos.org/centos/httpd	latest	3539eed1f25d	18 months ago	436 MB

```
[root@rhel8 ~]# podman tag 3539eed1f25d myhttp
```

```
[root@rhel8 ~]# podman images
```

REPOSITORY	TAG	IMAGE ID	CREATED	SIZE
registry.centos.org/centos/httpd	latest	3539eed1f25d	18 months ago	436 MB
localhost/myhttp	latest	3539eed1f25d	18 months ago	436 MB

```
[root@rhel8 ~]# podman run 3539eed1f25d
```

AH00558: httpd: Could not reliably determine the server's fully qualified domain name, using 10.88.0.2. Set the 'ServerName' directive globally to suppress this message

with others also..... Please subscribe our channel for such more videos, you can also join our

[37:36](#)

NEHRA CLASSES

```
[root@rhel8 ~]# podman ps
```

CONTAINER ID	IMAGE	STATUS	PORTS	NAMES	COMMAND	CREATED
7d7465a55a82	registry.centos.org/centos/httpd:latest	Up 13 seconds ago		charming_hoover	/run-httpd.sh	13 seconds ago

```
[root@rhel8 ~]#
```

ur channel membership to avail additional benefits like, on demand tutorials, exclusive training

[38:12](#)

NEHRA CLASSES

```
[root@rhel8 ~]# podman ps
```

CONTAINER ID	IMAGE	COMMAND	CREATED
7d7465a55a82	registry.centos.org/centos/httpd:latest	/run-httpd.sh	13 seconds ago

```
[root@rhel8 ~]# podman stop 7d7465a55a82
```

@NehraClasses..... !!!!! Thanks for watching this video, please like & share it with others

[38:41](#)

NEHRA CLASSES

```
[root@rhel8 ~]# podman run -d 3539eed1f25d0a524785849bedf2c039f05f92b76206e8744be887fd36c63178d783676ab72c
```

avail additional benefits like, on demand tutorials, exclusive training program videos, access to

[38:51](#)



NEHRA CLASSES



```
[root@rhel8 ~]# podman run -d 3539eed1f25d
0a524785849bedf2c039f05f92b76206e8744be887fd36c63178d783676ab72c
[root@rhel8 ~]# podman ps
```

CONTAINER ID	IMAGE	STATUS	PORTS	NAMES	COMMAND	CREATED
0a524785849b	registry.centos.org/centos/httpd:latest	Up 8 seconds ago		clever_rosalind	/run-httpd.sh	8 seconds ago

```
[root@rhel8 ~]#
```

program videos, access latest technology tutorials & many more..... You can also follow us on c

[39:03](#)



NEHRA CLASSES




```
[root@rhel8 ~]# podman ps -a
```

CONTAINER ID	IMAGE	STATUS	PORTS	NAMES	COMMAND	CREATED
7d7465a55a82	registry.centos.org/centos/httpd:latest	Exited (137) 43 seconds ago		charming_hoover	/run-httpd.sh	About a minute ago
0a524785849b	registry.centos.org/centos/httpd:latest	Up 21 seconds ago		clever_rosalind	/run-httpd.sh	21 seconds ago


```
[root@rhel8 ~]#
```

low us on other social media platforms for regular updates & offers..... @NehraClasses.....

[40:00](#)




[40:30](#)



[41:19](#)



[42:33](#)



[44:47](#)


Nehra Classes

NEHRA CLASSES



```

[root@rhel8 ~]# podman pull docker.io/cloudlinuxinc/centos8-python38
Trying to pull docker.io/cloudlinuxinc/centos8-python38:latest...
Getting image source signatures
Copying blob a1f18d9dc549 done
Copying blob cfc3fb50d273 done
Copying blob 915229397771 [=====>-----] 73.2MiB / 341.2MiB
Copying blob 3a7ba744b515 [=====>-----] 83.1MiB / 158.6MiB
  
```



membership to avail additional benefits like, on demand tutorials, exclusive training program video

45:48


Neh

NEHRA CLASSES



```

[root@rhel8 ~]# podman run -it --name=mybash 1194bb8e65c3
Error: error creating container storage: the container name "mybash" is already
in use by "f0a267e48658c9d30086a12b962776f85c04ae97ebf74edc28855560638e3459".
You have to remove that container to be able to reuse that name.: that name is
already in use
[root@rhel8 ~]# c
  
```



membership to avail additional benefits like, on demand tutorials, exclusive training program video

45:54

NEHRA CLASSES

NEHRA CLASSES

18/01/2023 18:07

18/01/2023 18:07

```
[root@rhel8 ~]# podman run -it --name=mybash1 1194bb8e65c3
[root@63b3fc752b40 /]#
```



on demand tutorials, exclusive training program videos, access latest technology tutorials & m

46:09

NEHRA CLASSES

NEHRA CLASSES

18/01/2023 18:07

18/01/2023 18:07

```
[root@rhel8 ~]# podman ps
```

CONTAINER ID	IMAGE	COMMAND	CREA
0a524785849b	registry.centos.org/centos/httpd:latest	/run-httpd.sh	7 mi
63b3fc752b40	docker.io/cloudlinuxinc/centos8-python38:latest	/bin/bash	12 s

```
[root@rhel8 ~]#
```



you can also follow us on other social media platforms for regular updates & offers..... @Neh

46:23

NEHRA CLASSES

```
[root@63b3fc752b40 ~]# cat /etc/redhat-release
AlmaLinux release 8.5 (Arctic Sphynx)
[root@63b3fc752b40 ~]#
```

hrraClasses..... !!!!! Thanks for watching this video, please like & share it with others also.

[46:52](#)

NEHRA CLASSES

```
[root@63b3fc752b40 ~]# ps
  PID TTY          TIME CMD
    1 pts/0        00:00:00 bash
   25 pts/0        00:00:00 ps
[root@63b3fc752b40 ~]# ps -ef
UID          PID    PPID  C STIME TTY          TIME CMD
root           1         0  0  16:20 pts/0        00:00:00 /bin/bash
root          26         1  0  16:21 pts/0        00:00:00 ps -ef
[root@63b3fc752b40 ~]#
```

ditional benefits like, on demand tutorials, exclusive training program videos, access latest tech

[47:57](#)

NEHRA CLASSES

[root@63b3fc752b40 /]# exit
[root@rhel8 ~]#

and tutorials, exclusive training program videos, access latest technology tutorials & many more

48:44

NEHRA CLASSES

[root@rhel8 ~]# podman images

REPOSITORY	TAG	IMAGE ID	CREATED
docker.io/cloudlinuxinc/centos8-python38	latest	1194bb8e65c3	3 months ago
o 1.82 GB			
registry.centos.org/centos/httpd	latest	3539eed1f25d	18 months ago
go 436 MB			
localhost/myhttp	latest	3539eed1f25d	18 months ago
go 436 MB			
registry.centos.org/cdrage/mosh-centos7	latest	5c58aab1e2d2	3 years ago
368 MB			
docker.io/drud/redis	latest	3f4a46	6 years ago
339 MB			

[root@rhel8 ~]#

much more videos, you can also join our channel membership to avail additional benefits like, on

48:55


Nehra Classes

NEHRA CLASSES



```
[root@rhel8 ~]# podman images
```

REPOSITORY	TAG	IMAGE ID	CREATED
docker.io/cloudlinuxinc/centos8-python38	latest	1194bb8e65c3	3 months ago
registry.centos.org/centos/httpd	latest	3539eed1f25d	18 months ago
localhost/myhttp	latest	3539eed1f25d	18 months ago
registry.centos.org/cdrage/mosh-centos7	latest	5c58aab1e2d2	3 years ago
docker.io/drud/redis	latest	3f4a46	6 years ago

```
[root@rhel8 ~]# podman run -d --name redis_server -p 6379:6379 redis
```

Additional benefits like, on demand tutorials, exclusive training program videos, access latest technology

50:58


Nehra Classes


NEHRA CLASSES




```
[Unit]
Description=Redis container
[Service]
Restart=always
ExecStart=/usr/bin/podman start -a redis_server
ExecStop=/usr/bin/podman stop -t 2 redis_server
[Install]
WantedBy=local.target
```

Additional benefits like, on demand tutorials, exclusive training program videos, access latest technology

51:07



[51:30](#)




[52:28](#)

52:35

[illegible]

53:09



NEHRA CLASSES



```
[root@rhel8 ~]# podman ps
CONTAINER ID   IMAGE                                     COMMAND                  CREATED
TED           STATUS                                PORTS                   NAMES
0a524785849b   registry.centos.org/centos/httpd:latest /run-httpd.sh           7 minutes ago Up 7 minutes ago clever_rosalind
63b3fc752b40   docker.io/cloudlinuxinc/centos8-python38:latest /bin/bash               13 seconds ago Up 13 seconds ago mybash1
[root@rhel8 ~]# podman stop 63b3fc752b40
63b3fc752b40
[root@rhel8 ~]# podman stop 0a524785849b
```



... videos, access latest technology tutorials & many more..... You can also follow us on other

[53:20](#)



NEHRA CLASSES



```
[root@rhel8 ~]#
```



... us on other social media platforms for regular updates & offers..... @NehraClasses..... !!


[54:26](#)

The screenshot shows a video player interface. At the top, there's a banner for "Nehra Classes" with a logo on the left and a social media icon on the right. Below the banner, a terminal window is displayed with the command `[root@rhel8 system]# setsebool -P container_manage_cgroup on`. The terminal output is empty. Below the terminal, a man with dark hair, wearing a yellow and black striped shirt, is speaking into a microphone. At the bottom of the video frame, there is a text overlay: "ms for regular updates & offers..... @NehraClasses..... !!!!! Thanks for watching this vid".


[54:02](#)

The screenshot shows a video player interface. At the top, there's a banner for "Nehra Classes" with a logo on the left and a social media icon on the right. Below the banner, a terminal window is displayed with the command `[root@rhel8 system]# podman generate systemd --new --name redis_server`. The terminal output is empty. Below the terminal, the same man in the yellow and black striped shirt is speaking into a microphone. At the bottom of the video frame, there is a text overlay: "s like, on demand tutorials, exclusive training program videos, access latest technology tutoria".

[55:41](#)



56:09



59:18



NEHRA CLASSES



```
[root@rhel8 ~]# podman ps
```

CONTAINER ID	IMAGE	COMMAND	CREATED
d239fb32cfaf	docker.io/drud/redis:latest	redis-server /etc...	About a minute ago


```
[root@rhel8 ~]# podman stop d239fb32cfaf
```

```
[root@rhel8 ~]#
```

ess latest technology tutorials & many more.....

You can also follow us on other social media

59:40



NEHRA CLASSES



```
[root@rhel8 ~]# podman ps
```

CONTAINER ID	IMAGE	COMMAND	CREATED
d239fb32cfaf	docker.io/drud/redis:latest	redis-server /etc...	About a minute ago

```
[root@rhel8 ~]# podman stop d239fb32cfaf
```

```
[root@rhel8 ~]# podman rm -a
```

```
f0a267e48658c9d30086a12b962776f85c04ae97ebf74edc28855560638e3459
```

```
0a524785849bedf2c039f05f92b76206e8744be887fd36c63178d783676ab72c
```

```
63b3fc752b40d509eb278e0544b319a770300fb9c214f64bf778fc45bcd7dfa2
```

```
7d7465a55a825c19e2a47a861de40a1ce73187232784323130b91d7ad782
```

```
[root@rhel8 ~]#
```

s.....

!!!!!! Thanks for watching this video, please like & share it with others also..... Please

59:54



NEHRA CLASSES



```
[root@rhel8 ~]# podman ps
```

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
[root@rhel8 ~]# podman ps	-a					
CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES

```
[root@rhel8 ~]#
```



Subscribe our channel for such more videos, you can also join our channel membership to avail a

01:00:08



NEHRA CLASSES



```
[root@rhel8 ~]# podman images
```

REPOSITORY	TAG	IMAGE ID	CREATED
docker.io/cloudlinuxinc/centos8-python38	latest	1194bb8e65c3	3 months ag
o 1.82 GB			
registry.centos.org/centos/httpd	latest	3539eed1f25d	18 months a
go 436 MB			
localhost/myhttp	latest	3539eed1f25d	18 months a
go 436 MB			
registry.centos.org/cdrage/mosh-centos7	latest	5c58aab1e2d2	3 years ago
368 MB			
docker.io/drud/redis	latest	3f4a46e	6 years ago
339 MB			

```
[root@rhel8 ~]# clea
```



nal benefits like, on demand tutorials, exclusive training program videos, access latest technolo

01:00:22

NEHRA CLASSES

```
[root@rhel8 ~]# podman images
```

REPOSITORY	TAG	IMAGE ID	CREATED
docker.io/cloudlinuxinc/centos8-python38	latest	1194bb8e65c3	3 months ago
registry.centos.org/centos/httpd	latest	3539eed1f25d	18 months ago
localhost/myhttp	latest	3539eed1f25d	18 months ago
registry.centos.org/cdrage/mosh-centos7	latest	5c58aab1e2d2	3 years ago
docker.io/drud/redis	latest	3f4a46eb8200	6 years ago

```
[root@rhel8 ~]# podman rmi 3f4a46eb8200
```

tutorials & many more..... You can also follow us on other social media platforms for regular updates

01:00:39

NEHRA CLASSES

```
[root@rhel8 ~]# podman rmi -a
```


```
Untagged: registry.centos.org/centos/httpd:latest
Untagged: localhost/myhttp:latest
Untagged: registry.centos.org/cdrage/mosh-centos7:latest
Untagged: docker.io/cloudlinuxinc/centos8-python38:latest
Deleted: 3539eed1f25d81cefd2d4c92a10c7bd19db496486627f9b7e649a269e5662436
Deleted: 5c58aab1e2d2fa113c71c3dd4722af3e4ee91eb8470f86c1ae7d4d741f4c1a65
Deleted: 1194bb8e65c3eb4f87c16d3b4f046d296b845d19a1e6ccc4651ca9d7416bbaf9
[root@rhel8 ~]# clear
```

@NehraClasses..... !!!!! Thanks for watching this video, please like & share it with others


01:07:08




[01:07:36](#)



[01:07:33](#)



[01:08:49](#)



[01:11:09](#)



01:12:04




podman inspect se hum unhi images ko inspect kar skte hai jo
locally hamari machine par available ho

01:12:22




esi images jo remote registry par ho unhe inspect karne ke liye
hum skopeo command chalate hai


[01:14:14](#)



[01:15:09](#)



01:15:42



01:16:01

Nehra Classes

NEHRA CLASSES

```

[root@nehraclasses ~]# mkdir -p /var/lib/images/nginx
[root@nehraclasses ~]# skopeo copy docker://docker.io/nginx:latest dir:/var/lib/images/nginx
Getting image source signatures
Copying blob 214ca5fb9032 done
Copying blob f0156b83954c done
Copying blob 5c4340f87b72 done
Copying blob 9de84a6a72f5 done
Copying blob 63f91b232fe3 done
Copying blob 860d24db679a done
Copying config 7425d3a7c4 done
Writing manifest to image destination
Storing signatures
[root@nehraclasses ~]#

```

technology tutorials & many more..... You can also follow us on other social media platforms for

[01:16:19](#)

[redacted]

NEHRA CLASSES

```

f0156b83954cc6c71cb4b4e662cc79c0154a67507fc7b28107a10afa3b6901ab
manifest.json
version
[root@nehraclasses ~]# ll /var/lib/images/nginx
total 55440
-rw-r--r--. 1 root root 31379476 May 16 21:26 214ca5fb90323fe769c63a12af092f2572bf1c6b300263e09
883909fc865d260
-rw-r--r--. 1 root root      601 May 16 21:26 5c4340f87b72bb602c13a5e79e65bb873e0ce85703d929d8a
ad9a7d71298f26b
-rw-r--r--. 1 root root      667 May 16 21:26 63f91b232fe372dae5f3804faefc7f24a8fc3a222680fe2e7
55f24dbd97434d0
-rw-r--r--. 1 root root      7657 May 16 21:26 7425d3a7c478efbeb75f0937060117343a9a510f72f5f7ad9
f14b1501a36940c
-rw-r--r--. 1 root root      1396 May 16 21:26 860d24db679a16caea43770df875e41ddafc721800
0bf1e868465f1fd
-rw-r--r--. 1 root root      892 May 16 21:26 9de84a6a72f538009fd1a3ed8781adf7fcfa3efb69a
3cbbc534dfa667e
-rw-r--r--. 1 root root 25352143 May 16 21:26 f0156b83954cc6c71cb4b4e662cc79c0154a67507fc7b2810
7a10afa3b6901ab
-rw-r--r--. 1 root root      1570 May 16 21:26 manifest.json
-rw-r--r--. 1 root root       33 May 16 21:26 version
[root@nehraclasses ~]#

```

@NehraClasses..... !!!!! Thanks for watching this video, please like & share it with other

[01:16:13](#)

Nehra Classes

NEHRA CLASSES

```

[root@nehraclasses ~]# ls /var/lib/images/nginx
214ca5fb90323fe769c63a12af092f2572bf1c6b300263e09883909fc865d260
5c4340f87b72bb602c13a5e79e65bb873e0ce85703d929d8aad9a7d71298f26b
63f91b232fe372dae5f3804faefc7f24a8fc3a222680fe2e755f24dbd97434d0
7425d3a7c478efbeb75f0937060117343a9a510f72f5f7ad9f14b1501a36940c
860d24db679a16caea43770df8311c17765e41ddafc7218000bf1e868465f1fd
9de84a6a72f538009fd1a3ed878650d637adf7fcfa3efb69a3cbbc534dfa667e
f0156b83954cc6c71cb4b4e662cc79c0154a67507fc7b28107a10afa3b6901ab
manifest.json
version
[root@nehraclasses ~]#

```

platforms for regular updates & offers..... @NehraClasses..... !!!!! Thanks for watching

01:17:29

Nehra Classes

NEHRA CLASSES

```

[root@nehraclasses ~]# podman images
REPOSITORY          TAG          IMAGE ID          CREATED          SIZE
docker.io/library/httpd latest       c58ef9bfb57       5 days ago      148 MB
[root@nehraclasses ~]# podman tag docker.io/library/httpd webserver
[root@nehraclasses ~]#

```

please like & share it with others also..... Please subscribe our channel for such more videos,

01:17:50

NEHRA CLASSES

```

[root@nehraclasses ~]# podman images
REPOSITORY          TAG                IMAGE ID           CREATED           SIZE
docker.io/library/httpd latest            c58ef9bfbb57      5 days ago      148 MB
[root@nehraclasses ~]# podman tag docker.io/library/httpd webserver
[root@nehraclasses ~]# podman images
REPOSITORY          TAG                IMAGE ID           CREATED           SIZE
docker.io/library/httpd latest            c58ef9bfbb57      5 days ago      148 MB
localhost/webserver latest            c58ef9bfbb57      5 days ago      148 MB
[root@nehraclasses ~]#

```

ail additional benefits like, on demand tutorials, exclusive training program videos, access lates

01:18:47

NEHRA CLASSES

```

[root@nehraclasses ~]# podman images
REPOSITORY          TAG                IMAGE ID           CREATED           SIZE
docker.io/library/httpd latest            c58ef9bfbb57      5 days ago      148 MB
[root@nehraclasses ~]# podman tag docker.io/library/httpd webserver
[root@nehraclasses ~]# podman images
REPOSITORY          TAG                IMAGE ID           CREATED           SIZE
docker.io/library/httpd latest            c58ef9bfbb57      5 days ago      148 MB
localhost/webserver latest            c58ef9bfbb57      5 days ago      148 MB
[root@nehraclasses ~]# podman tag c58ef9bfbb57 webserver:4
[root@nehraclasses ~]# podman images
REPOSITORY          TAG                IMAGE ID           CREATED           SIZE
docker.io/library/httpd latest            c58ef9bfbb57      5 days ago      148 MB
localhost/webserver latest            c58ef9bfbb57      5 days ago      148 MB
localhost/webserver 4                c58ef9bfbb57      5 days ago      148 MB
[root@nehraclasses ~]#

```

r channel membership to avail additional benefits like, on demand tutorials, exclusive training

01:20:34


Nehra Classes

NEHRA CLASSES



```

[root@nehraclasses ~]# podman images
REPOSITORY          TAG         IMAGE ID      CREATED       SIZE
docker.io/library/httpd latest      c58ef9bfb57   5 days ago   148 MB
localhost/webserver latest      c58ef9bfb57   5 days ago   148 MB
localhost/webserver 4          c58ef9bfb57   5 days ago   148 MB
[root@nehraclasses ~]# podman save -o mywebserver.tar docker.io/library/httpd:latest
Copying blob fd95118eade9 done
Copying blob 61189266c79b done
Copying blob cdb02ff9b080 done
Copying blob 7366c761d72a [>-----] 1.1MiB / 58.3MiB
  
```



Share & share it with others also..... Please subscribe our channel for such more videos, you can

01:20:45


Nehra Classes

NEHRA CLASSES




```

[root@nehraclasses ~]# ls
anaconda-ks.cfg  Desktop  Downloads  Music  initial-setup-ks.cfg  mywebserver.tar  Public  Videos
[root@nehraclasses ~]# fi
  
```




re videos, you can also join our channel membership to avail additional benefits like, on demand


01:20:51



[01:21:24](#)



[01:22:19](#)



01:24:25



01:26:34

NEHRA CLASSES

Session Servers Tools Games Security View Light Multi-Ext Transcoding Packages Settings Help

Quick connect: 192.168.100.120 (pod)

```
[root@nehraclasses ~]# podman image trust set -f /etc/pki/rpm-gpg/RPM-GPG-KEY-redhat-release re
gistry.access.redhat.com
[root@nehraclasses ~]#
```

!!!!!! Thanks for watching this video, please like & share it with others also..... Please su

[01:27:36](#)

NEHRA CLASSES

Session Servers Tools Games Security View Light Multi-Ext Transcoding Packages Settings Help

Quick connect: 192.168.100.120 (pod)

```
[root@nehraclasses ~]# podman ps -a
CONTAINER ID IMAGE COMMAND CREATED STATUS PORTS NAMES
[root@nehraclasses ~]# podman stop -a
[root@nehraclasses ~]# podman ps -a
CONTAINER ID IMAGE COMMAND CREATED STATUS PORTS NAMES
```

!!! Thanks for watching this video, please like & share it with others also..... Please subscri

[01:28:32](#)


Nehra Classes

NEHRA CLASSES



```

[root@nehraclasses ~]# podman images
REPOSITORY      TAG      IMAGE ID      CREATED      SIZE
localhost/webserver latest    c58ef9bfb57    5 days ago   148 MB
localhost/webserver 4        c58ef9bfb57    5 days ago   148 MB
[root@nehraclasses ~]# podman rmi -a
Untagged: localhost/webserver:latest
Untagged: localhost/webserver:4
Deleted: c58ef9bfb5789a9882cee610ba778b1368d21b513d6caf32e3075542e13fe81
[root@nehraclasses ~]# podman images
REPOSITORY      TAG      IMAGE ID      CREATED      SIZE
[root@nehraclasses ~]#

```



s & offers..... @NehraClasses..... !!!!! Thanks for watching this video, please like & share

[01:28:47](#)


Nehra Classes

NEHRA CLASSES



```


[root@nehraclasses ~]# podman images
REPOSITORY      TAG      IMAGE ID      CREATED      SIZE
localhost/webserver latest    c58ef9bfb57    5 days ago   148 MB
localhost/webserver 4        c58ef9bfb57    5 days ago   148 MB
[root@nehraclasses ~]# podman rmi -a
Untagged: localhost/webserver:latest
Untagged: localhost/webserver:4
Deleted: c58ef9bfb5789a9882cee610ba778b1368d21b513d6caf32e3075542e13fe81
[root@nehraclasses ~]# podman images
REPOSITORY      TAG      IMAGE ID      CREATED      SIZE
[root@nehraclasses ~]# podman rmi -f c58ef9bfb57

```




ers also..... Please subscribe our channel for such more videos, you can also join our channel

[01:34:38](#)




if you want to know container operationg system

[01:36:41](#)




[01:37:46](#)




isse direct container image pull hogi fir vo run hogi or fir us container me cat /etc/os-release command run hogi fir vo auto stop ho jaayegi

[01:38:29](#)




isse pata chal jaayega ki container image me konsa os hai or uska version konsa hai

[01:38:51](#)



koi command container ke ander chalani hai to

[01:40:14](#)



[01:40:57](#)

NEHRA CLASSES

```
[root@nehraclasses ~]# podman run --name=myubi -it registry.access.redhat.com/ubi8/ubi /bin/bash
h
[root@7c021a346bf0 /]# ps -ef
bash: ps: command not found
[root@7c021a346bf0 /]# yum install procps-ng -y
Updating Subscription Management repositories.
Unable to read consumer identity
Subscription Manager is operating in container mode.

This system is not registered with an entitlement server. You can use subscription-manager to register.

Red Hat Universal Base Image [ === ] --- B/s | 3 --- ETA
```

hare it with others also..... Please subscribe our channel for such more videos, you can also j

01:41:15

NEHRA CLASSES

```
Running transaction check
Transaction check succeeded.
Running transaction test
Transaction test succeeded.
Running transaction
  Preparing                : 1/1
  Installing                : procps-ng-3.3.15-6.el8.x86_64 1/1
  Running scriptlet: procps-ng-3.3.15-6.el8.x86_64 1/1
  Verifying                 : procps-ng-3.3.15-6.el8.x86_64 1/1
Installed products updated.

Installed:
  procps-ng-3.3.15-6.el8.x86_64

Complete!
[root@7c021a346bf0 /]# clear
bash: clear: command not found
[root@7c021a346bf0 /]# ps -ef
UID          PID    PPID  C STIME TTY          TIME CMD
root           1        0  0 15:43 pts/0    00:00:00 /bin/bash
root          36        1  0 15:44 pts/0    00:00:00 ps -ef
[root@7c021a346bf0 /]#
```

avail additional benefits like, on demand tutorials, exclusive training program videos, access la

ctrl + d karke container se bahar aa jaayenge

01:41:40

NEHRA CLASSES

```

Verifying : procs-ng-3.3.15-6.el8.x86_64
Installed products updated.

Installed:
  procs-ng-3.3.15-6.el8.x86_64

Complete!
[root@7c021a346bf0 /]# clear
bash: clear: command not found
[root@7c021a346bf0 /]# ps -ef
UID          PID    PPID  C STIME TTY          TIME CMD
root           1        0  0 15:43 pts/0        00:00:00 /bin/bash
root          36        1  0 15:44 pts/0        00:00:00 ps -ef
[root@7c021a346bf0 /]# cat /etc/redhat-release
Red Hat Enterprise Linux release 8.6 (Ootpa)
[root@7c021a346bf0 /]# uname -a
Linux 7c021a346bf0 4.18.0-365.el8.x86_64 #1 SMP Thu Feb 10 16:11:23 UTC 2022 x86_64 x86_64 GNU/Linux
[root@7c021a346bf0 /]# clear
bash: clear: command not found
[root@7c021a346bf0 /]# exit
[root@nehraclasses ~]#
  
```

media platforms for regular updates & offers..... @NehraClasses..... !!!!! Thanks for watching

01:41:51

NEHRA CLASSES

```

[root@nehraclasses ~]# podman ps
CONTAINER ID   IMAGE                                COMMAND                  CREATED        STATUS        PORTS        NAMES
[root@nehraclasses ~]# podman ps -a
CONTAINER ID   IMAGE                                COMMAND                  CREATED        STATUS        PORTS        NAMES
7c021a346bf0   registry.access.redhat.com/ubi8/ubi:latest /bin/bash             About a minute ago Exited (127) 11 seconds ago myubi
  
```

!! Thanks for watching this video, please like & share it with others also..... Please subscribe

container ke andar ke logs dekh skte hai

01:42:22



NEHRA CLASSES



CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS
7c021a346bf0	registry.access.redhat.com/ubi8/ubi:latest	/bin/bash	About a minute ago	Exited

```

d (127) 11 seconds ago
[root@nehraclasses ~]# clear
[root@nehraclasses ~]# podman logs myubi
[root@7c021a346bf0 /]# ps -ef
bash: ps: command not found
[root@7c021a346bf0 /]# yum install procps-ng -y
Updating Subscription Management repositories.
Unable to read consumer identity
Subscription Manager is operating in container mode.

This system is not registered with an entitlement server. You can use subscription-manager to register.

Red Hat Universal Base Image 8 (RPMs) - BaseOS                215 kB/s | 00:03
Red Hat Universal Base Image 8 (RPMs) - AppStream            1.1 MB/s | 00:02
Red Hat Universal Base Image 8 (RPMs) - CodeReady Builder    46 kB/s | 00:00
Dependencies resolved.
=====
Package                                Architecture Version                                Size
  
```

d tutorials, exclusive training program videos, access latest technology tutorials & many more.

01:43:02



NEHRA CLASSES




```


[root@nehraclasses ~]# podman run -d registry.redhat.io/rhel8/rsyslog
Trying to pull registry.redhat.io/rhel8/rsyslog:latest...
Error: initializing source docker://registry.redhat.io/rhel8/rsyslog:latest: unable to retrieve
auth token: invalid username/password: unauthorized: Please login to the Red Hat Registry using
your Customer Portal credentials. Further instructions can be found here: https://access.redhat.com/RegistryAuthentication
[root@nehraclasses ~]#
  
```

also..... Please subscribe our channel for such more videos, you can also join our channel me

01:44:01



[01:45:04](#)



[01:45:58](#)

The screenshot shows a video player interface. At the top, there is a banner for "Nehra Classes" with a logo on the left and a social media icon on the right. Below the banner, a terminal window is displayed with the following commands and output:

```
[root@nehraclasses ~]# podman start -a -i myubi
[root@7c021a346bf0 /]#
```

Below the terminal window, a presenter is visible, wearing a white shirt and speaking into a microphone. At the bottom of the video player, there is a text overlay that reads: "watching this video, please like & share it with others also..... Please subscribe our channel for".

[01:46:10](#)

The screenshot shows a video player interface. At the top, there is a banner for "Nehra Classes" with a logo on the left and a social media icon on the right. Below the banner, a terminal window is displayed with the following commands and output:

```
[root@nehraclasses ~]# podman start -a -i myubi
[root@7c021a346bf0 /]# cat /etc/redhat-release
Red Hat Enterprise Linux release 8.6 (Ootpa)
[root@7c021a346bf0 /]#
```


Below the terminal window, a presenter is visible, wearing a white shirt and speaking into a microphone. At the bottom of the video player, there is a text overlay that reads: "channel for such more videos, you can also join our channel membership to avail additional b".

[01:48:44](#)



in curly bracket type that parameter what you want to see

[01:49:57](#)



[01:50:34](#)



NEHRA CLASSES

```
[root@nehraclasses ~]# journalctl -b | grep Testing
May 20 21:23:54 nehraclasses root[35385]: Testing logging to the host
[root@nehraclasses ~]#
```

exclusive training program videos, access latest technology tutorials & many more..... You can a

[01:51:27](#)



NEHRA CLASSES

```
[root@nehraclasses ~]# podman images
REPOSITORY          TAG       IMAGE ID       CREATED        SIZE
docker.io/library/httpd   latest    c58ef9bfb57   9 days ago    148 MB
registry.access.redhat.com/ubi8/ubi   latest    1264065f6ae8  2 weeks ago    225 MB
docker.io/lendingworks/rsyslog   latest    cf97c1e428d9  2 years ago    9.22 MB
[root@nehraclasses ~]# podman run -d --name=mysyslog docker.io/lendingworks/rsyslog
```

ail additional benefits like, on demand tutorials, exclusive training program videos, access lates

[01:51:49](#)

NEHRA CLASSES

```
[root@nehraclasses ~]# podman images
REPOSITORY                                TAG          IMAGE ID      CREATED      SIZE
docker.io/library/httpd                   latest       c58ef9bfb57   9 days ago   148 MB
registry.access.redhat.com/ubi8/ubi       latest       1264065f6ae8  2 weeks ago  225 MB
docker.io/lendingworks/rsyslog            latest       cf97c1e428d9  2 years ago  9.22 MB
[root@nehraclasses ~]# podman run -d --name=mysyslog docker.io/lendingworks/rsyslog
b8177c05890d17fafc9b87b45c704dbe929a812a0f3906a66730bcd5310dd638
[root@nehraclasses ~]# podman ps -a
```

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS
7c021a346bf0	registry.access.redhat.com/ubi8/ubi:latest	/bin/bash	11 minutes ago	Exited (0)
dbfa3607d817	docker.io/lendingworks/rsyslog:latest		7 minutes ago	Up 7 minutes
b8177c05890d	docker.io/lendingworks/rsyslog:latest		8 seconds ago	Up 8 seconds

follow us on other social media platforms for regular updates & offers..... @NehraClasses...

01:52:00

NEHRA CLASSES

```
[root@nehraclasses ~]# podman mount mysyslog
/var/lib/containers/storage/overlay/1ea4effd2ca4a66d90fb682964a2ef11fbd3f98efc457ca32b81462d39f40059/merged
[root@nehraclasses ~]#
```

nehraClasses..... !!!!! Thanks for watching this video, please like & share it with others also

01:53:03

NEHRA CLASSES

```
[root@nehraclases ~]# podman mount msyslog
/var/lib/containers/storage/overlay/1ea4effd2ca4a66d90fb682964a2ef11fbd3f98efc457ca32b81462d39f40059/merged
[root@nehraclases ~]# ls /var/lib/containers/storage/overlay/1ea4effd2ca4a66d90fb682964a2ef11fbd3f98efc457ca32b81462d39f40059/merged/
bin dev etc home lib media mnt opt proc root run sbin srv sys tmp usr var
[root@nehraclases ~]# cat /var/lib/containers/storage/overlay/1ea4effd2ca4a66d90fb682964a2ef11fbd3f98efc457ca32b81462d39f40059/merged/etc/os-release
NAME="Alpine Linux"
ID=alpine
VERSION_ID=3.11.6
PRETTY_NAME="Alpine Linux v3.11"
HOME_URL="https://alpinelinux.org/"
BUG_REPORT_URL="https://bugs.alpinelinux.org/"
[root@nehraclases ~]#
```

es..... !!!!! Thanks for watching this video, please like & share it with others also..... Plea

[02:02:09](#)

NEHRA CLASSES

```
[root@nehraclases ~]# podman run --name="log_test" -v /dev/log:/dev/log --rm docker.io/redhat/ubi8 logger "Testing logging to the host"
Trying to pull docker.io/redhat/ubi8:latest...
```

, exclusive training program videos, access latest technology tutorials & many more..... You c

[02:03:24](#)

NEHRA CLASSES

```
[root@nehraclasses ~]# podman images
REPOSITORY          TAG         IMAGE ID      CREATED       SIZE
docker.io/redhat/ubi8 latest      1264065f6ae8 3 weeks ago  225 MB
[root@nehraclasses ~]# journalctl -b | grep Testing
May 25 21:06:35 nehraclasses root[33239]: Testing logging to the host
[root@nehraclasses ~]#
```

so follow us on other social media platforms for regular updates & offers..... @NehraClasses

[02:04:32](#)


NEHRA CLASSES

```
[root@nehraclasses ~]# podman run -d --name=mysyslog docker.io/levonet/rsyslog
Trying to pull docker.io/levonet/rsyslog:latest...
Getting image source signatures
Copying blob 04f62a0b699c done
Copying blob adb67cc22f68 done
Copying blob a45e8eaa218a done
Copying blob 8572bc8fb8a3 done
Copying blob a5d1f2e9fe85 done
Copying blob 6ff9cde432ca done
Copying blob 3804385e42e5 done
Copying config e9d1a8fed1 done
Writing manifest to image destination
Storing signatures
9df1c9b37b6a803c02fec500c3ace2f4650c37264648a09aab34976286757f88
[root@nehraclasses ~]# podman ps
CONTAINER ID   IMAGE                                COMMAND                  CREATED          STATUS
9df1c9b37b6a   docker.io/levonet/rsyslog:latest    mysyslog                3 seconds ago   Up
[root@nehraclasses ~]#
```

regular updates & offers..... @NehraClasses..... !!!!! Thanks for watching this video, please

container ki file or directories ko host kar na apne localmachine se

[02:05:02](#)



02:05:05




02:05:25



kisi service ko ek static ip assign karke uske saath kasie run kar skte hai

02:06:56



02:07:06

NEHRA CLASSES

```
[root@nehraclasses ~]# podman run -d --ip=10.88.0.44 docker.io/levonet/rsyslog
060f1b7dec202bfaf70dcf5a022e184b1c625d410a9fdc5c5962a07e971ee871
[root@nehraclasses ~]# podman ps
```

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS
9df1c9b37b6a	docker.io/levonet/rsyslog:latest		2 minutes ago	Up 2 minu
060f1b7dec20	docker.io/levonet/rsyslog:latest		10 seconds ago	Up 10 sec

[root@nehraclasses ~]#

membership to avail additional benefits like, on demand tutorials, exclusive training program vide

[02:07:25](#)

NEHRA CLASSES

```
[root@nehraclasses ~]# podman inspect 060f1b7dec20
```

any more..... You can also follow us on other social media platforms for regular updates & off

[02:07:30](#)



आप चल रहे कंटेनर का इंटरैक्टिव टर्मिनल खोलने के लिए भी `podman exec -it` कमांड का उपयोग करेंगे। यह सबसे सीधा और सामान्य तरीका है।

यहाँ चरण दिए गए हैं:

1. कंटेनर की जानकारी जांचें:
2. सुनिश्चित करें कि आपका कंटेनर चल रहा है और उसका नाम या आईडी नोट करें:
3. `bash`

`podman ps`

1. Use code with caution.
- 2.
3. इंटरैक्टिव टर्मिनल खोलें:
4. `podman exec` कमांड के साथ `-it` फ़्लैग का उपयोग करें, उसके बाद कंटेनर का नाम (मान लीजिए "webserver") और वह शेल (`bash` या `sh`) जिसे आप खोलना चाहते हैं:
5. `bash`

`podman exec -it webserver bash`

1. Use code with caution.

2.


- यदि कंटेनर में `bash` इंस्टॉल नहीं है, तो आप अक्सर `sh` का उपयोग कर सकते हैं:
- `bash`


```
podman exec -it webserver sh
```

- Use code with caution.

एक बार जब आप यह कमांड चलाएंगे, तो आपका प्रॉम्प्ट कंटेनर के अंदर के प्रॉम्प्ट में बदल जाएगा, और आप कंटेनर के अंदर कमांड चला पाएंगे।
टर्मिनल से बाहर निकलने के लिए:

जब आप कंटेनर के अंदर काम खत्म कर लें, तो बाहर निकलने के लिए बस `exit` टाइप करें और एंटर दबाएं। इससे कंटेनर चलना बंद **नहीं** होगा, आप बस टर्मिनल सत्र से बाहर आ जाएंगे।

[02:08:01](#)[02:08:32](#)



[02:08:45](#)



[02:10:07](#)

NEHRA CLASSES

```
[root@nehraclasses ~]# podman ps
```

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS
TUS	PORTS	NAMES		
9df1c9b37b6a	docker.io/levonet/rsyslog:latest		5 minutes ago	Up
5 minutes ago		mysyslog		
060f1b7dec20	docker.io/levonet/rsyslog:latest		2 minutes ago	Up
2 minutes ago		romantic_lalande		
572284fd293b	docker.io/library/httpd:latest	httpd-foreground	24 seconds ago	Up
24 seconds ago		myhttpd		

```
[root@nehraclasses ~]# podman exec -it 572284fd293b cat /etc/os-release
PRETTY_NAME="Debian GNU/Linux 11 (bullseye)"
NAME="Debian GNU/Linux"
VERSION_ID="11"
VERSION="11 (bullseye)"
VERSION_CODENAME=bullseye
ID=debian
HOME_URL="https://www.debian.org/"
SUPPORT_URL="https://www.debian.org/support"
BUG_REPORT_URL="https://bugs.debian.org/"
[root@nehraclasses ~]#
```

our channel membership to avail additional benefits like, on demand tutorials, exclusive train

02:10:47

NEHRA CLASSES

```
[root@nehraclasses ~]# podman exec -it myhttpd /bin/bash
root@572284fd293b:/usr/local/apache2#
```

!!!!!! Thanks for watching this video, please like & share it with others also..... Please subs

02:11:02


Nehra Classes

NEHRA CLASSES



```

[root@nehraclases ~]# podman exec -it myhttpd /bin/bash
root@572284fd293b:/usr/local/apache2# ls
bin build cgi-bin conf error htdocs icons include logs modules
root@572284fd293b:/usr/local/apache2# df -h
Filesystem      Size  Used Avail Use% Mounted on
overlay          37G   5.4G   32G   15% /
tmpfs            64M    0    64M    0% /dev
tmpfs            893M   9.6M   884M    2% /etc/hosts
shm              63M    0    63M    0% /dev/shm
tmpfs            893M    0   893M    0% /sys/fs/cgroup
tmpfs            893M    0   893M    0% /proc/acpi
tmpfs            893M    0   893M    0% /proc/scsi
tmpfs            893M    0   893M    0% /sys/firmware
tmpfs            893M    0   893M    0% /sys/fs/selinux
tmpfs            893M    0   893M    0% /sys/dev/block
root@572284fd293b:/usr/local/apache2#
  
```

for such more videos, you can also join our channel membership to avail additional benefits

02:09:21


Nehra Class

NEHRA CLASSES




```

[root@nehraclases ~]# podman run --name=myhttpd -d docker.io/library/httpd
572284fd293b6f914909a30a0d1ec3d32ebd1d4c839f7b958c02a52037b0a745
[root@nehraclases ~]# podman ps
CONTAINER ID   IMAGE                                COMMAND                  CREATED        STAT
US            PORTS          NAMES
9df1c9b37b6a   docker.io/levonet/rsyslog:latest    msyslog                 4 minutes ago Up 4
minutes ago
060f1b7dec20   docker.io/levonet/rsyslog:latest    romantic_lalande        2 minutes ago Up 2
minutes ago
572284fd293b   docker.io/library/httpd:latest       httpd-foreground        5 seconds ago Up 5
seconds ago
[root@nehraclases ~]#
  
```


os, access latest technology tutorials & many more..... You can also follow us on other social

kaise hum do container ke bich file share kar skete hai

02:12:04



[02:12:11](#)



[02:12:57](#)

NEHRA CLASSES

```
[root@nehraclasses ~]# mntPoint=$(podman volume inspect hostvolume --format {{.Mountpoint}})
[root@nehraclasses ~]#
```

re it with others also..... Please subscribe our channel for such more videos, you can also join

[02:13:06](#)

NEHRA CLASSES

```
[root@nehraclasses ~]# mntPoint=$(podman volume inspect hostvolume --format {{.Mountpoint}})
[root@nehraclasses ~]# echo $mntPoint
/var/lib/containers/storage/volumes/hostvolume/_data
[root@nehraclasses ~]#
```

ch more videos, you can also join our channel membership to avail additional benefits like, on

[02:12:28](#)

Nehra Classes

NEHRA CLASSES

Nehra Classes

```
[root@nehraclasses ~]# podman volume create hostvolume  
hostvolume  
[root@nehraclasses ~]# podman volume inspect hostvolume  
  
{  
  "Name": "hostvolume",  
  "Driver": "local",  
  "Mountpoint": "/var/lib/containers/storage/volumes/hostvolume/_data",  
  "CreatedAt": "2022-05-25T21:15:54.978768321+05:30",  
  "Labels": {},  
  "Scope": "local",  
  "Options": {},  
  "MountCount": 0,  
  "NeedsCopyUp": true,  
  "NeedsChown": true  
}
```



Technology tutorials & many more.....

You can also follow us on other social media platforms

02:13:30

The image is a composite. The top half shows a terminal window with a dark background. The title bar of the terminal window reads "Nehra Classes". The terminal prompt is `[root@nehraclasses ~]#`. The command being executed is `echo "Hello from host" >> $mntPoint/host.txt`. The bottom half of the image shows a video feed of a man with dark hair, wearing a white t-shirt with black stripes on the sleeves, speaking into a microphone.

02:13:45



NEHRA CLASSES




```

[root@nehraclasses ~]# echo "Hello from host" >> $mntPoint/host.txt
[root@nehraclasses ~]# cat $mntPoint/host.tx
cat: /var/lib/containers/storage/volumes/hostvolume/_data/host.tx: No such file or di
rectory
[root@nehraclasses ~]# cat $mntPoint/host.txt
Hello from host
[root@nehraclasses ~]# clea
  
```

tes & offers..... @NehraClasses..... !!!!! Thanks for watching this video, please like & sh

[02:14:01](#)



NEHRA CLASSES



```

[root@nehraclasses ~]# ls $mntPoint/
host.txt
[root@nehraclasses ~]# podman images
REPOSITORY          TAG         IMAGE ID      CREATED        SIZE
docker.io/library/httpd   latest      c58ef9bfbb57  2 weeks ago   148 MB
docker.io/redhat/ubi8     latest      1264065f6ae8  3 weeks ago   225 MB
docker.io/levonet/rsyslog latest      e9d1a8fed11e  5 months ago  33.7 MB
[root@nehraclasses ~]#
  
```


so..... Please subscribe our channel for such more videos, you can also join our channel mem

[02:14:27](#)



hostname vaali directory ko container par mount kar rhe hai

[02:14:48](#)



[02:15:02](#)




02:15:38




yaha se agar bahar aana hai to aap pahale ctrl+p or fir ctrl+q dabayege
jisse aap bahar aa jaayege
ctrl+d nhi dabana hai warna container band bhi hosta hai

02:16:00



02:16:10



now create second container
to share direcotry

02:16:55


Nehra Classes

NEHRA CLASSES



```

[root@nehraclasses ~]# podman run -it --name myubi2 -v hostvolume:/containervolume2 d
ocker.io/redhat/ubi8 /bin/bash
[root@0952754d7ad3 /]# ls /containervolume2
container1.txt host.txt
[root@0952754d7ad3 /]# cat /containervolume2/container1.txt
Hello from container 1
[root@0952754d7ad3 /]#

```



Thanks for watching this video, please like & share it with others also..... Please subscribe our

[02:17:07](#)


Nehra C

NEHRA CLASSES



```

[root@nehraclasses ~]# podman run -it --name myubi2 -v hostvolume:/containervolume2 d
ocker.io/redhat/ubi8 /bin/bash
[root@0952754d7ad3 /]# ls /containervolume2
container1.txt host.txt
[root@0952754d7ad3 /]# cat /containervolume2/container1.txt
Hello from container 1
[root@0952754d7ad3 /]# cp /containervolume2/container1.txt /tmp
[root@0952754d7ad3 /]#

```



Subscribe our channel for such more videos, you can also join our channel membership to avail addit

[02:17:40](#)

NEHRA CLASSES

```
[root@nehraclasses ~]# podman run -it --name myubi2 -v hostvolume:/containervolume2 docker.io/redhat/ubi8 /bin/bash
[root@0952754d7ad3 /]# ls /containervolume2
container1.txt  host.txt
[root@0952754d7ad3 /]# cat /containervolume2/container1.txt
Hello from container 1
[root@0952754d7ad3 /]# cp /containervolume2/container1.txt /tmp
[root@0952754d7ad3 /]# cd /tmp
[root@0952754d7ad3 tmp]# ls
container1.txt  ks-script-by11rl5k  ks-script-x9f2pgyg
[root@0952754d7ad3 tmp]# cat container1.txt
Hello from container 1
[root@0952754d7ad3 tmp]# echo "Hello from container 2" >> /containervolume2/container2.txt
[root@0952754d7ad3 tmp]#
```

can also follow us on other social media platforms for regular updates & offers..... @NehraClasses

02:17:58

NEHRA CLASSES

```
[root@nehraclasses ~]# ls $mntPoint
container1.txt  container2.txt  host.txt
[root@nehraclasses ~]#
```

watching this video, please like & share it with others also..... Please subscribe our channel for

exporting and importing container

02:19:22

NEHRA CLASSES

Session Servers Tools Games Sessions View Light MultiEdit Tunneling Packages Settings Help

Quick connect...

[root@nehraclasses ~]# podman run -dt --name=myubi3 docker.io/redhat/ubi8





avail additional benefits like, on demand tutorials, exclusive training program videos, access la

[02:19:32](#)

NEHRA CLASSES

Session Servers Tools Games Sessions View Light MultiEdit Tunneling Packages Settings Help

Quick connect...

[root@nehraclasses ~]# podman run -dt --name=myubi3 docker.io/redhat/ubi8

91245076d5c99a26a7d4959c91731f6322a858350c3a97e24512bcf2f33a6696

[root@nehraclasses ~]# podman ps -a

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS
TUS	PORTS	NAMES		
9df1c9b37b6a	docker.io/levonet/rsyslog:latest		15 minutes ago	Up
15 minutes ago		mysyslog		
060f1b7dec20	docker.io/levonet/rsyslog:latest		12 minutes ago	Up
12 minutes ago		romantic_lalande		
572284fd293b	docker.io/library/httpd:latest	httpd-foreground	10 minutes ago	Up
10 minutes ago		myhttpd		
177528f82294	docker.io/redhat/ubi8:latest	/bin/bash	minutes ago	Up
5 minutes ago		myubi1		
0952754d7ad3	docker.io/redhat/ubi8:latest	/bin/bash	utes ago	Up
2 minutes ago		myubi2		
91245076d5c9	docker.io/redhat/ubi8:latest	/bin/bash	seconds ago	Up
6 seconds ago		myubi3		

[root@nehraclasses ~]#





gram videos, access latest technology tutorials & many more..... You can also follow us on o

[02:20:08](#)

NEHRA CLASSES

```
[root@nehraclasses ~]# podman attach myubi3
[root@91245076d5c9 /]# echo "hello" > testfile
[root@91245076d5c9 /]# cat testfile
hello
[root@91245076d5c9 /]#
```

s also..... Please subscribe our channel for such more videos, you can also join our channel m

[02:21:04](#)

NEHRA CLASSES

```
[root@nehraclasses ~]# podman export -o myubi.tar 91245076d5c9
[root@nehraclasses ~]#
```

, please like & share it with others also..... Please subscribe our channel for such more videos

[02:21:10](#)

NEHRA CLASSES

```
[root@nehraclasses ~]# podman export -o myubi.tar 91245076d5c9
[root@nehraclasses ~]# ls -l
total 207452
-rw-----. 1 root root      1593 May 16 10:45 anaconda-ks.cfg
drwxr-xr-x. 2 root root         6 May 16 10:46 Desktop
drwxr-xr-x. 2 root root         6 May 16 10:46 Documents
drwxr-xr-x. 2 root root         6 May 16 10:46 Downloads
-rw-r--r--. 1 root root     1876 May 16 10:46 initial-setup-ks.cfg
drwxr-xr-x. 2 root root         6 May 16 10:46 Music
-rw-r--r--. 1 root root 212420608 May 25 21:25 myubi.tar
drwxr-xr-x. 2 root root         6 May 16 10:46 Pictures
drwxr-xr-x. 2 root root         6 May 16 10:46 Public
drwxr-xr-x. 2 root root         6 May 16 10:46 Templates
drwxr-xr-x. 2 root root         6 May 16 10:46 Videos
[root@nehraclasses ~]#
```

Please subscribe our channel for such more videos, you can also join our channel membership

[02:21:46](#)

NEHRA CLASSES

```
[root@nehraclasses ~]# tar -xf myubi.tar -C myubi-container
```

follow us on other social media platforms for regular updates & offers..... @NehraClasses....

[02:22:13](#)

Nehra Classes

NEHRA CLASSES

```

[root@nehraclasses ~]# tree -L 1 myubi-container
myubi-container
├── bin -> usr/bin
├── boot
├── dev
├── etc
├── home
├── lib -> usr/lib
├── lib64 -> usr/lib64
├── lost+found
├── media
├── mnt
├── opt
├── proc
├── root
├── run
├── sbin -> usr/sbin
├── srv
├── sys
└── testfile
        
```

subscribe our channel for such more videos, you can also join our channel membership to avail

[02:22:44](#)

NEHRA CLASSES

```

[root@nehraclasses ~]# podman import myubi.tar myubi-imported
Getting image source signatures
Copying blob ef85f0f692ac done
Copying config 22ba4ff546 done
Writing manifest to image destination
Storing signatures
sha256:22ba4ff5464f2cf701a7250f3ec672b24f5b04d3457f760a0ed2e790f9fcbf08
[root@nehraclasses ~]#
        
```

ore..... You can also follow us on other social media platforms for regular updates & offers....

[02:22:49](#)

NEHRA CLASSES

```
[root@nehraclasses ~]# podman import myubi.tar myubi-imported
Getting image source signatures
Copying blob ef85f0f692ac done
Copying config 22ba4ff546 done
Writing manifest to image destination
Storing signatures
sha256:22ba4ff5464f2cf701a7250f3ec672b24f5b04d3457f760a0ed2e790f9fcfbf08
[root@nehraclasses ~]# podman images
```

REPOSITORY	TAG	IMAGE ID	CREATED	SIZE
localhost/myubi-imported	latest	22ba4ff5464f	About a minute ago	212 MB
docker.io/library/httpd	latest	c58ef9bfbb57	2 weeks ago	148 MB
docker.io/redhat/ubi8	latest	1264065f6ae8	3 weeks ago	225 MB
docker.io/levonet/rsyslog	latest	e9d1a8fed11e	5 months ago	33.7 MB

```
[root@nehraclasses ~]#
```

for other social media platforms for regular updates & offers..... @NehraClasses..... !!!!!

02:23:28

NEHRA CLASSES

```
[root@nehraclasses ~]# podman run -it --name=myubi-imported localhost/myubi-imported
cat testfile
hello
[root@nehraclasses ~]#
```

Additional benefits like, on demand tutorials, exclusive training program videos, access latest tech

02:25:29

Nehra Classes

NEHRA CLASSES

```

[root@nehraclasses ~]# podman ps
CONTAINER ID  IMAGE  COMMAND  CREATED  STATUS  PORTS  NAMES
[root@nehraclasses ~]# podman images
REPOSITORY  TAG  IMAGE ID  CREATED  SIZE
localhost/myubi-imported  latest  22ba4ff5464f  4 minutes ago  212 MB
docker.io/library/httpd  latest  c58ef9bfbb57  2 weeks ago  148 MB
docker.io/redhat/ubi8  latest  1264065f6ae8  3 weeks ago  225 MB
docker.io/levonet/rsyslog  latest  e9d1a8fed11e  5 months ago  33.7 MB
[root@nehraclasses ~]# podman rmi 22ba4ff5464f
Error: Image used by 4cd50100ba1b7226c06f000b955320fb2faa2a82e0e3d643e92bee63b1a25df3
: image is in use by a container
[root@nehraclasses ~]# c
  
```

avail additional benefits like, on demand tutorials, exclusive training program videos, access la

=====

rootless container and rootfull container

[02:40:16](#)

Nehra Classes

NEHRA CLASSES

```

[root@nehraclasses ~]# dnf module list | grep container
  
```

ditional benefits like, on demand tutorials, exclusive training program videos, access latest tec

[02:43:40](#)

NEHRA CLASSES

```
[root@nehraclasses ~]# podman images
REPOSITORY          TAG         IMAGE ID      CREATED      SIZE
docker.io/library/httpd latest      c58ef9bfbb57 2 weeks ago  148 MB
[root@nehraclasses ~]# podman run -dit --name=mywebpage -p 8080:80 c58ef9bfbb57
f99898ff4aea48de9b9765c7278553c1174f8f29b42a2d4e2be0adbde1946675
[root@nehraclasses ~]# cl
```

also follow us on other social media platforms for regular updates & offers..... @NehraClasses

02:45:53

NEHRA CLASSES

```
[root@nehraclasses ~]# podman top -l
```

USER	PID	PPID	%CPU	ELAPSED	TTY	TIME
root	1	0	0.000	2m15.912317869s	pts/0	0s
httpd -DFOREGROUND						
www-data	7	1	0.000	2m15.912578746s	pts/0	0s
httpd -DFOREGROUND						
www-data	8	1	0.000	2m15.912614032s	pts/0	0s
httpd -DFOREGROUND						
www-data	10	1	0.000	2m15.912642646s	pts/0	0s
httpd -DFOREGROUND						
www-data	91	1	0.000	54.912669416s	pts/0	0s
httpd -DFOREGROUND						


```
[root@nehraclasses ~]#
```

s..... @NehraClasses..... !!!!! Thanks for watching this video, please like & share it with

02:46:18



[02:46:40](#)



[02:46:44](#)

NEHRA CLASSES

```
[root@nehraclases ~]# podman exec -it mywebpage /bin/bash
root@f99898ff4aea:/usr/local/apache2# ls
bin build cgi-bin conf error htdocs icons include logs modules
root@f99898ff4aea:/usr/local/apache2# cd htdocs
root@f99898ff4aea:/usr/local/apache2/htdocs# ls
index.html
root@f99898ff4aea:/usr/local/apache2/htdocs# cat index.html
<html><body><h1>It works!</h1></body></html>
root@f99898ff4aea:/usr/local/apache2/htdocs#
```

follow us on other social media platforms for regular updates & offers..... @NehraClasses...

02:45:31

NEHRA CLASSES

```
[root@nehraclases ~]# podman ps
CONTAINER ID   IMAGE                                COMMAND                  CREATED        STAT
US            PORTS                               NAMES
f99898ff4aea   docker.io/library/httpd:latest      httpd-foreground        About a minute ago Up A
bout a minute ago 0.0.0.0:8080->80/tcp mywebpage
[root@nehraclases ~]# podman logs f99898ff4aea
AH00558: httpd: Could not reliably determine the server's fully qualified domain name, u
sing 10.88.0.2. Set the 'ServerName' directive globally to suppress this message
AH00558: httpd: Could not reliably determine the server's fully qualified domain name, u
sing 10.88.0.2. Set the 'ServerName' directive globally to suppress this message
[Fri May 27 15:47:09.184238 2022] [mpm_event:notice] [pid 1:tid 140321950850368] AH00489
: Apache/2.4.53 (Unix) configured -- resuming normal operations
[Fri May 27 15:47:09.184469 2022] [core:notice] [pid 1:tid 140321950850368] AH00094: Com
mand line: 'httpd -D FOREGROUND'
192.168.196.128 - - [27/May/2022:15:47:34 +0000] "GET / HTTP/1.1" 200 4
192.168.196.1 - - [27/May/2022:15:47:57 +0000] "GET / HTTP/1.1" 200 4
192.168.196.1 - - [27/May/2022:15:47:57 +0000] "GET /favicon.ico" 404 196
192.168.196.1 - - [27/May/2022:15:48:49 +0000] "-" 408 -
[root@nehraclases ~]#
```

program videos, access latest technology tutorials & many more..... You can also follow us o

02:47:17



parne page ko browser par host karane ke liye hume persistent storage ka use karna hoga


[02:47:43](#)



[02:47:58](#)




[02:48:20](#)



[02:48:44](#)



[02:48:52](#)



[02:48:56](#)

NEHRA CLASSES

```

[root@nehraclasses ~]# chcon -R -t httpd_sys_content_t /html/index.html
[root@nehraclasses ~]# podman stop mywebpage
mywebpage
[root@nehraclasses ~]# podman start mywebpage
mywebpage
[root@nehraclasses ~]# podman ps
CONTAINER ID   IMAGE                                COMMAND                  CREATED        STATUS
f99898ff4aea   docker.io/library/httpd:latest      httpd-foreground        5 minutes ago  Up 3 seco
nds ago       0.0.0.0:8080->80/tcp mywebpage
[root@nehraclasses ~]# clear

```

ffers..... @NehraClasses..... !!!!! Thanks for watching this video, please like & share it w

02:49:04

NEHRA CLASSES


```

[root@nehraclasses ~]# podman stop mywebpage
mywebpage
[root@nehraclasses ~]#

```

this video, please like & share it with others also..... Please subscribe our channel for such n

02:49:16



again we start again container but here we use persistent storage option

02:50:08



02:50:11

NEHRA CLASSES

```
[root@nehraclasses ~]# podman images
REPOSITORY          TAG         IMAGE ID      CREATED      SIZE
docker.io/library/httpd latest      c58ef9bfbb57 2 weeks ago 148 MB
[root@nehraclasses ~]# podman run -dit --name=mywebpage -p 8080:80 -v /html:/usr/local/
a242bbca5b426d2c19d06b9af3d31e21afba9ce03b3e28f8cffaee7644b7bcec
[root@nehraclasses ~]# podman ps
CONTAINER ID   IMAGE                                COMMAND                  CREATED        STATUS
a242bbca5b42   docker.io/library/httpd:latest      httpd-foreground        3 seconds ago Up 3 seco
nds ago       0.0.0.0:8080->80/tcp mywebpage
[root@nehraclasses ~]#
```

ers also..... Please subscribe our channel for such more videos, you can also join our channel


[02:50:28](#)


NEHRA CLASSES

```
[root@nehraclasses ~]# curl 192.168.196.128:8080
Please Subscribe Our Nehra Classes Youtube Channel.
[root@nehraclasses ~]#
```

additional benefits like, on demand tutorials, exclusive training program videos, access latest te

[02:50:39](#)






18:07

Askify | View Notes



Remove Ads from pdf and websites

Pricing



Now you can use Askify in any websites

See How