

Name:- Ramit Kumar
Reg. No. :- 12522602
Section:- D1E2530
Roll No :- 55
Course Name:- ALGORITHM DESIGN AND ANALYSIS
Course Code :- CAP538
Submitted to :- Girish Kumar

QUESTION :- FRACTIONAL KNAPSACK

Code-

```
#include <iostream>
#include <algorithm>
using namespace std;

double FK(int value[], int weight[], int n, int w){
   double ratio[n];

   for(int i = 0; i<n; i++){
      ratio[i] = (double)value[i] / weight[i];
   }
   for(int i = 0; i<n; i++){
      for(int j = i+1; j<n; j++){
         if(ratio[i] < ratio[j]){
            swap(ratio[i], ratio[j]);
            swap(value[i], value[j]);
            swap(weight[i], weight[j]);

         }
      }
   }
   double  totalvalue = 0.0;
```

```
    for(int i = 0; i<n; i++){
        if(weight[i] <= w){
            totalvalue += value[i];
            w -= weight[i];
        }else{
            totalvalue += ratio[i] * w;
            break;
        }
    }
    return totalvalue;
}

int main(){
    int n;
    int w;
    cin>>n;
    cin>>w;

    int value[n];
    int weight[n];

    for(int i = 0; i<n; i++){
        cin>> value[i] >> weight[i];
    }
```

```
    cout<< FK(value, weight, n, w);
    return 0;
}
```

OUTPUT:-

