CREATING VIEWS

NAME: Ajay Srinivas R DATE:28.08.2024

Find the Solution for the following:

• Create a view called EMPLOYEE_VU based on the employee numbers, employee names and department numbers from the EMPLOYEES table. Change the heading for the employee name to EMPLOYEE.

CREATE VIEW EMPLOYEE_VU AS

SELECT employee_id AS EMPNO, first_name $\| ' ' \|$ last_name AS EMPLOYEE, department_id

AS DEPTNO

FROM EMPLOYEES;

• Display the contents of the EMPLOYEES_VU view.

Results	Explain Describe	Saved SQL	History
EMPNO	EMPLOYEE	DEPTNO	
1	John Doe	30	
2	Jane Smith	20	
3	Matos Brown	50	
4	Emily Davis	40	
5	Michael Wilson	10	

5 rows returned in 0.01 seconds Download FROM EMPLOYEE VU;

SELECT *

• Select the view name and text from the USER_VIEWS data dictionary views.

SELECT view_name, text

VIEW_NAME	TEXT
EMPLOYEE_VU SELECT employ	ree_id AS EMPNO, first_name ' ' last_name AS EMPLOYEE, department_id AS DEPTNO FROM EMPLOYEESss
1 rows returned in 0.03 seconds	Download

FROM USER_VIEWS

WHERE view_name = 'EMPLOYEE_VU';

• Using your EMPLOYEES_VU view, enter a query to display all employees names and department.

SELECT EMPLOYEE, DEPTNO FROM EMPLOYEE_VU;

EMPLOYEE	DEPTNO		
John Doe	30		
Jane Smith	20		
Matos Brown	50		
Emily Davis	40		
Michael Wilson	10		

5 rows returned in 0.00 seconds

OPTION:

 Create a view named DEPT50 that contains the employee number, employee last names and department numbers for all employees in department 50.Label the view columns EMPNO, EMPLOYEE and DEPTNO. Do not allow an employee to be reassigned to another department through the view.

CREATE VIEW DEPT50 AS
SELECT employee_id AS EMPNO, last_name AS EMPLOYEE, department_id AS DEPTNO
FROM EMPLOYEES
WHERE department_id =
50 WITH CHECK

• Display the structure and contents of the DEPT50 view. DESC DEPT50;

Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comment
DEPT50	<u>EMPNO</u>	NUMBER	22	12.	(±).	· ·		-	2.
	EMPLOYEE	VARCHAR2	50	.	÷.	(5)	/	7	
	<u>DEPTNO</u>	NUMBER	22	75.0	SEC	:50	/	s	9 ≅ ⊘
								1	- 3

• Attempt to reassign Matos to department 80.

UPDATE
DEPT50 SET
DEPTNO = 80
WHERE EMPLOYEE = 'Brown';

ORA-02291: integrity constraint (KAVIYA.V.SYS_C007586) violated - parent key not found

 Create a view called SALARY_VU based on the employee last names, department names, salaries, and salary grades for all employees. Use the Employees, DEPARTMENTS and JOB_GRADE tables. Label the column Employee, Department, salary, and Grade respectively.

CREATE VIEW SALARY_VU AS

SELECT e.last_name AS Employee, d.department_name AS Department, e.salary AS Salary, (SELECT grade FROM JOB_GRADES WHERE e.salary BETWEEN low_salary AND high_salary) AS Grade

FROM EMPLOYEES

e

JOIN DEPARTMENTS d ON e.department_id = d.department_id;