NAME: Ajay Srinivas R REG NO: 230701017

EXPNO:08

DATE:23-10-

2024

WORKING WITH MULTIPLE TABLES

- Write a query to display the last name, department number, and department name for all Employees.

```
SELECT e.last_name, e.department_id, d.department_name
FROM employees e
JOIN departments d
ON e.department_id = d.department_id;
```

LAST_NAME	DEPARTMENT_ID	DEPARTMENT_NAME
King	10	Administration
Davies	80	Sales
Smith	80	Sales

- Create a unique listing of all jobs that are in department 80. Include the location of the department in the output.

```
SELECT DISTINCT e.job_id, l.city
FROM employees e
JOIN departments d
ON e.department_id =
d.department_id JOIN locations l
```

JOB_ID	CITY
SA_REP	New York
SA_MAN	New York

ON d.location_id = l.location_id

WHERE e.department_id = 80;

• Write a query to display the employee last name, department name, location ID, and city of all employees who earn a commission

SELECT e.last_name, d.department_name, d.location_id, l.city

FROM employees e

JOIN departments d

ON e.department_id =

d.department_id JOIN locations l

ON d.location_id = l.location_id

LAST_NAME	DEPARTMENT_NAME	LOCATION_ID	CITY
Davies	Sales	2	New York
Smith	Sales	2	New York

WHERE e.commission_pct IS NOT NULL;

2. Display the employee last name and department name for all employees who have an a(lowercase) in their last names. P

SELECT e.last_name, d.department_name

FROM employees e

JOIN departments d

LAST_NAME	DEPARTMENT_NAME
Davies	Sales

ON e.department_id = d.department_id

WHERE LOWER(e.last_name) LIKE '%a%';

- Write a query to display the last name, job, department number, and department name for all employees who work in Toronto.

```
SELECT e.last_name, e.job_id, e.department_id, d.department_name
FROM employees e
JOIN departments d
ON e.department_id =
d.department_id JOIN locations l
ON d.location_id = l.location_id
WHERE l.city = 'Toronto';
```

LAST_NAME	JOB_ID	DEPARTMENT_ID	DEPARTMENT_NAME
King	AD_PRES	10	Administration

- Display the employee last name and employee number along with their manager‘s last name and manager number. Label the columns Employee, Emp#, Manager, and Mgr#, Respectively

```
SELECT e.last_name AS Employee, e.employee_id AS Emp#,
    m.last_name AS Manager, m.employee_id AS Mgr#
FROM employees e
LEFT JOIN
employees m
ON e.manager_id = m.employee_id;
```

EMPLOYEE	EMP#	MANAGER	MGR#
Johnson	4	King	1
Davies	2	King	1
Williams	5	Davies	2
Smith	3	Davies	2
King	1	-	-

- Modify lab4_6.sql to display all employees including King, who has no manager. Order the results by the employee number.

```
SELECT e.last_name, e.employee_id, m.last_name AS
Manager FROM employees e
LEFT JOIN employees m
ON e.manager_id = m.employee_id
ORDER BY e.employee_id;
```

LAST_NAME	EMPLOYEE_ID	MANAGER
King	1	-
Davies	2	King
Smith	3	Davies
Johnson	4	King
Williams	5	Davies

- Create a query that displays employee last names, department numbers, and all the employees

who work in the same department as a given employee. Give each column an appropriate label

```
SELECT e.last_name AS Employee, e.department_id AS Dept# FROM
employees e
```

JOIN employees emp

ON e.department_id = emp.department_id

WHERE emp.employee_id = 2; -- Replace with a specific employee ID

EMPLOYEE	DEPT#
Davies	80
Smith	80

2 rows returned in 0.00 se

- Show the structure of the JOB_GRADES table. Create a query that displays the name, job, department name, salary, and grade for all employees

DESCRIBE job_grades;

SELECT e.last_name, e.job_id, d.department_name, e.salary, jg.grade_level

FROM employees e

JOIN departments d

ON e.department_id =

d.department_id JOIN job_grades jg

ON e.salary BETWEEN jg.lowest_sal AND jg.highest_sal;

Object Type **TABLE** Object **JOB_GRADES**

Table	Column	Data Type	Length	Precision	Scale	Primary Key	Nullable	Default	Comm
JOB_GRADES	GRADE_LEVEL	VARCHAR2	5	-	-	1	-	-	-
	LOWEST_SAL	NUMBER	22	-	-	-	✓	-	-
	HIGHEST_SAL	NUMBER	22	-	-	-	✓	-	-

1 - 3

no data found

- Create a query to display the name and hire date of any employee hired after employee Davies.

SELECT e.last_name, e.hire_date

FROM employees e

WHERE e.hire_date > (SELECT hire_date FROM employees WHERE last_name = 'Davies');

LAST_NAME	HIRE_DATE
Smith	04/23/2006
Williams	12/01/2007

- Display the names and hire dates for all employees who were hired before their managers, along with their manager‘s names and hire dates. Label the columns Employee, Emp Hired, Manager, and Mgr Hired, respectively.

```
SELECT e.last_name AS Employee, e.hire_date AS "Emp
    Hired", m.last_name AS Manager, m.hire_date AS "Mgr
    Hired"
FROM employees e
JOIN employees m
ON e.manager_id = m.employee_id
WHERE e.hire_date < m.hire_date;
```

no data found