OOP CONCEPTS IN JAVA
PANDORA (ANDROID)

2

Java Basics

Basic Syntax of Java and differences from C++

Source Structure

- Java is strictly Object-Oriented

- Except primitive data types, everything is a Class

- Each java file Source.java represents a Class

- Divided into packages

Java Classes

- Fundamental concept of Java
- Describes data objects, and what we can do with them
- Contains data (objects) and logic (methods)
- Every object must instance of a class
- Every method must belong to a class

Java Classes

```java
public class Person {
    private String firstName;
    private String lastName;

    public int age;

    public String getFullName() {
        return firstName + lastName;
    }

}
```

Comments

```java
public class Person {
    private String firstName;
    private String lastName;
    //This is the person's age
    public int age;
    /* This function
    shows full name of person
     */
    public String getFullName() {
        return firstName + lastName;
    }

}
```

Scopes

```
void someFunction () {
    int a = 10;
    {
        int a = 20; //Invalid in Java, works in C++
    }
}
```

Arrays

- Arrays are also objects
- Java has no pointers
- Arrays are garbage-collected
- Memory is allocated dynamically

Modifiers

- A 'control' keyword applicable to methods and variables.

- Access modifiers : For visibility

- Non-access modififers: Other functionalities

Access Modifiers

- package

- private

- protected

- public

Non-Access Modifiers

- static
  - Part of class or part of object
- final
  - Can be reimplemented (or data changed) or not
- abstract
  - Is fully implemented or not
- synchronized
  - Thread safe or not

Static

- Objects or methods

- Independent of any object of that class

- Cannot use non-static members inside static members

- Static methods can be called as ClassName.staticFunction()

Final

- Makes the reference of first initialization of the object constant

- The reference cannot change

- Internal data of that object can still change (difference from const in C++)

Constructors

- Used for creating instances of class (objects)
- One or multiple constructors (overloaded)
- Name is same as class name
- A default empty constructor exists if you don't make one
- By default recursively calls 0-argument constructors of superclass.

Creating objects

□ Unlike C++, calling constructor is necessary

□ Foo a; //This will be null

□ Foo a = new Foo(); //This creates reference to obj

OOPs Concepts

- Encapsulation

- Inheritance

- Polymorphism

- Abstraction

Encapsulation

- Binding code and data into single unit (class)

- Can change data and/or it's implementation in one unit, without breaking other units.

- Keeps data and code safe from external interference

Inheritance

- One class can extend the data and/or functionality of existing class.

- Creating a class 'based on' another class.

- Mango inherits from Fruit. i.e. Mango is a type of Fruit. Mango has all properties of a Fruit, plus some of its own.

Polymorphism (functions)

- One thing (usually a method) taking multiple forms
  - area(int r) – area of circle
  - area(int w, int h) – area of rectangle
  - If we call area(10), it will find area of circle.
  - If we call area(5,8), it will find area of rectangle.

Polymorphism (reference)

- A reference to a subclass can be used as object of superclass.

- Fruit f = new Mango(); //This works

- f.getFruitColor(); // This works

- f.getMangoType(); //Won't work

Java – Extending Classes

- One class can have **only one** super class.

- Class Mango extends Fruit { }

- Java arranges Classes in hierarchy
  - Food -> Fruit -> Mango

- When calling member function of same signature, closest in class hierarchy is called.
  - Mango.getType() is preferred over Fruit.getType()

Java - Interfaces

- Purely abstract. Has no implementations.

- All fields are public static final

- All methods are public abstract

- Interfaces are *implemented* by a class.

- If not all methods are defined, then the implementing class will have to be abstract.

- An interface is a 'contract' that has to be fulfilled if it is implemented

Java - Interfaces

```java
public interface FruitInterface {
    boolean isEdible = true;
    public String getOrigin();
}

public class Mango extends Fruit implements FruitInterface
{

    @Override
    public String getOrigin() {
        return "Lucknow";
    }
}
```

Java - Interfaces

- Interfaces cannot be *instantiated*

- Has no constructors

- All methods are abstract

- Cannot have non-static fields

- An interface extend multiple interfaces

Java - Generics

- Enable *types* as *parameters*
- Reuse same class or methods with different data types.
- Eliminate typecastings.
- Implement generic data structures and algorithms (Graphs, Trees, Lists; shortest path, flatten, sort)

Java - Generics

```java
public class Entry {
    String key;
    String value;

    public String getKey() {
        return key;
    }

    public void setKey(String key) {
        this.key = key;
    }

    public String getValue() {
        return value;
    }

    public void setValue(String value) {
        this.value = value;
    }
}
```

Java - Generics

```java
public class Entry <T> {
    T key;
    T value;

    public T getKey() {
        return key;
    }

    public void setKey(T key) {
        this.key = key;
    }

    public T getValue() {
        return value;
    }

    public void setValue(T value) {
        this.value = value;
    }
}
```

Java - Generics

```java
public class Entry <K,V> {
    K key;
    V value;

    public K getKey() {
        return key;
    }

    public void setKey(K key) {
        this.key = key;
    }

    public V getValue() {
        return value;
    }

    public void setValue(V value) {
        this.value = value;
    }
}
```

Java - Exceptions

- An event that disrupts the normal flow of the program
- Exceptions are powerful mechanisms to handle runtime errors
- There are many inbuilt exceptions
  - NullPointerException
  - ArrayOutOfBoundsException
  - IOException

Java - Exceptions

- We can define our own exceptions
- Types of exceptions –
  - Checked Exception: Expected problems
  - Errors: Unexpected, externally induced
  - Unchecked Exception: Faulty logic in code

Java – Exception Handling

- Try:
  - The code we attempt to execute goes here
- Catch:
  - Can be mutiple catch blocks for different exceptions
  - Take remedial action when exception has occurred
- Finally:
  - This block gets called, regardless of exception occurred or not.