



Drake AI Separate Deployment Guide

Simple production setup for separate Admin Dashboard, User Dashboard, shared Backend API, shared PostgreSQL database, and Drake AI Digitizer endpoints.

1. Final Production Architecture

Domain	What It Runs	Important Point
https://admin.your-domain.com	Admin dashboard only	Admin creates users, passwords, module access, and views user activity.
https://user.your-domain.com	User dashboard only	Users login with credentials created by admin.
https://api.your-domain.com	FastAPI backend	Both dashboards must use this same API.
PostgreSQL	Shared database	Stores users, access modules, projects, results, and activity history.

Production rule: admin and user dashboards are separate builds, but they must connect to the same backend API and database.

2. Files You Need To Edit

File	Use
.env.production.example	Root Docker production stack env. Copy to .env for docker-compose.prod.yml.
backend/.env.production.example	Backend-only production env. Copy to backend/.env for direct backend deployment.
backend/.env.digitizer.production.example	Digitizer SLM/GPT and OCR model endpoint reference.
frontend/.env.user.production.example	User dashboard build env.
frontend/.env.admin.production.example	Admin dashboard build env.
docker-compose.prod.yml	Full production stack: backend, database, redis, MinIO, user frontend, admin frontend, nginx.

3. Backend .env

Copy this file:

```
backend/.env.production.example -> backend/.env
```

Required values:

```
DATABASE_URL=postgresql://drakeai:YOUR_DB_PASSWORD@YOUR_DB_HOST:5432/drakeai
REDIS_URL=redis://YOUR_REDIS_HOST:6379/0
SECRET_KEY=YOUR_LONG_RANDOM_SECRET
ADMIN_USERNAME=Drake6105
ADMIN_PASSWORD=YOUR_STRONG_ADMIN_PASSWORD
CORS_ORIGINS=["https://user.your-domain.com", "https://admin.your-domain.com"]
```

4. Digitizer Endpoints

Add these values in backend/.env. You can change these later without changing code.

```
VLLM_API_KEY=EMPTY
VLLM_CHAT_BASE_URL=http://your-vllm-chat-server:8000/v1
VLLM_EMBEDDING_BASE_URL=http://your-embedding-server:8001/v1
VLLM_OCR_BASE_URL=http://your-ocr-vllm-server:8700/v1
LLM_MODEL=qwen2.5-7b-instruct
VLLM_OCR_MODEL=qwen2.5-vl-7b
VLLM_TIMEOUT_SECONDS=120
```

If VLLM_OCR_BASE_URL is not running, Drake OCR still uses the installed local RapidOCR fallback for image/PDF OCR.

5. Deploy Backend

```
cd backend
alembic upgrade head
python -c "from app.core.seed import seed_db; seed_db()"
uvicorn app.main:app --host 0.0.0.0 --port 8000
```

6. Deploy User Dashboard Separately

Use user mode. This build does not expose admin routes as the main portal.

```
cd frontend
VITE_PORTAL_MODE=user VITE_API_URL=https://api.your-domain.com npm run build
```

Deploy frontend/dist to:

```
https://user.your-domain.com
```

User URLs:

```
https://user.your-domain.com/login
https://user.your-domain.com/dashboard
```

7. Deploy Admin Dashboard Separately

Use admin mode. This build is only for admin login and admin dashboard.

```
cd frontend
VITE_PORTAL_MODE=admin VITE_API_URL=https://api.your-domain.com npm run build
```

Deploy frontend/dist to:

```
https://admin.your-domain.com
```

Admin URLs:

```
https://admin.your-domain.com/admin-login
https://admin.your-domain.com/admin
```

8. Docker Deployment Option

```
cp .env.production.example .env
docker compose -f docker-compose.prod.yml up --build -d
```

Use docker-compose.user.yml and docker-compose.admin.yml only when deploying the frontend dashboards separately from the backend server.

9. Database Tables Used

Table	Purpose
users	Admin account and all admin-created user credentials.
users.access_modules	List of modules each user can open.
user_activities	Login/logout activity shown in admin dashboard.
projects, wells, well_files, curves	Project and uploaded data records.
ai_jobs, reports	Generated results and reports.

Admin-created credentials work in user login because both dashboards use the same VITE_API_URL and the backend uses the same DATABASE_URL.

10. Final Checklist

Check	Value
Admin frontend	VITE_PORTAL_MODE=admin
User frontend	VITE_PORTAL_MODE=user
Both frontends	Same VITE_API_URL
Backend	Same DATABASE_URL
CORS	Includes both admin and user domains
Secrets	Replace all CHANGE_THIS placeholders before deployment