

# Partner/REDTV

- Base URL
- Channel Partner Details (channelPartnerID)
- Security Token
  - Specifications
  - Headers
  - Response
  - Error Response
  - Error Code
- Activate User
  - Specifications
  - Headers
  - Body
  - Response
  - Error Response
  - Error Codes
- Catalogue API
  - Specifications
  - Headers
  - Body
  - Response
  - Error Response

## Base URL

QA: <https://apiqa.sonyliv.com/AGL/2.0/A/ENG/WEB/ALL/REDTV>

Preprod: <https://apipreprod.sonyliv.com/AGL/2.0/A/ENG/WEB/ALL/REDTV>

## Channel Partner Details (channelPartnerID)

QA, Pre-prod - MSMIND1

Prod - MSMIND

## Security Token

### Specifications

|             |  |
|-------------|--|
| URL         | /GETTOKEN  |
| Type        | GET  |
| Description | Generates security token which will be used in the header of all the other API |
| Input Type  | JSON object  |
| Output Type | JSON object.   |

### Headers

| Header       | Value            | Required | Description                                 |
|--------------|------------------|----------|---|
| x-via-device | true             | Y        |   |
| Content-Type | application/json | Y        | Specifies the body is in a JSON format      |
| build_number | 1.0              | Y        | Client build number                         |
| app_version  | 1.0              | Y        | Client application version                  |
| device_id    | REDTV-Server     | Y        | device Id from where the API has originated |
| x-client-key |                  | Y        | Shared secret key                           |

## Response

This endpoint replies with the standard AVS response. Below is the description of the resultObj response attribute.

```
{
  "resultCode": "OK",
  "message": "",
  "errorDescription": "200",
  "resultObj": "eyJhbGciOiJSUzI1NiIsInR5cCI6IkpXVCJ9.eyJpYXQiOiJlODAxMjIwMjIsImV4cCI6MTU0MDE2NTIyMiwiYXVkiOiJoiaHR0cHM6Ly93d3cuc29ueWxpdi5jb20iLCJpc3MiOiJTb255TElWIiwic3ViIjoic29tZUBzZXRpbnR5S5jb20ifQ.PIKQQPeLpJaJoUgCLrWjWa9i3PNfJ0100a4RyA91TOF8gkvhhyoNWerIlADdxrU3ulBSKP7cx3WeKSXfcio7lNJWiusk4wOJAYOs8LNbC_qOSA S8Zs_AteQtQMEW2BgxcoT-QbyGDqf22kY0GfcPKgSFnxX6Hhxv-mPpqFDonhpIrSkhkSUwFcPVZTCOPSD8oPIbOTJHvJPknPww3qyPDXNepqqxKLdFUBWVBqu0xeS67_OOMRs5Dzy03qauvJsC0vnTBy2LresgOZpdF nkVqU6b-sXl8XVNA88p0G5-vfONz8pfXgMeVcjUtIYKxPzdKHYOfjKN807kGPLfqeOED4f6Qd4za9FovAIBpVGEBSYkW9LrXpstbWK4AHqogncoFeljrUTyCPmVnMMEZE3JOZM5 qwHNPmsPhxJrG3Ta15sjj_xitoTlgoBbEmvyKnMlw17g3x3wSbc-_2pSi4XEe-kJ85vMwhMnL2llyZTPYb9SQEcIPONheLogQ_jtpi6IV4ZlHIRquuT5bt6vVVSvhAWtnpe85nGLbYmuEiAhqqYt6zSGEmMhVwhIoY9zJ-euIcCVsnO7j40mF3OPeXkq_qrzZnt8lLck-AHZBlqpNv9qnX3mbSqJZso-k4tBX9Ow5j3b7j-4Fn7VBCczuzO5SIJh6EpfwS5Y3_XBnPW4",
  "systemTime": 1580122023036
}
```

## Error Response

Sample Error Response

```
{
  "resultCode": "KO",
  "errorDescription": "ACN_1021",
  "message": "Invalid channel parameter",
  "resultObj": {},
  "systemTime": 1580125945729
}
```

## Error Code

| Sl.no | Code     | Name  | Message                        |
|-------|----------|---|--------------------------------|
| 1     | ACN_0005 | app_version   | missing app_version header     |
| 2     | ACN_1021 | channel   | Invalid channel parameter      |
| 3     | ACN_1022 | Invalid Tenant Parameter is provided in the requested Url | Invalid tenant parameter       |
| 4     | ACN_1023 | appVersion  | Invalid appVersion parameter   |
| 5     | ACN-1024 | propertyName  | Invalid PropertyName parameter |
| 6     | ACN-1025 | cluster   | Invalid cluster parameter      |
| 7     | ACN_3000 | Invalid API name is passed in the URL                     | Invalid API name is invoked    |

## Activate User

### Specifications

|             |                                       |
|-------------|---------------------------------------|
| Action      | /ACTIVATEUSER                         |
| Type        | POST                                  |
| Description | Activate the subscription to the user |
| Input Type  | JSON object                           |
| Output Type | JSON object.                          |

## Headers

| Header         | Value            | Required | Description                                 |
|----------------|------------------|----------|---|
| x-via-device   | true             | Y        |   |
| Content-Type   | application/json | Y        | Specifies the body is in a JSON format      |
| build_number   | 1.0              | Y        | Client build number                         |
| app_version    | 1.0              | Y        | Client application version                  |
| device_id      | REDTV-Server     | Y        | device Id from where the API has originated |
| security_token | {Security_Token} | Y        | security Token as received in GETTOKEN API  |
| x-client-key   |                  | N        | Shared secret key                           |
| b2bauth        | Token            | N        | Required for B2B case to skip validation    |
| userId         | CP Customer ID   | N        | Required for B2B case                       |

## Body

| Name                    | Type   | Required | Description  | Example                 |      |          |             |         |         |        |   |                                 |       |                         |        |   |   |                         |         |          |             |  |                         |        |   |                    |  |       |        |   |  |  |      |        |   |  |  |  |  |
|-------------------------|--------|----------|--|-------------------------|------|----------|-------------|---------|---------|--------|---|---------------------------------|-------|-------------------------|--------|---|---|-------------------------|---------|----------|-------------|--|-------------------------|--------|---|--------------------|--|-------|--------|---|--|--|------|--------|---|--|--|--|--|
| channelPartnerID        | String | Y        | Unique ID number of channel partner  |                         |      |          |             |         |         |        |   |                                 |       |                         |        |   |   |                         |         |          |             |  |                         |        |   |                    |  |       |        |   |  |  |      |        |   |  |  |  |  |
| customerUsername        | String | N        | Customer username i.e. email   |                         |      |          |             |         |         |        |   |                                 |       |                         |        |   |   |                         |         |          |             |  |                         |        |   |                    |  |       |        |   |  |  |      |        |   |  |  |  |  |
| customerPassword        | String | N        | Customer password  |                         |      |          |             |         |         |        |   |                                 |       |                         |        |   |   |                         |         |          |             |  |                         |        |   |                    |  |       |        |   |  |  |      |        |   |  |  |  |  |
| email                   | String | N        | User Email   |                         |      |          |             |         |         |        |   |                                 |       |                         |        |   |   |                         |         |          |             |  |                         |        |   |                    |  |       |        |   |  |  |      |        |   |  |  |  |  |
| firstName               | String | N        | User First Name  |                         |      |          |             |         |         |        |   |                                 |       |                         |        |   |   |                         |         |          |             |  |                         |        |   |                    |  |       |        |   |  |  |      |        |   |  |  |  |  |
| lastName                | String | N        | User Last Name   |                         |      |          |             |         |         |        |   |                                 |       |                         |        |   |   |                         |         |          |             |  |                         |        |   |                    |  |       |        |   |  |  |      |        |   |  |  |  |  |
| mobileNumber            | String | Y        | User Mobile Number   |                         |      |          |             |         |         |        |   |                                 |       |                         |        |   |   |                         |         |          |             |  |                         |        |   |                    |  |       |        |   |  |  |      |        |   |  |  |  |  |
| dateOfBirth             | Long   | N        | DOB of the user  |                         |      |          |             |         |         |        |   |                                 |       |                         |        |   |   |                         |         |          |             |  |                         |        |   |                    |  |       |        |   |  |  |      |        |   |  |  |  |  |
| dmald                   | String | Y        | Unique Zone-X-ref Id of channel partner  | IN                      |      |          |             |         |         |        |   |                                 |       |                         |        |   |   |                         |         |          |             |  |                         |        |   |                    |  |       |        |   |  |  |      |        |   |  |  |  |  |
| gender                  | String | N        | Gender type of user  | Male/Female/other       |      |          |             |         |         |        |   |                                 |       |                         |        |   |   |                         |         |          |             |  |                         |        |   |                    |  |       |        |   |  |  |      |        |   |  |  |  |  |
| address                 | Object | N        | <table><tr><th>Name</th><th>Type</th><th>Required</th><th>Description</th><th>Example</th></tr><tr><td>zipCode</td><td>String</td><td>N</td><td>Pin code of the user</td><td></td></tr><tr><td>state</td><td>String</td><td>N</td><td>Two letter State code of the user</td><td>Possible Value: AP, TN.</td></tr><tr><td>country</td><td>String</td><td>N</td><td>Two letter country code. Identifies the Country of user accessing the portal</td><td>Possible Values: IN, US</td></tr></table>   | Name                    | Type | Required | Description | Example | zipCode | String | N | Pin code of the user            |       | state                   | String | N | Two letter State code of the user   | Possible Value: AP, TN. | country | String   | N           | Two letter country code. Identifies the Country of user accessing the portal | Possible Values: IN, US |        |   |                    |  |       |        |   |  |  |      |        |   |  |  |  |  |
| Name                    | Type   | Required | Description  | Example                 |      |          |             |         |         |        |   |                                 |       |                         |        |   |   |                         |         |          |             |  |                         |        |   |                    |  |       |        |   |  |  |      |        |   |  |  |  |  |
| zipCode                 | String | N        | Pin code of the user   |                         |      |          |             |         |         |        |   |                                 |       |                         |        |   |   |                         |         |          |             |  |                         |        |   |                    |  |       |        |   |  |  |      |        |   |  |  |  |  |
| state                   | String | N        | Two letter State code of the user  | Possible Value: AP, TN. |      |          |             |         |         |        |   |                                 |       |                         |        |   |   |                         |         |          |             |  |                         |        |   |                    |  |       |        |   |  |  |      |        |   |  |  |  |  |
| country                 | String | N        | Two letter country code. Identifies the Country of user accessing the portal   | Possible Values: IN, US |      |          |             |         |         |        |   |                                 |       |                         |        |   |   |                         |         |          |             |  |                         |        |   |                    |  |       |        |   |  |  |      |        |   |  |  |  |  |
| alternateUserName       | String | N        | Mobile number of the customer  |                         |      |          |             |         |         |        |   |                                 |       |                         |        |   |   |                         |         |          |             |  |                         |        |   |                    |  |       |        |   |  |  |      |        |   |  |  |  |  |
| paymentmethodInfo       | Object | Y        | <table><tr><th>Name</th><th>Type</th><th>Required</th><th>Description</th><th>Example</th></tr><tr><td>label</td><td>String</td><td>Y</td><td>The label of the payment method</td><td>REDTV</td></tr><tr><td>transactionReferenceMsg</td><td>Object</td><td>N</td><td><table><tr><th>Name</th><th>Type</th><th>Required</th><th>Description</th><th>Example</th></tr><tr><td>amount</td><td>String</td><td>Y</td><td>Transaction Amount</td><td></td></tr><tr><td>txMsg</td><td>String</td><td>N</td><td></td><td></td></tr><tr><td>txID</td><td>String</td><td>Y</td><td></td><td></td></tr></table></td><td></td></tr></table> | Name                    | Type | Required | Description | Example | label   | String | Y | The label of the payment method | REDTV | transactionReferenceMsg | Object | N | <table><tr><th>Name</th><th>Type</th><th>Required</th><th>Description</th><th>Example</th></tr><tr><td>amount</td><td>String</td><td>Y</td><td>Transaction Amount</td><td></td></tr><tr><td>txMsg</td><td>String</td><td>N</td><td></td><td></td></tr><tr><td>txID</td><td>String</td><td>Y</td><td></td><td></td></tr></table> | Name                    | Type    | Required | Description | Example  | amount                  | String | Y | Transaction Amount |  | txMsg | String | N |  |  | txID | String | Y |  |  |  |  |
| Name                    | Type   | Required | Description  | Example                 |      |          |             |         |         |        |   |                                 |       |                         |        |   |   |                         |         |          |             |  |                         |        |   |                    |  |       |        |   |  |  |      |        |   |  |  |  |  |
| label                   | String | Y        | The label of the payment method  | REDTV                   |      |          |             |         |         |        |   |                                 |       |                         |        |   |   |                         |         |          |             |  |                         |        |   |                    |  |       |        |   |  |  |      |        |   |  |  |  |  |
| transactionReferenceMsg | Object | N        | <table><tr><th>Name</th><th>Type</th><th>Required</th><th>Description</th><th>Example</th></tr><tr><td>amount</td><td>String</td><td>Y</td><td>Transaction Amount</td><td></td></tr><tr><td>txMsg</td><td>String</td><td>N</td><td></td><td></td></tr><tr><td>txID</td><td>String</td><td>Y</td><td></td><td></td></tr></table>  | Name                    | Type | Required | Description | Example | amount  | String | Y | Transaction Amount              |       | txMsg                   | String | N |   |                         | txID    | String   | Y           |  |                         |        |   |                    |  |       |        |   |  |  |      |        |   |  |  |  |  |
| Name                    | Type   | Required | Description  | Example                 |      |          |             |         |         |        |   |                                 |       |                         |        |   |   |                         |         |          |             |  |                         |        |   |                    |  |       |        |   |  |  |      |        |   |  |  |  |  |
| amount                  | String | Y        | Transaction Amount   |                         |      |          |             |         |         |        |   |                                 |       |                         |        |   |   |                         |         |          |             |  |                         |        |   |                    |  |       |        |   |  |  |      |        |   |  |  |  |  |
| txMsg                   | String | N        |  |                         |      |          |             |         |         |        |   |                                 |       |                         |        |   |   |                         |         |          |             |  |                         |        |   |                    |  |       |        |   |  |  |      |        |   |  |  |  |  |
| txID                    | String | Y        |  |                         |      |          |             |         |         |        |   |                                 |       |                         |        |   |   |                         |         |          |             |  |                         |        |   |                    |  |       |        |   |  |  |      |        |   |  |  |  |  |
| couponCode              | String | N        | Coupon defined for package/product   |                         |      |          |             |         |         |        |   |                                 |       |                         |        |   |   |                         |         |          |             |  |                         |        |   |                    |  |       |        |   |  |  |      |        |   |  |  |  |  |
| startDate               | Long   | N        | Subscription start date in long format   |                         |      |          |             |         |         |        |   |                                 |       |                         |        |   |   |                         |         |          |             |  |                         |        |   |                    |  |       |        |   |  |  |      |        |   |  |  |  |  |
| endDate                 | Long   | N        | Subscription end date in long format   |                         |      |          |             |         |         |        |   |                                 |       |                         |        |   |   |                         |         |          |             |  |                         |        |   |                    |  |       |        |   |  |  |      |        |   |  |  |  |  |
| serviceID               | String | Y        | Service Pack ID  | LIV_Pre_1M              |      |          |             |         |         |        |   |                                 |       |                         |        |   |   |                         |         |          |             |  |                         |        |   |                    |  |       |        |   |  |  |      |        |   |  |  |  |  |

Sample Body:

```
{
  "channelPartnerID": "MSMIND",
  "firstName": "Dev",
  "lastName": "Apitest",
  "customerPassword": "password1",
  "customerUsername": "REDTV01aug191@REDTVmail.com",
  "email": "REDTV01aug191@REDTVmail.com",
  "gender": "Male",
  "dateOfBirth": "1524572910976",
  "mobileNumber": "8919696367",
  "alternateUserName": "8919696367",
  "startDate": "1567322181414",
  "endDate": "1569868200000",
  "dmaId": "IN",
  "serviceID": "lmn_99_india",
  "address": {
    "zipCode": "500082",
    "state": "AP",
    "country": "IN"
  },
  "paymentmethodInfo": {
    "label": "REDTV",
    "makeAutoPayment": "true",
    "transactionReferenceMsg": {
      "amount": "99",
      "txMsg": "Success"
    }
  }
}
```

## Response

This endpoint replies with the standard AVS response. Below is the description of the resultObj response attribute.

| Name         | Description   | Returned |
|--------------|---|----------|
| orderID      | Unique Id of the Order  | Y        |
| spAccountID  | A unique identifier of the account  | Y        |
| cpCustomerID | A unique identifier of the account in Partner systems. This can be used for reconciliation purposes | Y        |

### Sample Response

```
{
  "resultCode": "OK",
  "message": "",
  "errorDescription": "200-10000",
  "resultObj": {
    "orderID": "881299",
    "spAccountID": "190901070455365917486917486",
    "cpCustomerID": "1909010704917486"
  },
  "systemTime": 1586247880553
}
```

## Error Response

### Sample Error Response

```
{
  "resultCode": "KO",
  "errorDescription": "eV1665",
  "message": "No Service found with the given Service Id: mn_99_india",
  "resultObj": {},
  "systemTime": 1586161440753
}
```

## Error Codes

| SNO | code     | name                                       | Error Message  |
|-----|----------|--|--|
| 1   | title    | Missing security_token                     | The JSON web signature in JWT did not pass the JWT validation.         |
| 2   | title    | Invalid security_token                     | The JWT claim value did not pass the JWT validation                    |
| 3   | ACN_1021 | Invalid Channel Parameter                  | Invalid channel parameter  |
| 4   | ACN_1022 | Invalid Tenant Parameter                   | Invalid tenant parameter   |
| 5   | ACN_1023 | Invalid appVersion Parameter               | Invalid appVersion parameter   |
| 6   | ACN_1024 | Invalid PropertyName Parameter             | Invalid PropertyName parameter   |
| 7   | ACN_1025 | Invalid cluster Parameter                  | Invalid cluster parameter  |
| 8   | ACN_1026 | Invalid locale parameter                   | Invalid locale parameter   |
| 9   | ACN_0403 | Geoblocked Country                         | Geoblocked Country   |
| 10  | ACN_0401 | jwt expired                                | jwt expired  |
| 11  | ACN_0400 | invalid token                              | invalid token  |
| 12  | ACN_3000 | Invalid API name                           | Invalid API name is invoked  |
| 13  | ACN_4000 | Missing x-via-device in header             | Missing RequestDeviceHeader  |
| 14  | ACN_3000 | Incorrect Athurization token in the header | invalid algorithm  |
| 15  | eV1259   | Given customer ID already exists           | Account with the given CustomerID already exists                       |
| 16  | eV3040   |  | Offer is already active on your number, valid till 04/29/2020 03:26:09 |
| 17  | eV1513   | incorrect Label                            | PaymentMethodInfo Label is incorrect                                   |
| 18  | eV1665   | incorrect service                          | No Service found with the given Service Id: dgfh                       |
| 19  | eV3246   | Missing Start date or End date in the body | StartDate or EndDate cannot be not empty                               |
| 20  | eV1842   | Invalid Coupon code in the body            | Please enter a valid coupon code                                       |
| 21  | eV1551   | End date is less than start date           | End Date should not be lesser than start date                          |
| 22  | ACN_4115 | Invalid b2bauth token                      | Partner authentication failed  |

## Catalogue API

### Specifications

|             |   |
|-------------|---|
| Action      | /v1/partner-management-ms/getvendordata                                 |
| Type        | GET   |
| Description | Gets the specific content for different partners based on rules defined |
| Input Type  | JSON object   |
| Output Type | JSON object.  |

### Headers

| Header         | Example                 | Required | Description                |
|----------------|-------------------------|----------|----------------------------|
| security_token | Generated by secret key | Y        | jwt token for each partner |

## Body

| Data           | Description                      | Mandatory | Example                  | Type        | Notes  |
|----------------|----------------------------------|-----------|--------------------------|-------------|--|
| vendor_id      | Id of the specific partner       | Y         | 1001                     | Number      | vendor_id associates with specific vendor name   |
| object_subtype | Object subtype of the content    | N         | episode                  | String      | To retrieve content for specific objectSubtype   |
| content_state  | state of the content             | N         | ACTIVE /INACTIVE         | String      | To retrieve active or inactive contents  |
| source_id      | Name of the source               | N         | SET                      | String      | broad_cast channel referred as sources   |
| content_id     | Unique identifier of the content | N         | 1000037260               | Number      |  |
| playable       | Playable or not                  | N         | True/false               | boolean     | If true fetches all playable content, If not pass or false fetches all content( Default value is false)                      |
| show_id        | contentId of the show            | N         | 1700000007               | Number      |  |
| modified_date  | content updated after this data  | N         | 2020-05-21T09:44:41.000Z | Date format | Fetches all the data updated after specified date  |
| page           | Gets the data in a specific page | N         | 1                        | Number      | Gets the content in a page manner. Each page consists of 100 contents. Page value starts from 1. Default page starts from 1. |

Sample Body:

```
<<DNS>>/v1/partner-management-ms/getvendordata?vendor_id=1001
<<DNS>>/v1/partner-management-ms/getvendordata?vendor_id=1001&show_id=1700000007
<<DNS>>/v1/partner-management-ms/getvendordata?vendor_id=1001&playable=true
<<DNS>>/v1/partner-management-ms/getvendordata?vendor_id=1001&page=1
```

## Response

Sample Response

```
{
  "vod_objects": [
    {
      "program_description": "When limitless love turns into limitless hatred, Beyhadh Season 2 Maya (Jennifer Winget) is back with a brand-new season of Beyhadh 2, this time to take revenge from Roy Family. This is the story of Maya who would stop at nothing to avenge herself.",
      "metadata": {
        "longDescription": "When limitless love turns into limitless hatred, Beyhadh Season 2 Maya (Jennifer Winget) is back with a brand-new season of Beyhadh, this time to take revenge from Roy Family. This is the story of Maya who would stop at nothing to avenge herself. And everyone in the path will have to become collateral damage! What happened in the past that there is so much hatred in her? Where will she stop? Stay Tuned.",
        "emfAttributes": {
          "masthead_background": "https://origin-staticv2.sonyliv.com/masthead_background/5152898743001.jpg",
          "snp_tags": "Romantic, Thriller",
          "creatives": "1-1:5613656631001_1-1.jpg|2-3:5613656631001_2-3.jpg|3-2:5613656631001_3-2.jpg|3-4:5613656631001_3-4.jpg|",
          "broadcast_channel": " SET",
          "advertising": "AD_SUPPORTED",
          "masthead_foreground_mobile": "https://origin-staticv2.sonyliv.com/masthead_foreground_mobile/5152898743001.png",
          "tv_background_image": "https://origin-static.sonyliv.com/Shows_Apple_TV_Images_24102018/SET/December_19/1/Beyhadh2_apple_TV_Images_1920x1080.jpg",
          "circular_image": "https://origin-staticv2.sonyliv.com/circular_image/5152898743001.jpg",
          "seo_description": "When limitless love turns into limitless hatred, Beyhadh-2 Maya (Jennifer Winget) is back with a brand-new season of Beyhadh2, this time to take revenge from Roy Family. This is the story of Maya who would stop at nothing to avenge herself. And everyone in the path will have to become collateral damage! What happened in the past that there is so much hatred in her? Where will she stop? Watch her revengeful journey on SonyLIV.",

```

```
"masthead_background_mobile": "https://origin-staticv2.sonyliv.com/masthead_background_mobile/5152898743001.jpg",
"masthead_logo": "https://origin-staticv2.sonyliv.com/masthead_logo/5152898743001.png",
"value": "Free",
"detail_cover_bg_mobile": "https://origin-staticv2.sonyliv.com/detail_cover_bg_mobile/5152898743001.jpg",
"detail_cover_bg": "https://origin-staticv2.sonyliv.com/detail_cover_bg/5152898743001.jpg",
"thumbnail": "https://origin-staticv2.sonyliv.com/cms/5152898743001/thumbnail/5152898743001_thumb.jpg",
"masthead_foreground": "https://origin-staticv2.sonyliv.com/masthead_foreground/5152898743001.png",
"portrait_thumb": "https://origin-staticv2.sonyliv.com/portrait_thumb/5152898743001.jpg",
"blocked_countries": "_gb,_ca,_pk",
"seo_tags": "aneri, arjun, behad, beyhad, beyhadh, business, childhood love story, destiny, dhoka, ishq, jennifer, kushal, latest episode, love, love relation, maya, new show, passion, photographer, pyaar, pyar, relationship, saanjh, serial, setindia, sony, sony liv, sony pictures networks, sonyliv, tycoon, watch full episode, watch online, watch serial online, watch videos, beyhadh 2, beyhadh 2 cast, beyhadh 2 jennifer, beyhadh 2 new promo, beyhadh 2 promo, beyhadh 2 story, beyhadh 2 teaser, beyhadh 2 trailer, beyhadh new season, beyhadh new serial, beyhadh season 2, beyhadh serial, beyhadhseason2, jennifer winget, jennifer winget beyhadh 2, jennifer winget in beyhadh 2, jennifer winget serial, kushal tandon, love pyar dhoka, love relation passion, maya is back, shivin narang, shivin narang beyhadh 2, when will beyhadh 2 start",
"seo_title": "Watch Beyhadh 2 online only on Sony LIV.",
"SVOD_countries": "_us,_ae,_om,_bh,_kw,_qa,_sa,_my,_hk,_id,_ph,_th,_lk,_np,_bd,_bt,_af,_mv",
"landscape_thumb": "https://origin-staticv2.sonyliv.com/landscape_thumb/5152898743001.jpg",
"cast_and_crew": "Cast: Jennifer Winget, Kushal Tandon, Aneri Vajani, Sumit Bhardwaj, Kiran Srinivas, Rajesh Khattar, Kavita Ghai",
"poster": "https://origin-staticv2.sonyliv.com/cms/5152898743001/poster/5152898743001_poster.jpg",
"square_thumb": "https://origin-staticv2.sonyliv.com/square_thumb/5152898743001.jpg",
},
"isADVAllowed": false,
"contentId": 1700000007,
"title": "Beyhadh",
"isCopyProtected": false,
"objectType": "GROUP_OF_BUNDLES",
"duration": 0,
"contentProvider": "SonyLiv",
"isLatest": false,
"isOnAir": false,
"isEncrypted": false,
"objectSubtype": "SHOW",
"metadataLanguage": "HIN",
"startTime": 1575282660000,
"isParent": true,
"contractStartDate": 1575282660000,
"pictureUrl": "5152898743001",
"contractEndDate": 1924991999000,
"originalAirDate": 1475452800000,
"externalId": "5152898743001",
"shortDescription": "When limitless love turns into limitless hatred, Beyhadh Season 2 Maya (Jennifer Winget) is back with a brand-new season of Beyhadh 2, this time to take revenge from Roy Family. This is the story of Maya who would stop at nothing to avenge herself.",
"leavingSoon": false,
"pcVodLabel": "12+",
"isGeoBlocked": false,
"filter": "0",
"actors": [
  "Jennifer Winget",
  "Kushal Tandon",
  "Aneri Vajani",
  "Sumit Bhardwaj",
  "Kiran Srinivas",
  "Rajesh Khattar",
  "Kavita Ghai"
],
"comingSoon": false,
"endTime": 1924991999000
},
"playback_start": "2019-12-02T16:01:00.000Z",
"program_id": 1700000007,
"description": "When limitless love turns into limitless hatred, Beyhadh Season 2 Maya (Jennifer Winget) is back with a brand-new season of Beyhadh 2, this time to take revenge from Roy Family. This is the story of Maya who would stop at nothing to avenge herself.",
"broadcast_channel": "SET",
"language": "Hindi",
```

```
"offer_start": "2019-12-02T16:01:00.000Z",
"series_description": "When limitless love turns into limitless hatred, Beyhadh Season 2 Maya (Jennifer Winget) is back with a brand-new season of Beyhadh 2, this time to take revenge from Roy Family. This is the story of Maya who would stop at nothing to avenge herself.",
"releasedate": "03-10-2016",
"videoUrls": {
  "android_tab": "NA",
  "sony_html_tv": "NA",
  "xiaomi_android_tv": "NA",
  "ios": "NA",
  "apple_tv": "NA",
  "iphone": "NA",
  "android_phone": "NA",
  "jio_kios": "NA",
  "jio_android_tv": "NA",
  "fire_tv": "NA",
  "web": "NA",
  "samsung_html_tv": "NA",
  "ipad": "NA",
  "sony_android_tv": "NA"
},
"duration": 0,
"playback_stop": "2031-01-01T05:29:59.000Z",
"series_title": "Beyhadh",
"display_show_name": "Beyhadh",
"episode_number": "",
"showId": 1700000007,
"1-1": "https://origin-static.sonyliv.com/AllSizeImages/5613656631001_1-1.jpg",
"genre": [
  "Drama",
  "Thriller",
  "Romance"
],
"2-3": "https://origin-static.sonyliv.com/AllSizeImages/5613656631001_2-3.jpg",
"3-2": "https://origin-static.sonyliv.com/AllSizeImages/5613656631001_3-2.jpg",
"3-4": "https://origin-static.sonyliv.com/AllSizeImages/5613656631001_3-4.jpg",
"state": "ACTIVE",
"value": "Free",
"mediaUrl": "<<DNS_NAME>>/v1/getvideourlhlsdata?content_id=1700000007",
"offer_stop": "2031-01-01T05:29:59.000Z",
"deeplink": "sony://asset/1700000007",
"originalAirDate": "03-10-2016",
"release_year": "",
"season_number": "",
"externalId": "5152898743001",
"vod_id": 1700000007,
"deeplink_url": "https://www.sonyliv.com/dplnk?schema=sony://asset/1700000007",
"long_description": "When limitless love turns into limitless hatred, Beyhadh Season 2 Maya (Jennifer Winget) is back with a brand-new season of Beyhadh, this time to take revenge from Roy Family. This is the story of Maya who would stop at nothing to avenge herself. And everyone in the path will have to become collateral damage! What happened in the past that there is so much hatred in her? Where will she stop? Stay Tuned.",
"pcVodLabel": "12+",
"program_image": [
  {
    "image_url": "https://origin-staticv2.sonyliv.com/landscape_thumb/5152898743001.jpg",
    "ratio": 1.778
  }
],
"series_id": 1700000007,
"web_url": "https://preprod-web.sonyliv.com/shows/Beyhadh-1700000007",
"cuepoints": "",
"cast_and_crew": "Cast: Jennifer Winget, Kushal Tandon, Aneri Vajani, Sumit Bhardwaj, Kiran Srinivas, Rajesh Khattar, Kavita Ghai",
"creatives_url": "https://origin-static.sonyliv.com/AllSizeImages/",
"program_title": "",
"source_id": "SET",
"series_image": [
  {
    "image_url": "https://origin-staticv2.sonyliv.com/landscape_thumb/5152898743001.jpg",
    "ratio": 1.778
  }
]
```



```
],
"category": [
  "SET"
]
},
{
  "_prev": "",
  "_next": "<<DNS_NAME>>/v1/partner-management-ms/getvendordata?vendor_id=1001&content_id=1700000007&page=2"
}
```

## Error Response

Sample Error Response

```
{
  "message": "Access denied for <<vendor_id>>"
}
```