

The screenshot shows the MySQL Workbench interface. The left sidebar contains navigation panels for MANAGEMENT, INSTANCE, and PERFORMANCE. The main area has tabs for Query, task!, and SQL File 5. A toolbar above the editor includes icons for file operations, search, and help. The SQL editor displays the following script:

```
1 • show databases;
2 • create database arjun;
3 • use arjun;
4 • show tables;
5 • create table students(Studentid int, Name varchar(20), Grade varchar(3), Age int);
6 • select*from Students;
7 • alter table students add Email varchar(30);
```

The results grid shows the creation of the 'arjun' database and the 'students' table. The 'Students' table has columns Studentid, Name, grade, and Age. The 'Action Output' pane shows the execution log with entries for each query. The bottom status bar shows system information like temperature and battery level.

The screenshot shows the MySQL Workbench interface. The left sidebar contains navigation panels for MANAGEMENT, INSTANCE, and PERFORMANCE. The main area has tabs for 'Query1', 'task1', and 'SQL File 5'. The 'task1' tab displays a SQL script:

```
1 • show databases;
2 • create database arjun;
3 • use arjun;
4 • show tables;
5 • create table students(Studentid int, Name varchar(20), Grade varchar(3), Age int);
6 • select*from Students;
7 • alter table students add Email varchar(30);
```

Below the script is a 'Result Grid' showing the following data:

Studentid	Name	grade	Age	Email

The bottom section shows the 'Students 8' output pane with the following details:

- Action: Output
- Time: 12:19:39
- Action: select from Students
- Time: 12:19:45
- Action: select from Students LIMIT 0, 1000
- Time: 12:23:23
- Action: alter table students add Email varchar(30)
- Time: 12:23:29
- Action: select from Students LIMIT 0, 1000

Message: Error Code: 1064. You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near 'Email varchar(30)' at line 1.

Duration / Fetch: 0.000 sec / 0.000 sec

Information: 0 rows(s) returned, 0 rows(s) affected, Records: 0 Duplicates: 0 Warnings: 0

Object Info and Session tabs are visible at the bottom.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

No object selected

Output

```

Query1* Task1* SQL File 5
1 • show databases;
2 • create database arjun;
3 • use arjun;
4 • show tables;
5 • create table students(Studentid int, Name varchar(20), Grade varchar(3), Age int);
6 • select*from students;
7 • alter table students add Email varchar(30);
8 • alter table students drop column grade;

```

Result Grid | Filter Rows: Export: Wrap Cell Content: Result Grid Form Editor

students 9 x

Output

Studentid	Name	Age	Email

Action Output

#	Time	Action	Message	Duration / Fetch
83	12-23-23	alter table students add Email varchar(30)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.062 sec
84	12-23-29	select from Students LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
85	12-30-58	alter table students drop column grade	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.032 sec
86	12-31-05	select from students LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

35°C Partly sunny

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

No object selected

Output

```

Query1* Task1* SQL File 5
4 • show tables;
5 -- 1
6 • create table students(Studentid int, Name varchar(20), Grade varchar(3), Age int);
7 • select*from students;
8 -- 2
9 • alter table students add Email varchar(30);
10 -- 3
11 • alter table students drop column grade;
12 -- 4
13 • alter table students modify Age varchar(3);

```

Result Grid | Filter Rows: Export: Wrap Cell Content: Result Grid Form Editor

students 10 x

Output

Studentid	Name	Age	Email

Action Output

#	Time	Action	Message	Duration / Fetch
85	12-30-58	alter table students drop column grade	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.032 sec
86	12-31-05	select from Students LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
87	12-43-24	alter table students modify Age varchar(3)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.031 sec
88	12-43-37	select from students LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Breaking news India Bans All Im...

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

34°C Sunny

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Object Info Session

34°C Mostly sunny

Query 1* task 1* SQL File 5

```

10 -- 3
11 • alter table students drop column grade;
12 -- 4
13 • alter table students modify Age varchar(3);
14 -- 5
15
16 • rename table students to studentdetails;
17 • select*from studentdetails
18

```

Result Grid Filter Rows Export Wrap Cell Content

Studentid	Name	Age	Email

studentdetails 27 x

Action Output

#	Time	Action	Message	Duration / Fetch
140	14:34:59	Action	0 row(s) returned	0.015 sec / 0.000 sec
141	14:35:59	rename table students to studentdetails	0 row(s) affected	0.047 sec
142	14:36:35	select from studentdetails LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
143	14:38:14	select from students LIMIT 0, 1000	Error Code: 1146. Table 'ajun.students' doesn't exist	0.000 sec
144	14:38:21	show tables	2 row(s) returned	0.015 sec / 0.000 sec
145	14:39:11	select from studentdetails LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec

Output

Read Only Context Help Snippets

ENG IN 14:39 03-05-2025

Query 1* task 1* SQL File 5

```

15
16 • rename table students to studentdetails;
17 • select*from studentdetails;
18
19 -- 6
20 • drop table studentdetails;
21
22
23
24
25

```

Result Grid Filter Rows Export Wrap Cell Content

Tables_in_arjun
students

Result 8 x

Action Output

#	Time	Action	Message	Duration / Fetch
18	12:24:57	drop table studentdetails	0 row(s) affected	0.031 sec
19	12:25:30	select from studentdetails LIMIT 0, 1000	Error Code: 1146. Table 'ajun.studentdetails' doesn't exist	0.000 sec
20	12:25:53	select from studentdetails LIMIT 0, 1000	Error Code: 1146. Table 'ajun.studentdetails' doesn't exist	0.016 sec
21	12:26:10	show tables	1 row(s) returned	0.015 sec / 0.000 sec

Output

Read Only Context Help Snippets

ENG IN 12:27 06-05-2025

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Employees 9 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
20	12:25:53	select from studentdetails LIMIT 0, 1000	Error Code: 1146. Table 'ajun.studentdetails' doesn't exist	0.016 sec
21	12:26:10	show tables	1 row(s) returned	0.015 sec / 0.000 sec
22	12:32:33	create table Employees (Emp_ID int, Empname varchar(20), Empsalary int)	0 row(s) affected	0.031 sec
23	12:33:17	select*from Employees LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec

Result Grid | Filter Rows | Export: | Wrap Cell Content: |

Emp_ID Empname Empsalary

Object Info Session

34°C Mostly sunny

ENG IN 12:33 06-05-2025

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Employees 10 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
22	12:32:33	create table Employees (Emp_ID int, Empname varchar(20), Empsalary int)	0 row(s) affected	0.031 sec
23	12:33:17	select from Employees LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
24	13:31:09	alter table employees add Department varchar(25)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.047 sec
25	13:51:16	select*from Employees LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec

Result Grid | Filter Rows | Export: | Wrap Cell Content: |

Emp_ID Empname Empsalary Department

Object Info Session

Hot weather Now

ENG IN 13:51 06-05-2025

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

Query1* Task1* SQL File 5

Limit to 1000 rows

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

No object selected

Output

Action Output

#	Time	Action	Message	Duration / Fetch
23	12:33:17	select from Employees LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
24	13:51:09	alter table employees add Department varchar(25)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.047 sec
25	13:51:16	select from Employees LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
26	13:55:31	drop table employees	0 row(s) affected	0.031 sec

Object Info Session

Air: Severe Today

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

Query1* Task1* SQL File 5

Limit to 1000 rows

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

No object selected

Products 12

Output

Action Output

#	Time	Action	Message	Duration / Fetch
26	13:55:31	drop table employees	0 row(s) affected	0.031 sec
27	13:56:01	show tables	1 row(s) returned	0.015 sec / 0.000 sec
28	14:00:53	create table Products(Product_id int, Product_name varchar(25),Price int)	0 row(s) affected	0.031 sec
29	14:01:33	select from Products LIMIT 0, 1000	0 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

36°C Mostly sunny

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

Query1* Task1* SQL File 5

Limit to 1000 rows

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

No object selected

Output

Action Output

#	Time	Action	Message	Duration / Fetch
26	13:55:31	drop table employees	0 row(s) affected	0.031 sec
27	13:56:01	show tables	1 row(s) returned	0.015 sec / 0.000 sec
28	14:00:53	create table Products(Product_id int, Product_name varchar(25),Price int)	0 row(s) affected	0.031 sec
29	14:01:33	select from Products LIMIT 0, 1000	0 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

36°C Mostly sunny

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

Query1* task1* SQL File 5

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

No object selected

Books 13 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
28	14:00:53	create table Products(Product_id int, Product_name varchar(25),Price int)	0 row(s) affected	0.031 sec
29	14:01:33	select from Products LIMIT 0, 1000	0 row(s) returned	0.016 sec / 0.000 sec
30	14:06:59	create table Books(Book_id int, Title varchar(25),Author varchar(25),Publishedyear int)	0 row(s) affected	0.016 sec
31	14:07:23	select from Books LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

36°C Mostly sunny

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

Query1* task1* SQL File 5

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

No object selected

Books 14 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
48	-- 12			
41	• insert into Books value(1,"war and peace", "Leo",2000);		1 row(s) affected	0.000 sec
42	• insert into Books value(2,"Ulysses","Jance joyce",2001);		1 row(s) affected	0.000 sec
43	• insert into Books value(3,"Utopia","Thomas moor",2002);		1 row(s) affected	0.000 sec
44	• insert into Books value(4,"Waste land","t.s Eliot",2003);		1 row(s) affected	0.000 sec
45	• insert into Books value(5,"Tiae meshine","H.G Wells",2004);		1 row(s) affected	0.000 sec
46	• insert into Books value(6,"meinkampf","Adolf hitler",2005);		1 row(s) affected	0.000 sec
47	• insert into Books value(7,"August 1914","alexander",2006);		1 row(s) affected	0.000 sec
48	• insert into Books value(8,"Politics","aristotle",2007);		1 row(s) affected	0.000 sec
49	• insert into Books value(9,"Divine comedy","Dante",2008);		1 row(s) affected	0.000 sec
50	• insert into Books value(10,"odyssey","homer",2009);		1 row(s) affected	0.000 sec

Object Info Session

35°C Partly sunny

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

Query1* task1* SQL File 5

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

No object selected

Books 15 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
39	14:31:03	insert into Books value(8,"Politics","aristotle",2007)	1 row(s) affected	0.000 sec
40	14:31:03	insert into Books value(9,"Divine comedy","Dante",2008)	1 row(s) affected	0.000 sec
41	14:31:03	insert into Books value(10,"odyssey","homer",2009)	1 row(s) affected	0.000 sec
42	14:31:15	select from Books LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

14:31 ENG IN 06-05-2025

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

Query1* task1* SQL File 5

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

No object selected

Books 16 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
43	-- 12			
46	• insert into Books value(1,"war and peace", "Leo",2000);		1 row(s) affected	0.000 sec
47	• insert into Books value(2,"Ulysses","Jance joyce",2001);		1 row(s) affected	0.000 sec
48	• insert into Books value(3,"Utopia","Thomas moor",2002);		1 row(s) affected	0.000 sec
49	• insert into Books value(4,"Waste land","t.s Eliot",2003);		1 row(s) affected	0.000 sec
50	• insert into Books value(5,"Tiae meshine","H.G Wells",2004);		1 row(s) affected	0.000 sec
51	• insert into Books value(6,"meinkampf","Adolf hitler",2005);		1 row(s) affected	0.000 sec
52	• insert into Books value(7,"August 1914","alexander",2006);		1 row(s) affected	0.000 sec
53	• insert into Books value(8,"Politics","aristotle",2007);		1 row(s) affected	0.000 sec
54	• insert into Books value(9,"Divine comedy","Dante",2008);		1 row(s) affected	0.000 sec
55	• insert into Books value(10,"odyssey","homer",2009);		1 row(s) affected	0.000 sec

Object Info Session

14:31 ENG IN 06-05-2025

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

Query1* Task1* SQL File 5

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Books 15 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
40	14:31:03	insert into Books value(9,"Divine comedy","Dante",2008)	1 row(s) affected	0.000 sec
41	14:31:03	insert into Books value(10,"odyssey","homer",2009)	1 row(s) affected	0.000 sec
42	14:31:15	select from Books LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
43	14:32:45	select from Books LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

35°C Partly sunny

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

Query1* Task1* SQL File 5

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Books 16 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
41	14:31:03	insert into Books value(10,"odyssey","homer",2009)	1 row(s) affected	0.000 sec
42	14:31:15	select from Books LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
43	14:32:45	select from Books LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
44	14:35:18	select Title,Author from Books	10 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

35°C Partly sunny

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

Query1* task1* SQL File 5

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Books 18 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
44	14:35:18	select Title,Author from Books LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
45	14:40:06	select from Books LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
46	14:41:04	update Books set Title="1984" where Book_id=1	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.016 sec
47	14:41:37	select from Books LIMIT 0, 1000	10 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

35°C Partly sunny

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

Query1* task1* SQL File 5

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

Information

No object selected

Books 19 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
47	14:41:37	select from Books LIMIT 0, 1000	10 row(s) returned	0.016 sec / 0.000 sec
48	14:50:30	delete from Books where books_id=2	Error Code: 1054 Unknown column 'books_id' in 'where clause'	0.000 sec
49	14:51:07	delete from Books where Book_id=2	1 row(s) affected	0.016 sec
50	14:51:14	select from Books LIMIT 0, 1000	9 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

35°C Partly sunny

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

No object selected

employe 22

Output

Action Output

#	Time	Action	Message	Duration / Fetch
53	15:03:24	alter table employe add (age int,department varchar(50),salary float(50))	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.047 sec
54	15:03:30	select from employe LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
55	15:09:08	alter table employe modify empid int auto_increment primary key	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.054 sec
56	15:09:14	select*from employe LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

34°C Partly sunny

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

No object selected

employe 22

Output

Action Output

#	Time	Action	Message	Duration / Fetch
53	15:03:24	alter table employe add (age int,department varchar(50),salary float(50))	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.047 sec
54	15:03:30	select from employe LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
55	15:09:08	alter table employe modify empid int auto_increment primary key	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.054 sec
56	15:09:14	select*from employe LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

34°C Partly sunny

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

No object selected

employe 23

Output

Action Output

#	Time	Action	Message	Duration / Fetch
55	15:09:08	alter table employe modify empid int auto_increment primary key	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.054 sec
56	15:09:14	select from employe LIMIT 0, 1000	0 row(s) returned	0.000 sec / 0.000 sec
57	15:15:34	insert into employe values(1,'John','doe',30,'HR',50000)	1 row(s) affected	0.000 sec
58	15:15:39	select*from employe LIMIT 0, 1000	1 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

34°C Partly sunny

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

ENG IN 15:15 06-05-2025

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

Query1* task1* SQL File 5

```

67 • alter table employe modify empid int auto_increment primary key;
68 • select*from employe;
69
70 -- 18
71 • insert into employe value(1,'John','doe',30,'HR',50000);
72
73 -- 19
74 • insert into employe value(2,'jane','smith',25,'finance',60000);
75 • insert into employe value(3,'alice','johnson',28,'IT',70000);
76

```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Contents: |

empid	first_name	second_name	age	department	salary
1	John	doe	30	HR	50000
2	jane	smith	25	finance	60000
3	alice	johnson	28	IT	70000
NULL	NULL	NULL	NULL	NULL	NULL

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

No object selected

employe 24

Action Output

#	Time	Action	Message	Duration / Fetch
58	15:15:39	select from employe LIMIT 0, 1000	1row(s) returned	0.000 sec / 0.000 sec
59	15:20:46	insert into employe value(2,'jane','smith',25,'finance',60000)	1row(s) affected	0.000 sec
60	15:20:46	insert into employe value(3,'alice','johnson',28,'IT',70000)	1row(s) affected	0.000 sec
61	15:20:53	select from employe LIMIT 0, 1000	3row(s) returned	0.000 sec / 0.000 sec

Object Info Session

34°C Partly sunny

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

Query1* task1* SQL File 5

```

69
70 -- 18
71 • insert into employe value(1,'John','doe',30,'HR',50000);
72
73 -- 19
74 • insert into employe value(2,'jane','smith',25,'finance',60000);
75 • insert into employe value(3,'alice','johnson',28,'IT',70000);
76
77 -- 20
78 • select*from employe;

```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Contents: |

empid	first_name	second_name	age	department	salary
1	John	doe	30	HR	50000
2	jane	smith	25	finance	60000
3	alice	johnson	28	IT	70000
NULL	NULL	NULL	NULL	NULL	NULL

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

No object selected

employe 25

Action Output

#	Time	Action	Message	Duration / Fetch
59	15:20:46	insert into employe value(2,'jane','smith',25,'finance',60000)	1row(s) affected	0.000 sec
60	15:20:46	insert into employe value(3,'alice','johnson',28,'IT',70000)	1row(s) affected	0.000 sec
61	15:20:53	select from employe LIMIT 0, 1000	3row(s) returned	0.000 sec / 0.000 sec
62	15:22:30	select from employe LIMIT 0, 1000	3row(s) returned	0.015 sec / 0.000 sec

Object Info Session

34°C Partly sunny

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

Query1* task1* SQL File 5

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

No object selected

employe 27

Output

Action Output

#	Time	Action	Message	Duration / Fetch
63	15:25:00	update employ set salary=65000 where empid=2	Error Code: 1146. Table 'ajun.employ' doesn't exist	0.000 sec
64	15:25:05	select from employ LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
65	15:25:35	update employ set salary=65000 where empid=2	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.015 sec
66	15:25:40	select from employ LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

34°C Partly sunny

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

Query1* task1* SQL File 5

MANAGEMENT

- Server Status
- Client Connections
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

No object selected

employe 28

Output

Action Output

#	Time	Action	Message	Duration / Fetch
65	15:25:35	update employ set salary=65000 where empid=2	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.015 sec
66	15:25:40	select from employ LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
67	15:27:57	delete from employ where empid=3	1 row(s) affected	0.015 sec
68	15:28:02	select from employ LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

Air: Severe Today

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

MANAGEMENT

- Server Status
- Users and Privileges
- Status and System Variables
- Data Export
- Data Import/Restore

INSTANCE

- Startup / Shutdown
- Server Logs
- Options File

PERFORMANCE

- Dashboard
- Performance Reports
- Performance Schema Setup

Administration Schemas

No object selected

Information

employee 29

Action Output

#	Time	Action	Message	Duration / Fetch
69	15:33:08	insert into employee value(3,'alice','johnson',28,IT,70000)	1 row(s) affected	0.015 sec
70	15:33:15	insert into employee value(4,'michale','taylor',35,'sales',75000)	1 row(s) affected	0.000 sec
71	15:33:15	insert into employee value(5,'emily','davis',40,'marketing',80000)	1 row(s) affected	0.000 sec
72	15:33:27	select from employee LIMIT 0, 1000	5 row(s) returned	0.000 sec / 0.000 sec

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Contents: | Result Grid | Form Editor | Field Types | Context Help | Snippets

Query 1* task 1* SQL File 5

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

```
79
80 -- 21
81 • update employee set salary=65000 where empid=2;
82
83 -- 22
84 • delete from employee where empid=3;
85
86 -- 23
87 • insert into employee value(4,'michale','taylor',35,'sales',75000);
88 • insert into employee value(5,'emily','davis',40,'marketing',80000);
```

Result Grid | Filter Rows: | Edit: | Export/Import: | Wrap Cell Contents: | Result Grid | Form Editor | Field Types | Context Help | Snippets

Result Grid

Form Editor

Field Types

Context Help

Snippets

Apply

Result Grid

Object Info Session

33°C Partly sunny

Search

ENG IN

15:33

06-05-2025

The screenshot shows the MySQL Workbench interface. In the top-left, there's a 'Navigator' pane with sections for MANAGEMENT, INSTANCE, and PERFORMANCE. The central area has tabs for Administration, Schemas, and Information, with 'No object selected'. Below these is a 'employee 29' tab showing a timeline of database actions. The main workspace contains a 'Query 1*' tab with a SQL editor containing several statements, and a 'task 1*' tab with a results grid showing employee data. A status bar at the bottom displays system information like weather, search, and system time.