Inlab activity - Dynamic changes

Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Smoke and Spicy</title>
    klink
href="https://fonts.googleapis.com/css2?family=Raleway:wght@400;700&display=sw
ap" rel="stylesheet">
    <style>
        body {
            font-family: 'Raleway', sans-serif;
            margin: 0;
            padding: 0;
            background: linear-gradient(to bottom, red, orange);
            overflow: auto;
            min-height: 100vh;
            position: relative;
        .nav-menu {
            background-color: #333;
            padding: 15px;
            text-align: center;
            border-radius: 0;
            width: 100%;
            position: fixed;
            top: 0;
            left: 0;
            z-index: 1000;
            box-shadow: 2px 2px 10px rgba(0, 0, 0, 0.3);
        }
        .nav-menu a {
            color: white;
            text-decoration: none;
            margin: 0 20px;
            font-weight: bold;
            font-size: 1.2rem;
        }
        .nav-menu a:hover {
```

```
color: #f4a261;
.header-space {
   height: 70px;
.section {
   width: 80%;
   margin: 20px auto;
    padding: 20px;
    background: white;
    border-radius: 15px;
    box-shadow: 5px 5px 15px rgba(0, 0, 0, 0.3);
}
.specialties-dropdown {
   width: 100%;
    padding: 10px;
    font-size: 1.1rem;
   border-radius: 5px;
.modal {
   display: none;
    position: fixed;
    z-index: 1000;
   left: 50%;
   top: 50%;
   transform: translate(-50%, -50%);
    background: white;
    padding: 20px;
    box-shadow: 0px 0px 10px rgba(0, 0, 0, 0.5);
   border-radius: 10px;
.modal select, .modal button {
   margin-top: 10px;
   padding: 10px;
   font-size: 1rem;
.modal button {
    background-color: #f4a261;
    color: white;
    border: none;
    cursor: pointer;
.modal button:hover {
   background-color: #e76f51;
```


```
#main-heading {
    text-align: center;
    text-transform: uppercase;
    padding: 20px;
    color: white;
    font-size: 2.5rem;
    display: flex;
    justify-content: center;
    align-items: center;
   width: 100%;
    </style>
</head>
<body>
    <div class="nav-menu">
        <a href="#home">Home</a>
        <a href="#menu">Menu</a>
        <a href="#contact">Contact Us</a>
        <a href="#" onclick="openReservation()">Reserve</a> <!-- Reservation</pre>
Button -->
    </div>
    <div class="header-space"></div>
    <div id="reservationModal" class="modal">
        <h3>Reserve a Table</h3>
        <label for="tables">Select a Table:</label>
        <select id="tables">
            <option value="1">Table 1</option>
            <option value="2">Table 2</option>
            <option value="3">Table 3</option>
            <option value="4">Table 4</option>
        </select>
        <button onclick="reserveTable()">Reserve</button>
    </div>
    <h1 id="main-heading";>Smoke and Spicy</h1>
    <section class="section">
        <h2>Our Specialties</h2>
        <div class="d-flex flex-column">
            <div class="mb-2">
                <label class="fw-bold">Italian Cuisine:</label>
                <select class="form-select w-auto d-inline-block">
                    <option>Pasta
                    <option>Pizza</option>
                    <option>Lasagna</option>
                </select>
            </div>
```

```
<div class="mb-2">
          <label class="fw-bold">Indian Spices:</label>
          <select class="form-select w-auto d-inline-block">
              <option>Butter Chicken</option>
              <option>Biryani
              <option>Tandoori</option>
          </select>
       </div>
       <div class="mb-2">
          <label class="fw-bold">Chinese Delicacies:</label>
          <select class="form-select w-auto d-inline-block">
              <option>Kung Pao Chicken</option>
              <option>Spring Rolls</option>
              <option>Dim Sum</option>
          </select>
       </div>
       <div class="mb-2">
          <label class="fw-bold">Mexican Tacos:</label>
          <select class="form-select w-auto d-inline-block">
              <option>Beef Tacos
              <option>Chicken Tacos</option>
              <option>Veggie Tacos</option>
          </select>
       </div>
       <div class="mb-2">
          <label class="fw-bold">French Pastries:</label>
          <select class="form-select w-auto d-inline-block">
              <option>Croissant</option>
              <option>Macaron
              <option>Eclair</option>
          </select>
       </div>
   </div>
</section>
<section class="section">
   <h2>Our Menu</h2>
   Dish Name
          Price
          Description
       Margherita Pizza
```


```
$12
            Classic pizza with fresh mozzarella and basil
         Butter Chicken
            $15
            Rich and creamy Indian curry with tender chicken
         Kung Pao Chicken
            $14
            Spicy and tangy chicken stir-fry with peanuts
         </section>
   <script>
      function openReservation(){
         document.getElementById("reservationModal").style.display =
"block";
      function reserveTable(){
         let table = document.getElementById("tables").value;
         alert("Table " + table + " has been reserved.");
         document.getElementById("reservationModal").style.display =
"none";
   </script>
</body>
</html>
```

Output:


Changes made:




Our specialities:add dropdown box



Add a reserve table button in navbar



Static nav bar



Deployed using ohris

Sandbox Link: https://456qlx.csb.app/DynamicallyUpdated_restaurant.html