TO PREVIOUS WEBSITE Add a gallery page using Bootstrap grid model. Add Navbar, header and footer to all pages. Add a Login link (Modal).

### Code:

#### Index.html:

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>A-Z Website | The Ultimate Online Store</title>
    <link rel="stylesheet"</pre>
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
    <style>
        /* Gradient Theme */
        body {
            background: linear-gradient(135deg, #0a0a0a, #001f3f);
            color: #fff;
            font-family: Arial, sans-serif;
        .navbar {
            background: rgba(0, 0, 0, 0.8);
            padding: 15px;
        .navbar-brand {
            font-size: 1.8rem;
            font-weight: bold;
            color: cyan !important;
        .nav-link {
            color: white !important;
            transition: 0.3s ease-in-out;
        .nav-link:hover {
```

```
color: cyan !important;
        .hero {
            text-align: center;
            padding: 100px 20px;
            background: rgba(0, 0, 0, 0.7);
        .hero h1 {
            font-size: 3.5rem;
            font-weight: bold;
            color: cyan;
        .carousel-item img {
            height: 500px;
            object-fit: cover;
        .card {
            background: rgba(255, 255, 255, 0.1);
            color: white;
            border: 1px solid cyan;
            transition: 0.3s ease-in-out;
        .card:hover {
            transform: scale(1.05);
            box-shadow: 0px 0px 15px cyan;
        .footer {
            background: rgba(0, 0, 0, 0.9);
            text-align: center;
            padding: 20px;
        .modal-content {
            background: #001f3f;
            color: white;
    </style>
</head>
<body>
```

```
<nav class="navbar navbar-expand-lg">
       <div class="container-fluid">
           <a class="navbar-brand" href="index.html">A-Z Website</a>
           <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarNav">
               <span class="navbar-toggler-icon"></span>
           <div class="collapse navbar-collapse" id="navbarNav">
               class="navbar-nav">
                   <a class="nav-link"</pre>
href="index.html">Home</a>
                   <a class="nav-link"</pre>
href="about.html">About Us</a>
                   <a class="nav-link"</pre>
href="products.html">Products</a>
                   <a class="nav-link"</pre>
href="partners.html">Partners</a>
                   <a class="nav-link"</pre>
href="gallery.html">Gallery</a>
                   <a class="nav-link"</pre>
href="contact.html">Contact Us</a>
               <form class="d-flex ms-auto">
                   <input class="form-control me-2" type="search"</pre>
placeholder="Search..." id="searchInput">
                   <button class="btn btn-info" type="submit">Search/button>
               </form>
               <button class="btn btn-outline-info ms-3" data-bs-</pre>
toggle="modal" data-bs-target="#loginModal">Login</button>
           </div>
       </div>
   </nav>
<div class="modal fade" id="loginModal" tabindex="-1" aria-hidden="true">
   <div class="modal-dialog">
       <div class="modal-content">
           <div class="modal-header">
               <h5 class="modal-title">Login</h5>
               <button type="button" class="btn-close" data-bs-</pre>
dismiss="modal"></button>
           </div>
           <div class="modal-body">
               <input type="email" id="loginEmail" class="form-control mb-3"</pre>
placeholder="Email">
               <input type="password" id="loginPassword" class="form-control</pre>
mb-3" placeholder="Password">
```

```
<button class="btn btn-info w-100"</pre>
onclick="validateLoginForm()">Login</button>
            </div>
        </div>
    </div>
</div>
    <section class="hero">
        <h1>Welcome to A-Z Website</h1>
        Explore the latest and best products, curated just for you!
    </section>
    <!-- Carousel -->
    <div id="productCarousel" class="carousel slide" data-bs-ride="carousel">
        <div class="carousel-inner">
            <div class="carousel-item active">
                <img src="download1.jpg" class="d-block w-100" alt="Product</pre>
1">
            </div>
            <div class="carousel-item">
                <img src="download2.jpg" class="d-block w-100" alt="Product</pre>
2">
            </div>
            <div class="carousel-item">
                <img src="download3.jpg" class="d-block w-100" alt="Product</pre>
3">
            </div>
        </div>
        <a class="carousel-control-prev" href="#productCarousel" role="button"</pre>
data-bs-slide="prev">
            <span class="carousel-control-prev-icon"></span>
        </a>
        <a class="carousel-control-next" href="#productCarousel" role="button"</pre>
data-bs-slide="next">
            <span class="carousel-control-next-icon"></span>
        </a>
    </div>
    <!-- Featured Products -->
    <div class="container my-5">
        <h2 class="text-center text-info">Featured Products</h2></h2>
        <div class="row">
            <div class="col-md-4">
                <div class="card">
                    <img src="ouppy.jpg" class="card-img-top" alt="Product">
                    <div class="card-body">
```

```
<h5 class="card-title">Product 1</h5>
                  High-quality product for you.
                  <a href="#" class="btn btn-info">Buy Now</a>
              </div>
          </div>
       </div>
       <div class="col-md-4">
           <div class="card">
              <img src="ouppy.jpg" class="card-img-top" alt="Product">
              <div class="card-body">
                  <h5 class="card-title">Product 2</h5>
                  Limited stock available.
                  <a href="#" class="btn btn-info">Buy Now</a>
              </div>
          </div>
       </div>
       <div class="col-md-4">
           <div class="card">
              <img src="ouppy.jpg" class="card-img-top" alt="Product">
              <div class="card-body">
                  <h5 class="card-title">Product 3</h5>
                  Grab yours today!
                  <a href="#" class="btn btn-info">Buy Now</a>
              </div>
          </div>
       </div>
   </div>
</div>
<footer class="bg-dark text-white pt-5 pb-4">
   <div class="container text-center text-md-start">
       <div class="row">
          <div class="col-md-3 mx-auto">
              <h5>Get to Know Us</h5>
              <a href="#">About Us</a>
              Careers
          </div>
          <div class="col-md-3 mx-auto">
              <h5>Connect with Us</h5>
              <a href="#">Facebook</a>
              <a href="#">Twitter</a>
           </div>
           <div class="col-md-3 mx-auto">
              <h5>Make Money with Us</h5>
              <a href="#">Sell on Our Platform</a>
              <a href="#">Become an Affiliate</a>
```

```
</div>
               <div class="col-md-3 mx-auto">
                   <h5>Let Us Help You</h5>
                   <a href="#">Your Account</a>
                   <a href="#">Customer Service</a>
                   <h5> Your Location:</h5>
                   Fetching location... <!-- GPS</pre>
               </div>
           </div>
           <hr>>
           <div class="text-center">
               © 2025 MyWebsite.com
           </div>
       </div>
    </footer>
    <script>
       function getLocation() {
           if (navigator.geolocation) {
               navigator.geolocation.getCurrentPosition(showPosition,
showError);
           } else {
               document.getElementById("gps-location").innerHTML =
"Geolocation is not supported.";
       function showPosition(position) {
           let latitude = position.coords.latitude;
           let longitude = position.coords.longitude;
           document.getElementById("gps-location").innerHTML = `Lat:
${latitude}, Lng: ${longitude}`;
       function showError(error) {
           switch(error.code) {
               case error.PERMISSION DENIED:
                   document.getElementById("gps-location").innerHTML = "User
denied the request.";
               case error.POSITION UNAVAILABLE:
                   document.getElementById("gps-location").innerHTML =
"Location unavailable.";
                   break:
               case error.TIMEOUT:
```

```
document.getElementById("gps-location").innerHTML =
"Request timed out.";
                    break;
                default:
                    document.getElementById("gps-location").innerHTML =
"Unknown error occurred.";
        getLocation();
    </script>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min
.js"></script>
    <script>
        function validateLoginForm() {
            let loginEmail = document.getElementById("loginEmail");
            let loginPassword = document.getElementById("loginPassword");
            let loginMessage = document.getElementById("loginMessage");
            let valid = true;
            let emailPattern = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;
            if (!emailPattern.test(loginEmail.value)) {
                loginEmail.classList.add("is-invalid");
                valid = false;
            } else {
                loginEmail.classList.remove("is-invalid");
            if (loginPassword.value.length < 6) {</pre>
                loginPassword.classList.add("is-invalid");
                valid = false;
            } else {
                loginPassword.classList.remove("is-invalid");
            if (valid) {
                loginMessage.innerText = "Thank you for logging in!";
                setTimeout(() => {
                    loginMessage.innerText = "";
                    document.getElementById("loginModal").classList.remove("sh
ow");
                    document.querySelector(".modal-backdrop").remove();
                }, 2000);
```

```
return false;
}
  </script>
</body>
</html>
```

### **About.html:**

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1">
   <title>About Us | A-Z Website</title>
   <link rel="stylesheet"</pre>
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
   <link rel="stylesheet" href="styles.css"> <!-- External CSS File -->
</head>
<body>
   <nav class="navbar navbar-expand-lg">
       <div class="container-fluid">
           <a class="navbar-brand" href="index.html">A-Z Website</a>
           <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarNav">
              <span class="navbar-toggler-icon"></span>
           <div class="collapse navbar-collapse" id="navbarNav">
              <a class="nav-link"</pre>
href="index.html">Home</a>
                  <a class="nav-link active"</pre>
href="about.html">About Us</a>
                  <a class="nav-link"</pre>
href="products.html">Products</a>
                  <a class="nav-link"</pre>
href="partners.html">Partners</a>
                  <a class="nav-link"</pre>
href="gallery.html">Gallery</a>
                  <a class="nav-link"</pre>
href="contact.html">Contact Us</a>
              <button class="btn btn-outline-info ms-auto" data-bs-</pre>
toggle="modal" data-bs-target="#loginModal">Login</button>
```

```
</div>
       </div>
    </nav>
<div class="modal fade" id="loginModal" tabindex="-1" aria-hidden="true">
    <div class="modal-dialog">
       <div class="modal-content">
            <div class="modal-header">
               <h5 class="modal-title">Login</h5>
                <button type="button" class="btn-close" data-bs-</pre>
dismiss="modal"></button>
            </div>
            <div class="modal-body">
                <input type="email" id="loginEmail" class="form-control mb-3"</pre>
placeholder="Email">
                <input type="password" id="loginPassword" class="form-control</pre>
mb-3" placeholder="Password">
               <button class="btn btn-info w-100"</pre>
onclick="validateLoginForm()">Login</button>
            </div>
        </div>
    </div>
</div>
    <div class="container my-5 text-center">
        <h1 class="text-info">About Us</h1>
        Welcome to A-Z Website, your ultimate destination for quality
products.
       <div class="row mt-4">
            <div class="col-md-6">
               <img src="client.png" class="img-fluid rounded" alt="About</pre>
Us">
           </div>
            <div class="col-md-6">
                >
                   Our mission is to provide top-notch products with
outstanding customer service. We partner with
                   reliable brands and ensure that every item in our store
meets the highest quality standards.
               >
                   Our team is dedicated to providing a seamless shopping
experience for you.
                </div>
       </div>
```

### **Contact.html**

```
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1">
   <title>Contact Us - A-Z Website</title>
   <link rel="stylesheet" href="styles.css">
   <link rel="stylesheet"</pre>
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
</head>
<body>
   <nav class="navbar navbar-expand-lg">
       <div class="container-fluid">
           <a class="navbar-brand" href="index.html">A-Z Website</a>
           <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarNav">
               <span class="navbar-toggler-icon"></span>
           <div class="collapse navbar-collapse" id="navbarNav">
               <a class="nav-link"</pre>
href="index.html">Home</a>
                  <a class="nav-link"</pre>
href="about.html">About Us</a>
                  <a class="nav-link"</pre>
href="products.html">Products</a>
```

```
<a class="nav-link"</pre>
href="partners.html">Partners</a>
                   <a class="nav-link"</pre>
href="gallery.html">Gallery</a>
                   <a class="nav-link active"</pre>
href="contact.html">Contact</a>
               <form class="d-flex ms-auto">
                   <input class="form-control me-2" type="search"</pre>
placeholder="Search">
                   <button class="btn btn-info" type="submit">Search
               </form>
               <button class="btn btn-warning ms-3" data-bs-toggle="modal"</pre>
data-bs-target="#loginModal">Login</button>
           </div>
       </div>
    </nav>
    <header class="text-center py-5">
        <h1>Contact Us</h1>
       We'd love to hear from you!
    </header>
    <!-- Contact Form -->
    <div class="container">
        <div class="row justify-content-center">
           <div class="col-md-6">
               <form id="contactForm" onsubmit="return</pre>
validateContactForm()">
                   <div class="mb-3">
                       <label for="name" class="form-label">Full Name</label>
                       <input type="text" class="form-control" id="name"</pre>
placeholder="Enter your name">
                       <div class="invalid-feedback">Please enter a valid
name.</div>
                   </div>
                   <div class="mb-3">
                       <label for="email" class="form-label">Email
Address</label>
                       <input type="email" class="form-control" id="email"</pre>
placeholder="Enter your email">
                       <div class="invalid-feedback">Please enter a valid
email.</div>
                   </div>
                   <div class="mb-3">
                       <label for="message" class="form-</pre>
label">Message</label>
```

```
<textarea class="form-control" id="message" rows="4"</pre>
placeholder="Your message"></textarea>
                         <div class="invalid-feedback">Message cannot be
empty.</div>
                     </div>
                     <button type="submit" class="btn btn-info w-100">Send
Message</button>
                 </form>
            </div>
        </div>
    </div>
    <div class="modal fade" id="loginModal" tabindex="-1">
        <div class="modal-dialog">
            <div class="modal-content">
                 <div class="modal-header">
                     <h5 class="modal-title">Login</h5>
                     <button type="button" class="btn-close" data-bs-</pre>
dismiss="modal"></button>
                 </div>
                 <div class="modal-body">
                     <form id="loginForm" onsubmit="return</pre>
validateLoginForm()">
                         <div class="mb-3">
                             <label for="loginEmail" class="form-</pre>
label">Email</label>
                             <input type="email" class="form-control"</pre>
id="loginEmail" placeholder="Enter your email">
                             <div class="invalid-feedback">Enter a valid
email.</div>
                         </div>
                         <div class="mb-3">
                             <label for="loginPassword" class="form-</pre>
label">Password</label>
                             <input type="password" class="form-control"</pre>
id="loginPassword" placeholder="Enter your password">
                             <div class="invalid-feedback">Password must be at
least 6 characters.</div>
                         </div>
                         <button type="submit" class="btn btn-info w-</pre>
100">Login</button>
                     </form>
                 </div>
            </div>
        </div>
    </div>
```

```
<footer class="footer">
        © 2025 A-Z Website. All rights reserved.
    </footer>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min
.js"></script>
    <script>
        function validateContactForm() {
            let name = document.getElementById("name");
            let email = document.getElementById("email");
            let message = document.getElementById("message");
            let valid = true;
            if (name.value.trim() === "") {
                name.classList.add("is-invalid");
               valid = false;
            } else {
                name.classList.remove("is-invalid");
            }
            let emailPattern = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;
            if (!emailPattern.test(email.value)) {
                email.classList.add("is-invalid");
                valid = false;
            } else {
                email.classList.remove("is-invalid");
            if (message.value.trim() === "") {
                message.classList.add("is-invalid");
               valid = false;
            } else {
                message.classList.remove("is-invalid");
           return valid;
       function validateLoginForm() {
            let loginEmail = document.getElementById("loginEmail");
            let loginPassword = document.getElementById("loginPassword");
            let valid = true;
            let emailPattern = /^[^\s@]+@[^\s@]+\.[^\s@]+$/;
            if (!emailPattern.test(loginEmail.value)) {
               loginEmail.classList.add("is-invalid");
```

```
valid = false;
} else {
    loginEmail.classList.remove("is-invalid");
}

if (loginPassword.value.length < 6) {
    loginPassword.classList.add("is-invalid");
    valid = false;
} else {
    loginPassword.classList.remove("is-invalid");
}

return valid;
}
</body>
</html>
```

## **Gallery.html**

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Gallery - A-Z Website</title>
    <link rel="stylesheet"</pre>
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
    <style>
        body {
            background: linear-gradient(135deg, #0a0a0a, #001f3f);
            color: white;
        .navbar {
            background: rgba(0, 0, 0, 0.8);
            padding: 15px;
        .navbar-brand {
            font-size: 1.8rem;
            font-weight: bold;
            color: cyan !important;
        .nav-link {
```

```
color: white !important;
           transition: 0.3s ease-in-out;
        .nav-link:hover {
           color: cyan !important;
        .gallery-img {
           width: 100%;
           height: 250px;
           object-fit: cover;
           border-radius: 10px;
           transition: 0.3s ease-in-out;
           border: 2px solid cyan;
        .gallery-img:hover {
           transform: scale(1.05);
           box-shadow: 0 0 10px cyan;
        .footer {
           background: rgba(0, 0, 0, 0.9);
           text-align: center;
           padding: 20px;
        .modal-content {
           background: #001f3f;
           color: white;
    </style>
</head>
<body>
    <nav class="navbar navbar-expand-lg">
        <div class="container-fluid">
            <a class="navbar-brand" href="index.html">A-Z Website</a>
            <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarNav">
               <span class="navbar-toggler-icon"></span>
            </button>
            <div class="collapse navbar-collapse" id="navbarNav">
```

```
<a class="nav-link"</pre>
href="index.html">Home</a>
                   <a class="nav-link"</pre>
href="about.html">About Us</a>
                   <a class="nav-link"</pre>
href="products.html">Products</a>
                   <a class="nav-link"</pre>
href="partners.html">Partners</a>
                   <a class="nav-link active"</pre>
href="gallery.html">Gallery</a>
                   <a class="nav-link"</pre>
href="contact.html">Contact</a>
               <button class="btn btn-outline-info ms-auto" data-bs-</pre>
toggle="modal" data-bs-target="#loginModal">Login</button>
           </div>
       </div>
    </nav>
    <header class="text-center py-5">
       <h1>Gallery</h1>
       Explore our best moments.
    </header>
    <div class="container text-center my-5">
       <div class="row">
           <div class="col-md-4 mb-4"><img src="download1.jpg"</pre>
class="gallery-img"></div>
           <div class="col-md-4 mb-4"><img src="download2.jpg"</pre>
class="gallery-img"></div>
           <div class="col-md-4 mb-4"><img src="download3.jpg"</pre>
class="gallery-img"></div>
           <div class="col-md-4 mb-4"><img src="download2.jpg"</pre>
class="gallery-img"></div>
           <div class="col-md-4 mb-4"><img src="download1.jpg"</pre>
class="gallery-img"></div>
           <div class="col-md-4 mb-4"><img src="download2.jpg"</pre>
class="gallery-img"></div>
           <div class="col-md-4 mb-4"><img src="download3.jpg"</pre>
class="gallery-img"></div>
           <div class="col-md-4 mb-4"><img src="download1.jpg"</pre>
class="gallery-img"></div>
           <div class="col-md-4 mb-4"><img src="download2.jpg"</pre>
class="gallery-img"></div>
           <div class="col-md-4 mb-4"><img src="download3.jpg"</pre>
class="gallery-img"></div>
```

```
<div class="col-md-4 mb-4"><img src="download2.jpg"</pre>
class="gallery-img"></div>
            <div class="col-md-4 mb-4"><img src="download1.jpg"</pre>
class="gallery-img"></div>
        </div>
    </div>
    <footer class="footer">
        © 2025 A-Z Website. All rights reserved.
    </footer>
    <div class="modal fade" id="loginModal" tabindex="-1">
        <div class="modal-dialog">
            <div class="modal-content">
                <div class="modal-header">
                    <h5 class="modal-title">Login</h5>
                    <button type="button" class="btn-close" data-bs-</pre>
dismiss="modal"></button>
                </div>
                <div class="modal-body">
                    <input type="email" id="loginEmail" class="form-control</pre>
mb-3" placeholder="Email">
                    <input type="password" id="loginPassword" class="form-</pre>
control mb-3" placeholder="Password">
                    <button class="btn btn-info w-100"</pre>
onclick="validateLoginForm()">Login</button>
                </div>
            </div>
        </div>
    </div>
    <script>
        function validateLoginForm() {
            let loginEmail = document.getElementById("loginEmail");
            let loginPassword = document.getElementById("loginPassword");
            let loginMessage = document.getElementById("loginMessage");
            let valid = true;
            let emailPattern = /^[^\s@]+@[^\s@]+\.[^\s@]+\.[^\s@]+\.[^\s]
            if (!emailPattern.test(loginEmail.value)) {
                loginEmail.classList.add("is-invalid");
                valid = false;
            } else {
                loginEmail.classList.remove("is-invalid");
```

```
}
            if (loginPassword.value.length < 6) {</pre>
                loginPassword.classList.add("is-invalid");
                valid = false;
            } else {
                loginPassword.classList.remove("is-invalid");
            if (valid) {
                loginMessage.innerHTML = "Thank you for logging in!";
                loginMessage.style.color = "lightgreen";
                setTimeout(() => {
                    loginMessage.innerHTML = "";
                    var loginModal =
bootstrap.Modal.getInstance(document.getElementById('loginModal'));
                    loginModal.hide();
                }, 2000);
            }
    </script>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min
.js"></script>
</body>
</html>
```

#### Partners.html

```
color: #fff;
.navbar {
    background: rgba(0, 0, 0, 0.8);
}
.navbar-brand {
    color: cyan !important;
    font-size: 1.8rem;
    font-weight: bold;
.nav-link {
    color: white !important;
    transition: 0.3s ease-in-out;
.nav-link:hover, .nav-link.active {
    color: cyan !important;
}
header {
    text-align: center;
    padding: 60px 20px;
    background: rgba(0, 0, 0, 0.7);
header h1 {
    font-size: 3rem;
    color: cyan;
.partner-card {
    background: rgba(255, 255, 255, 0.1);
    padding: 20px;
    border-radius: 10px;
    text-align: center;
    transition: 0.3s;
    border: 1px solid cyan;
}
.partner-card:hover {
    transform: scale(1.05);
    box-shadow: Opx Opx 15px cyan;
.partner-card img {
    max-width: 100px;
    margin-bottom: 15px;
```

```
.partner-card h5 {
          color: cyan;
       .footer {
          background: rgba(0, 0, 0, 0.9);
          text-align: center;
          padding: 20px;
   </style>
</head>
<body>
   <nav class="navbar navbar-expand-lg">
       <div class="container-fluid">
          <a class="navbar-brand" href="index.html">A-Z Website</a>
          <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarNav">
              <span class="navbar-toggler-icon"></span>
          </button>
          <div class="collapse navbar-collapse" id="navbarNav">
              <a class="nav-link"</pre>
href="index.html">Home</a>
                 <a class="nav-link"</pre>
href="about.html">About Us</a>
                 <a class="nav-link"</pre>
href="products.html">Products</a>
                 <a class="nav-link active"</pre>
href="partners.html">Partners</a>
                 <a class="nav-link"</pre>
href="gallery.html">Gallery</a>
                 <a class="nav-link"</pre>
href="contact.html">Contact</a>
              </div>
       </div>
   </nav>
   <header>
       <h1>Our Trusted Partners</h1>
       We proudly collaborate with industry-leading brands.
   </header>
   <!-- Partners Section -->
```

```
<div class="container my-5">
       <div class="row text-center">
           <!-- Partner 1 -->
           <div class="col-md-4">
               <div class="partner-card p-4">
                   <img src="client.png" alt="Partner 1">
                   <h5>Partner 1: TechCorp</h5>
                   TechCorp is a leading innovator in artificial
intelligence and cloud computing solutions, driving digital transformation
worldwide.
               </div>
           </div>
           <!-- Partner 2 -->
           <div class="col-md-4">
               <div class="partner-card p-4">
                   <img src="client.png" alt="Partner 2">
                   <h5>Partner 2: GreenEnergy</h5>
                   GreenEnergy is committed to sustainable energy
solutions, specializing in solar and wind power projects across the globe.
           </div>
           <!-- Partner 3 -->
           <div class="col-md-4">
               <div class="partner-card p-4">
                   <img src="client.png" alt="Partner 3">
                   <h5>Partner 3: HealthFirst</h5>
                   HealthFirst is a global leader in pharmaceutical
research and medical innovations, improving healthcare accessibility
worldwide.
               </div>
           </div>
       </div>
   </div>
   <footer class="footer">
       © 2025 A-Z Website. All rights reserved.
   </footer>
   <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min
.js"></script>
</body>
</html>
```

### **Products.html**

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Our Products - A-Z Website</title>
    <link rel="stylesheet"</pre>
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/css/bootstrap.min.css"
    <style>
        body {
            background: linear-gradient(135deg, #0a0a0a, #001f3f);
            color: white;
        .navbar {
            background: rgba(0, 0, 0, 0.8);
        .card {
            border: 2px solid cyan;
            border-radius: 10px;
            transition: 0.3s ease-in-out;
        .card:hover {
            transform: scale(1.05);
            box-shadow: 0 0 10px cyan;
        .card img {
            height: 200px;
            object-fit: cover;
        .footer {
            background: rgba(0, 0, 0, 0.9);
            text-align: center;
            padding: 20px;
    </style>
</head>
<body>
    <nav class="navbar navbar-expand-lg">
        <div class="container-fluid">
            <a class="navbar-brand" href="index.html">A-Z Website</a>
            <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarNav">
```

```
<span class="navbar-toggler-icon"></span>
          </button>
          <div class="collapse navbar-collapse" id="navbarNav">
              <a class="nav-link"</pre>
href="index.html">Home</a>
                 <a class="nav-link"</pre>
href="about.html">About Us</a>
                 <a class="nav-link active"</pre>
href="products.html">Products</a>
                 <a class="nav-link"</pre>
href="partners.html">Partners</a>
                 <a class="nav-link"</pre>
href="gallery.html">Gallery</a>
                 <a class="nav-link"</pre>
href="contact.html">Contact</a>
              <button class="btn btn-outline-info ms-auto" data-bs-</pre>
toggle="modal" data-bs-target="#loginModal">Login</button>
          </div>
       </div>
   </nav>
   <header class="text-center py-5">
       <h1>Our Products</h1>
       Explore our exclusive collection.
   </header>
   <!-- Products Section -->
   <div class="container">
       <div class="row">
          <!-- Product Cards -->
          <div class="col-md-3 mb-4">
              <div class="card h-100">
                 <img src="download1.jpg" class="card-img-top" alt="Product</pre>
1">
                 <div class="card-body d-flex flex-column">
                     <h5 class="card-title">Product 1</h5>
                     High-quality product for your
needs.
                     <a href="#" class="btn btn-info mt-auto">Buy Now</a>
                 </div>
              </div>
          </div>
          <div class="col-md-3 mb-4">
              <div class="card h-100">
```

```
<img src="download2.jpg" class="card-img-top" alt="Product</pre>
2">
                   <div class="card-body d-flex flex-column">
                       <h5 class="card-title">Product 2</h5>
                       Designed for durability and
style.
                       <a href="#" class="btn btn-info mt-auto">Buy Now</a>
                   </div>
               </div>
           </div>
           <div class="col-md-3 mb-4">
               <div class="card h-100">
                   <img src="download3.jpg" class="card-img-top" alt="Product</pre>
3">
                   <div class="card-body d-flex flex-column">
                       <h5 class="card-title">Product 3</h5>
                       Advanced technology at your
fingertips.
                       <a href="#" class="btn btn-info mt-auto">Buy Now</a>
                   </div>
               </div>
           </div>
           <div class="col-md-3 mb-4">
               <div class="card h-100">
                   <img src="download2.jpg" class="card-img-top" alt="Product</pre>
4">
                   <div class="card-body d-flex flex-column">
                       <h5 class="card-title">Product 4</h5>
                       Premium quality and
performance.
                       <a href="#" class="btn btn-info mt-auto">Buy Now</a>
                   </div>
               </div>
           </div>
           <div class="col-md-3 mb-4">
               <div class="card h-100">
                   <img src="download1.jpg" class="card-img-top" alt="Product</pre>
5">
                   <div class="card-body d-flex flex-column">
                       <h5 class="card-title">Product 5</h5>
                       Style and comfort combined.
                       <a href="#" class="btn btn-info mt-auto">Buy Now</a>
                   </div>
               </div>
           </div>
```

```
<div class="col-md-3 mb-4">
               <div class="card h-100">
                   <img src="download3.jpg" class="card-img-top" alt="Product</pre>
6">
                   <div class="card-body d-flex flex-column">
                       <h5 class="card-title">Product 6</h5>
                       Innovation meets efficiency.
                       <a href="#" class="btn btn-info mt-auto">Buy Now</a>
                   </div>
               </div>
           </div>
           <div class="col-md-3 mb-4">
               <div class="card h-100">
                   <img src="download2.jpg" class="card-img-top" alt="Product</pre>
7">
                   <div class="card-body d-flex flex-column">
                       <h5 class="card-title">Product 7</h5>
                       Designed to impress.
                       <a href="#" class="btn btn-info mt-auto">Buy Now</a>
                   </div>
               </div>
           </div>
           <div class="col-md-3 mb-4">
               <div class="card h-100">
                   <img src="d.jpg" class="card-img-top" alt="Product 8">
                   <div class="card-body d-flex flex-column">
                       <h5 class="card-title">Product 8</h5>
                       The best in the market.
                       <a href="#" class="btn btn-info mt-auto">Buy Now</a>
                   </div>
               </div>
           </div>
       </div>
   </div>
   <footer class="footer">
       © 2025 A-Z Website. All rights reserved.
   </footer>
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0/dist/js/bootstrap.bundle.min
.js"></script>
</body>
</html>
```

# **Output**





















