

pgAdmin 4

File Object Tools Help

Browser

- Operators
- Procedures
- Sequences
- Tables (3)
 - customers
 - orders
 - Columns (5)
 - onum
 - amt
 - odate
 - cnum
 - snum
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
- salespeople
 - Columns (4)
 - snum
 - sname
 - city
 - comm
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
- Trigger Functions
- Types

Dashboard Properties SQL Statistics Dependencies Dependents ASSIGNMENT/postgres@PostgreSQL 14*

Query Query History

```
1 select count(*) from salespeople
2 where sname ilike 'A%'
```

Data output Messages Notifications

count	bigint
1	1

Total rows: 1 of 1 Query complete 00:00:00.069 Ln 2, Col 22

pgAdmin 4

File Object Tools Help

Browser

- Operators
- Procedures
- Sequences
- Tables (3)
 - customers
 - orders
 - Columns (5)
 - onum
 - amt
 - odate
 - cnum
 - snum
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
- salespeople
 - Columns (4)
 - snum
 - sname
 - city
 - comm
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
- Trigger Functions
- Types

Dashboard Properties SQL Statistics Dependencies Dependents ASSIGNMENT/postgres@PostgreSQL 14*

Query Query History

```
1 select salespeople.snum,sum(orders.amt),sname
2 from orders
3 inner join salespeople
4 on salespeople.snum = orders.snum
5 group by salespeople.snum
6 having sum(orders.amt)>2000
7
```

Data output Messages Notifications

snum	sum	sname
[PK] integer	bigint	character varying (50)
1	1002	6546 Serres
2	1001	14932 Peel

Total rows: 2 of 2 Query complete 00:00:00.070 Ln 6, Col 28

pgAdmin 4

File Object Tools Help

Browser

- FTS Dictionaries
- FTS Parsers
- FTS Templates
- Foreign Tables
- Functions
- Materialized Views
- Operators
- Procedures
- Sequences
- Tables (3)
 - customers
 - orders
 - Columns (5)
 - onum
 - amt
 - odate
 - cnum
 - snum
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - salespeople
 - Columns (4)
 - snum
 - sname
 - city
 - comm
 - Constraints

Dashboard Properties SQL Statistics Dependencies Dependents ASSIGNMENT/postgres@PostgreSQL 14*

ASSIGNMENT/postgres@PostgreSQL 14

Query Query History

```
1 select count(*) from salespeople
2 where city ilike 'Newyork'
```

Scratch Pad

Data output Messages Notifications

count	bigint
1	1

Total rows: 1 of 1 Query complete 00:00:00.050 Ln 2, Col 27

29°C Mostly cloudy

pgAdmin 4

File Object Tools Help

Browser

- FTS Dictionaries
- FTS Parsers
- FTS Templates
- Foreign Tables
- Functions
- Materialized Views
- Operators
- Procedures
- Sequences
- Tables (3)
 - customers
 - Columns (4)
 - cnum
 - cname
 - city
 - snum
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - orders
 - salespeople
 - Columns (4)
 - snum
 - sname
 - city
 - comm
 - Constraints
 - Indexes

Dashboard Properties SQL Statistics Dependencies Dependents ASSIGNMENT/postgres@PostgreSQL 14*

ASSIGNMENT/postgres@PostgreSQL 14

Query Query History

```
1 select cname,salespeople.city,salespeople.snum,salespeople.sname
2 from customers
3 inner join salespeople ON salespeople.snum = customers.snum
4 where salespeople.city ilike 'london' and cname ilike 'paris'
```

Scratch Pad

Data output Messages Notifications

cname	city	snum	sname
character varying (23)	character varying (50)	integer	character varying (50)

Total rows: 0 of 0 Query complete 00:00:08.850 Ln 4, Col 62

29°C Mostly cloudy

pgAdmin 4

File Object Tools Help

Browser

- FTS Dictionaries
- FTS Parsers
- FTS Templates
- Foreign Tables
- Functions
- Materialized Views
- Operators
- Procedures
- Sequences
- Tables (3)
 - customers
 - Columns (4)
 - cnum
 - cname
 - city
 - snum
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
 - orders
 - salespeople
 - Columns (4)
 - snum
 - sname
 - city
 - comm
 - Constraints
 - Indexes

ASSIGNMENT/postgres@PostgreSQL 14

Query Query History Scratch Pad

```
1 select sname,count(onum),odate from orders
2 inner join salespeople on salespeople.snum = orders.snum
3 group by sname,odate
4 order by sname
```

Data output Messages Notifications

	sname	count	odate
	character varying (50)	bigint	timestamp without time zone
1	Axelrod	1	1990-10-04 00:00:00
2	Motika	1	1990-10-03 00:00:00
3	Peel	1	1990-10-03 00:00:00
4	Peel	1	1990-10-05 00:00:00
5	Peel	1	1990-10-06 00:00:00
6	Rifkin	2	1990-10-03 00:00:00
7	Serres	1	1990-10-03 00:00:00
8	Serres	1	1990-10-04 00:00:00
9	Serres	1	1990-10-06 00:00:00

Total rows: 9 of 9 Query complete 00:00:01.082 Ln 4, Col 15

29°C Mostly cloudy

Q Search

ENG IN 2023 05-03-2023